

BIDS AND AWARDS COMMITTEE

INVITATION TO BID

SUPPLY AND DELIVERY OF VARIOUS HARDWARE SUPPLIES, PARTS AND MATERIALS

The Philippine International Convention Center (PICC), through its Approved Budget for CY 2019, intends to apply the sum of **FIVE MILLION FIVE HUNDRED SIXTEEN THOUSAND SEVEN HUNDRED THIRTY-TWO PESOS AND FIVE CENTAVOS (P5,516,732.05)**, being the total Approved Budget for the Contract (ABC) of the aforesaid requirement consisting of seven (7) lots. Bids received in excess of the ABC per lot shall be automatically rejected at bid opening.

DESCRIPTION	ABC
Lot I – Supply and Delivery of Carpentry Materials	P1,586,155.90
Lot II – Supply and Delivery of Masonry Materials	P812,935.95
Lot III – Supply and Delivery of Painting and Varnishing Materials	P722,184.75
Lot IV – Supply and Delivery of Metal Materials	P375,406.00
Lot V – Supply and Delivery of Plumbing Materials	P1,586,898.47
Lot VI – Supply and Delivery of Parts and Tools	P425,230.98
Lot VII – Supply and Delivery of MEMD Tools and Materials	P7,920.00

The PICC now invites bids for the procurement of the abovementioned requirement. Delivery shall be within thirty (30) calendar days. Bidders should have completed, within the last three (3) years from the date of submission and receipt of bids, a contract similar to the project, whose value must be at least fifty percent (50%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II – Instruction to Bidders.

Bidding will be conducted through open competitive bidding procedures, using a non-discretionary "Pass/Fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (RIRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act". Bidding is open to all interested bidders, subject to the conditions for eligibility as provided in the RIRR of RA 9184. Interested bidders may obtain further information from the PICC-BAC and inspect the Bidding Documents at the address given below during office hours.

A complete set of Bidding Documents may be acquired by interested Bidders from March 26, 2019 to on or before 10:00 a.m. of March 21, 2019, at the address stated below, upon payment in cash of a non-refundable fee pursuant to the latest guidelines issued by the GPPB, in the following amount of:

Description	Cost of Bidding Documents
Lot I – Supply and Delivery of Carpentry Materials	P2,000.00
Lot II – Supply and Delivery of Masonry Materials	P900.00
Lot III – Supply and Delivery of Painting and Varnishing Materials	P900.00
Lot IV – Supply and Delivery of Metal Materials	P500.00
Lot V – Supply and Delivery of Plumbing Materials	P2,000.00
Lot VI – Supply and Delivery of Parts and Tools	P500.00
Lot VII – Supply and Delivery of MEMD Tools and Materials	P300.00

It may also be downloaded free of charge, from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and at the PICC website, https://www.picc.gov.ph, provided that participating Bidders shall pay the applicable fee for the Bidding Documents, not later than the submission of their bids.

The PICC-BAC will hold a Pre-Bid Conference on **March 6, 2019 at 10:00 a.m.**, at the PICC BAC Conference Room, Ground Floor, Delegation Building, which shall be open to prospective bidders. Bids must be duly received by the BAC Secretariat at the address specified below on or before 10:00 am. of March 21, 2019. Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.

Bid opening shall be conducted on **March 21, 2019, at 10:00 a.m**. at the PICC BAC Conference Room, Ground Floor, Delegation Building, PICC. Bids will be opened in the presence of the bidders' representatives who choose to attend. Late bids shall not be accepted.

In case the Pre-bid Conference, the deadline for the submission of Bid Documents and the opening of bids fall on a non-working day, legal holiday or special non-working holiday, the activity involved shall be moved to 2:00 p.m. of the next working day.

The PICC reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

For further information, please refer to:

BIDS AND AWARDS COMMITTEE (BAC)
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, 1307 Pasay City
7894758, 7894759 and 7894760
Telefax No. 7894761

MELPIN A. GONZAGA
Chairman

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause	Did Data Sheet			
1.1	The Procuring Entity is PHILIPPINE INTERNATIONAL CONVENTION CENTER (PICC)			
1.1	The lot(s) and reference is/are:			
	SUPPLY AND DELIVERY OF VARIOUS HARDWARE SUPPLIES, PARTS AND MATERIALS			
2	The Funding Source is: PICC APPROVED BUDGET FOR CY 2019			
3.1	No further instructions.			
5.1	Eligible Bidders			
	The following persons shall be eligible to participate in this bidding:			
	 a. Duly licensed Filipino citizens/sole proprietorships; b. Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines; c. Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines; and d. Cooperative duly organized under the laws of the Philippines, and of which at least sixty percent (60%) interest belongs to citizens of the Philippines. 			
5.2	Foreign bidders, except those falling under ITB Clause 5.2(b), may not participate in this procurement.			
5.4	The Bidder must have completed within the last three (3) years a single contract that is similar to this requirement, the amount of which shall be at least fifty percent (50%)of the ABC. If the bidder submit bids for two (2) or more lots, the lot with the largest ABC shall be the basis for determining compliance with the required percentage. For this purpose, similar contract shall refer to supply and delivery of			
7	various hardware supplies, parts and materials.			
8.1	No further instructions. Subcontracting is not allowed.			
8.2	Not applicable.			
10.1	The Procuring Entity's address is:			
	Philippine International Convention Center PICC Complex, 1307 Pasay City BAC Secretariat Tel. No. 7894759; Telefax: 7894761			



12.1(a)	No further instructions.					
12.1(a)(i i)	The bidder's SLCC similar to the contract to be bid should have been completed within three (3) years prior to the deadline for submission and receipt of bids. The SLCC shall be supported with certified photocopy of its Contract and Certificate of Completion and Acceptance or Official Receipt /Sales Invoice issued for the contract. If the bidder submit bids for two (2) or more lots, the lot with the largest					
	ABC shall be the basis for determining compliance w percentage.	ith the required				
13.1	No additional requirements.					
13.1(b)	No further instructions.					
13.1(c)	No additional requirements.					
13.2	The Total ABC is of FIVE MILLION FIVE HUNDRED THOUSAND SEVEN HUNDRED THIRTY-TWO PESOS CENTAVOS (P5,516,732.05).					
	DESCRIPTION	ABC				
	Lot I – Supply and Delivery of Carpentry Materials	P1,586,155.90				
	Lot II – Supply and Delivery of Masonry Materials	P812,935.95				
	Lot III – Supply and Delivery of Painting and Varnishing Materials					
	Lot IV – Supply and Delivery of Metal Materials	P375,406.00				
	Lot V – Supply and Delivery of Plumbing Materials	P1,586,898.47				
	Lot VI – Supply and Delivery of Parts and Tools	P425,230.98				
	Lot VII – Supply and Delivery of MEMD Tools and Materials P7,920.00					
	Any bid with a financial component exceeding this shall not be accepted.	s amount per lot				
15.4 (a)(iv)	No incidental services are required.					
15.4 (b)	No incidental services are required.					
16.1 (b)	Bid Currencies					
	The bid prices shall be quoted in Philippine Pesos.					
16.3	Payment shall be made in Philippine Pesos.	·				
17.1	Bid Validity Period					
	Bids will be valid for one hundred twenty (120) calenda date of opening of bids.	r days from the				

18.1	The bid security shall be;				
10.1					
	Notarized Bid Securing Declaration; or				
	 Cash or Cashier's/Manager's check (confirmed by universal or commercial bank), in an amount equivalent to 2% of the ABC; or 				
	Bank draft/guarantee issued by a Universal or Commercial Bank in the amount of 2% of the ABC; or				
	 Surety Bond, callable upon demand and issued by a surety or insurance company in the amount of not less than5% of the ABC, with attached certification issued by the Office of the Insurance Commission that said insurance company is authorized to issue such security; 				
18.2	The bid security shall be valid one hundred twenty (120) calendar days from the date of opening of bids.				
20.3	Sealing and Marking of Bids				
	Each Bidder shall submit <i>One (1)</i> original copy and two (2) <i>duplicate</i> copies of the Eligibility documents and the Financial Bid Proposal signed by the bidder and/or the authorized representative.				
21	The address for submission of bids is:				
	PICC-Bids and Awards Committee (BAC) Secretariat Ground Floor, Delegation Building PICC Complex, 1307 Pasay City				
	The deadline for submission of bids is, 2019 at:00 a.m.				
24.1	The place of bid opening is:				
	BAC CONFERENCE ROOM Ground Floor, Delegation Building PICC Complex, 1307 Pasay City				
	The date and time of bid opening is, 2019 at:00 a.m.				
	In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and the opening of Bids shall be at 2:00 p.m. of the next working day.				
24.2	No further instructions.				
24.3	No further instructions.				
27.1	No further instructions.				
28.3(a)	Partial bids are allowed. All Goods are grouped in lots listed below:				
	Lot I – Supply and Delivery of Carpentry Materials Lot II – Supply and Delivery of Masonry Materials Lot III – Supply and Delivery of Painting and Varnishing Materials Lot IV – Supply and Delivery of Metal Materials Lot V – Supply and Delivery of Plumbing Materials Lot VI – Supply and Delivery of Parts and Tools Lot VII – Supply and Delivery of MEMD Tools and Materials				

	Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation and contract award. In all cases, the NFCC computation must be sufficient for all the lots or			
	contracts to be awarded to the Bidder.			
28.4	No further instructions.			
29.2	Post-Qualification			
:	Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit the following documentary requirements:			
	 a. Certified Photocopy of the CY 2017 Income and Business Tax Returns filed and paid through the BIR Electronic Filing and Payment System (eFPS); 			
	 b. Sections III and V of the bid documents, signed on each and every page by the bidder's authorized representative; c. Company Profile with sketch of office location; and 			
	d. Certificate of Satisfactory Completion & Acceptance of previous PICC undertaken within the last three (3) years, any.			
	Failure of the bidder with the lowest calculated bid to submit the above requirements, or a finding against the veracity of such requirements shall be ground for forfeiture of the bid security and disqualification of the bidder for award.			
32.4 (f)	No additional requirement.			

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause	
1.1(g)	The Procuring Entity is <i>The</i> Philippine International Convention Center (PICC)
1.1(i)	The Supplier is [to be inserted at the time of contract award].
1.1(j)	The Funding Source is
	PICC APPROVED BUDGET FOR CY 2018
1.1(k)	The Project Site is PICC, PICC Complex, 1307 Pasay City
2.1	No further instructions.
5.1	The PICC's address for Notices is:
	PICC-Bids and Awards Committee PICC Complex, 1307 Pasay City
6.1	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI – Schedule of Requirements
	Upon delivery of the Goods, the Supplier shall present the following documents:
	(i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
	 (ii) Original and four copies delivery receipt/note detailing number and description of items received signed by the authorized receiving personnel;
	For purposes of this Clause the Authorized Representative of PICC is Engr. Alberto C. Gonzales, Asst. Director, BSD-TSD and Ms. Elizabeth B. Aguila, Asst. Director, MEMD, for Lot VII.
10.4	Payment shall be made in Philippine Pesos.
10.5	Payment using LC is not allowed.
11.3	Payment
	Full payment shall be made after complete delivery and acceptance of the items and submission of the Sales Invoice. Five percent (5%) of the payment shall be retained to cover the warranty obligations.
13.4(c)	Performance Security
	Within ten (10) calendar days from receipt of the Notice of Award, but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the following forms:

	Form of Performance Security Form of Performance Security (Equal to Percentage of the Total Contract Price)		
<u> </u>	Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank. Five percent (5%)		
	Bank draft/guarantee issued by a Universal or Commercial Bank Five percent (5%) Bank		
	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. Thirty percent (30%)		
16.1	Inspection and Tests		
	PICC may reject any materials that do not conform to the specifications. The Contractor shall replace such materials to meet the specifications at no cost to PICC.		
17.3	Warranty period:		
	The warranty period is three (3) months after acceptance by the PICC authorized representative of the delivered Goods or after the Goods are consumed, whichever is earlier.		
	The obligation for the warranty shall be covered by either retention money in an amount equivalent to five percent (5%) of the total contract price, or a special bank guarantee equivalent to five percent (5%) of the total contract price. (Note: GPPB RES NO. 30-2017).		
	The said amount shall be released after the lapse of the warranty period or after consumption thereof, provided, that the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met.		
	conditions imposed under the contract have been fully met.		
17.4	The period for correction of defects in the warranty period is seven (7) calendar days upon receipt of notice from PICC project-in-charge.		
21.1	The period for correction of defects in the warranty period is seven (7) calendar days upon receipt of notice from PICC project-in-		

Section VI. Schedule of Requirements

Section VI. Schedule of Requirements

The schedule of delivery shall be:

		
Description	Delivery	
Lot I – Supply and Delivery of Carpentry Materials	Full delivery shall be within thirty (30) calendar days after the receipt of Notice to Proceed	
Lot II – Supply and Delivery of Masonry Materials	Full delivery shall be within thirty (30) calendar days after the receipt of Notice to Proceed	
Lot III – Supply and Delivery of Painting and Varnishing Materials	Full delivery shall be within thirty (30) calendar days after the receipt of Notice to Proceed	
Lot IV – Supply and Delivery of Metal Materials	Full delivery shall be within thirty (30) calendar days after the receipt of Notice to Proceed	
Lot V – Supply and Delivery of Plumbing Materials	Full delivery shall be within thirty (30) calendar days after the receipt of Notice to Proceed	
Lot VI – Supply and Delivery of Parts and Tools	Full delivery shall be within thirty (30) calendar days after the receipt of Notice to Proceed	
Lot VII – Supply and Delivery of MEMD Tools and Materials	Full delivery shall be within thirty (30) calendar days after the receipt of Notice to Proceed	

Name of Company / Bidder	
Signature over printed Name o	of Authorized Representative
Position	-
Date	-

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Section VII. Technical Specifications

Section VII. Technical Specifications

Item No.	Qty.	Unit	Article /Description	COMPLIANCE
Lot I - CARPENTRY WORKS				
1	900	pcs	Acoustic Board, 5/8" x 24" x 48"	
2	1	unit	Blow Torch for LPG; 35mm nozzle - As per sample	
3	1	unit	Blow Torch for LPG; 25mm nozzle - As per sample	-
4	6	unit	LPG Tank 11kg, Tread Type, Brandnew tank with load	
5	6	unit	LPG Refill 11kg	
6	20	set	Catches - heavy duty	
7	4	roll	Sticker - Black 4' x 164' ; As per existing	
8	4	roil	Sticker - Frosted Glass 4' x 164' ; As per existing	
9	10	roll	Cloth Tape 3" – gray, 50m	
10	10	roll	Cloth Tape 3" – red, 50m	
11	10	roll	Cloth Tape 3" – yellow, 50m	
12	10	roll	Cloth Tape 2" – gray, 50m	
13	10	roll	Cloth Tape 2" - red, 50m	
14	10	roll	Cloth Tape 2" – yellow, 50m	· · · · · · · · · · · · · · · · · · ·
15	15	pcs	Non-skid strip / Safety Walk 2" x 5yrd , Black	
16	25	set	Door Lockset ; lever type; as per existing	
17	26	set	Dead Bolt - As per sample	
18	22	set	Double Dead Bolt - As per sample	
19	14	set	Glass Door Lockset - as per sample,Forum Main Entrance Door	
20	15	pcs	Door Closer- For Wooden door, with hold open features; Selectible	,
		P03	closing force; Holds at 90 degree	-
		Construction Adhesive		
		100g/sachet		
		Viscosity: Approx. 300,000 cps @ 25°C		
21	100	pcs	Solids Content : Approx. 77%	ļ
	- 100	pos	Specific gravity: 1.16 g/cm³	
			Flammability : Flammable Flashpoint - 20°C	
			Service Temperature : - 30°C to +80°C Maximum Bond : 12-72 hours depending on	
			temp & thickness	
22	30	pcs	Door Stopper ; as per existing	
23	30	pcs	Piano hinge 8'	
24	150	pcs	Escutcheon for fire Sprinkler; as per existing	
25	10	pcs	Head Barrel Bolt - as per sample	
26	20	pcs	Fire Hose Cabinet Glass, cut glass, (1/8" x 29" x 86")	
27	150	tube	Silicone sealant ; clear, 300ml/tube	
28	30	pack	Black Screw #7 x 3/4" (100pc / pack)	
29	27	pack	Black Screw #7 x 1-1/2" (100pc / pack)	
30	19 .	pack	Black Screw #7 x 2" (100pc / pack)	
31	25	Box	Air Tacker Cartridge 1"; As per sample	-
32	25 ^	pcs	Gypsum Board 1/2"	

33	10	pcs	Gypsum Board 5/8"	
34	75 -	kg	Finishing Nails 3/4"	
35	75 -	kg	Finishing Nails 374	
36	75	kg	Finishing Nails 1-1/2"	
37	75 /	-		<u> </u>
38	ļ	kg	Finishing Nails 2"	
39	75 .	kg	Finishing Nails 2-1/2"	
40	20	pcs	Sanding Disk #60 - 4"	
	20	pcs	Sanding Disk #60 - 7"	-
41	20	pcs	Sanding Disk #100 - 4"	
42	20	pcs	Sanding Disk #100 - 7"	
43	20	box	Staple wire for Gun Tacker ; 2000+/box ; As per Sample	
44	200 -	pcs	Narra Plyood 1/4" x 4' x 8'	
45	11 /	pcs	Narra Plyood 3/4" x 4' x 8'	
			Contact Cement	
			Base Materials: Synthetic Rubber	
			Form: Thick, reddish brown liquid	
			Odor: Fragrant color	
46	35	gal ,	Viscosity @ 25°C: 3,500 – 4,000 cps	
		,	Solid content : 20-22%	
			Specific gravity: 0.82 ± 0.005	
			Open Time: Up to 30 minutes	
			Drying Time: 10-15 minutes	
			Curing Time: 24 Hours	
47	115	pcs	T-Runner (Main Tee) 1" x 12'	
48	165	pcs	T-Runner (Cross Tee) 1" x 4'	
49	115	pcs	Angle Tee - 1" x 10'	
50	30	can	Marble Grout w/ Hardener and Toner; 1 ltr / can	
51	150	pcs	Lumber 2" x 2" x 10' s4s, KD	
52	60 .	pcs	Lumber 2" x 3" x 10' s4s, KD	
53	60	pcs	Lumber 2" x 4" x 10' s4s, KD	
54	60	pcs	Lumber 2" x 8" x 10' s4s, KD	
			Concealed Hinges	
55	40	pcs	Concealed Hinges; Full Overlay; Heavy Duty; Self closing	
56	40	pcs	Concealed Hinges; Half Overlay; Heavy Duty; Self closing	
57	40	pcs	Concealed Hinges; Inset; Heavy Duty ; Self closing	
58	12	pcs	Cut Acrylic Plastic 1/4" thk (170mm x 1400mm), laser cut	
59	14	pcs	Cut Acrylic Plastic 1/4" thk (290mm x 1840mm), laser cut	
60	100	pcs	Glass clip screw - As per sample	-
61	4	pack	Wood Screw 3/4" (100pcs/pack)	· · · · · · · · · · · · · · · · · · ·
62	40	pack	Wood Screw 1" (100pcs/pack)	
63	400	pcs	Bolt and nut 3/8" dia x 2"	·
64	600	pcs	Bolt and nut 3/8" dia x 3"	
65	650	pcs	Bolt and nut 1/8" dia x 3/8"	
66		pcs	Laminated Particle board 2 face laminate 33mm thk, 4' x 8' , as per	
66	70		sample	

67	45	pcs	Glass Door pivot - as per sample		
Lot II -	Lot II – MASONRY WORKS				
68	95	bags	Portland Cement ; 40kg / bag		
69	100	sachet	Construction Adhesive ; As per sample		
	200	pcs	Ceramic tiles 300mm x 300mm non skid		
70			- As per sample Main Kitchen		
	200	pcs	Ceramic tiles 600mm x 600mm		
71			- As per sample 4th and 5th floor lobby Delegation Bidg.		
70	150	pcs	Ceramic tiles 600mm x 600mm		
72			- As per sample existing Toilet Tiles		
73	287	bag	Tile Adhesive (25KG/BAG) ; As per sample		
	50	bag	Tile grout ; 2kg/bag ; As per sample		
74			Tile Grout coverage: 8m2 (30cm x 30cm Tiles)		
74			Mixing Ration : 650ml / 2kg		
			Pot Life: 1 Hour		
75	15	box	Wood Vinyl Planks - As per existing at 3rd floor lobby		
/5			-(24pcs / box) code lW3312		
76	8	bags	Skim Coat ; 20-25kg / bag		
77	2	Pail	Uecoflex PU 300		
78	20	roll	Waterproofing Torch Applied Membrane, 1 x 10m		
79	150	box	Black Vinyl tiles 12" x 12" x 3.00mm - as per Sample ; 25pcs / Box		
80	100	gal	Waterbased , no Harmful Emission Water resistant , Superior Bonding		
	9	pcs	Rubber Corner Guard ; Black and yellow stripes		
81			Bolted connection		
			Min: 88mm x 88mm x 0.8-1m (15mm thk)		
	37	pcs	Rubber Corner Guard ; Black / white		
82			Bolted connection		
			Min: 88mm x 88mm x 0.8-1m (15mm thk)		
	17	pcs	Rubber Comer Guard ; Black		
83			Bolted connection		
			Min: 88mm x 88mm x 0.8-1m (15mm thk)		
84	10	cu.m.	Sand,seived, sack sand		
85	10	cu.m.	Gravel ¾"		
86	210	gallon	Cementitous Waterproofing		
Lot III –	Lot III – PAINTING AND VARNISHING WORKS				
87	25	ltr .	Polituff w/ Hardener		
			Lacquer Thinner		
			Boiling Point/Boiling Range : 55°C		
			Flash point: -19°C		
88	500	gal	Ignition temperature: 240°C		
			Density: 0.80 - 0.90 Kg/L		
			Organic solvents: 88.0 %		
			Solids content: 12.0 %		

	r		<u> </u>	
89	85	gal	Lacquer Flo Boiling Point/Boiling Range: 137°C Flash point: 30°C Ignition temperature: 240°C Density: 0.8919 g/cm3 Organic solvents: 100.0 %	
			Automotive Lacquer White	
			-	
			Boiling Point/Boiling Range : 55°C	
90	13	gal	Flash point: -19°C	
30	13	gal	Ignition temperature: 235°C	
			Density: 1 - 1.2 Kg/L	
			Organic solvents: 56.3 %	
			Solids content: 43.7 %	
			Epoxy Primer Gray	
04	40	l,	Boiling Point/Boiling Range : 450°C	
91	13	gal	Ignition temperature: 450°C	
			Density: 1.46 - 1.47 Kg/Li	
	4.0	<u> </u>	Solids content: 68.0 %	
92	13	gal	Epoxy Reducer	
93	60	roll	Masking Tape 2"	
		gal	Oil Wood Stain - Walnut	
1	27		Surface Dry: Two (2) hours	
94			Dry Through: 4-5 hours	
			Dry Film Thickness: 1.5 mils / coat	
			Overcoating Interval: Overnight	
95	4	pcs	Plastic Sheet 10' x 90mtr ; 6 mil -As per Sample	
96	14	gal	Red Oxide Primer	
97	135	gal	Sanding Sealer	
		:	Tinting Color - Burnt Siena 1/4 ltr	
	1		Boiling Point/Boiling Range : 100°C	
			Flash point: -NA	
98	23	can	Density: 1.23 - 1.25 Kg/L	
	-	Call	Organic solvents: 1.8 %	
			Solids content: 66.10 %	
	<u> </u>			
			Tinting Color - French yellow Ochre 1/4 ltr	
			Boiling Point/Boiling Range : 100°C	
99	30	can	Flash point: -NA	
55			Density: 1.23 - 1.25 Kg/L	
			Organic solvents: 1.8 %	
			Solids content: 66.10 %	
			Flat Wall Enamel - white	
100	20	20 gal	Boiling Point/Boiling Range : 150°C	
100			Flash point: 38°C	
			Density: 11.64 - 12.00 lbs/gal	



		I	Solids content: 65 - 67 %	1
101	2	kilo	Red Leaf Powder	
102	10	gal	Turco Rust Converter	-
103	70	gal	Semi-gloss clear lacquer	
104	120		Waterproof Sandpaper # 100 ; As per sample	
105	200	pcs	Waterproof Sandpaper # 150 ; As per sample	
106	260	pcs	Waterproof Sandpaper # 180 ; As per sample Waterproof Sandpaper # 180 ; As per sample	
107	260	pcs	Waterproof Sandpaper # 240 ; As per sample	
107	200	pcs	Lemon Yellow Automotive Lacquer	
			·	
			Boiling Point/Boiling Range : 55°C	
108	8	liter	Flash point: -19°C	
100		"".	Ignition temperature: 235°C	
			Density: 1 - 1.2 Kg/L	
			Organic solvents: 56.3 % Solids content: 43.7 %	
			Red Automotive Lacquer	
			·	
			Boiling Point/Boiling Range : 55°C	
109	8	liter	Flash point: -19°C	
100			Ignition temperature: 235°C	
			Density: 1 - 1.2 Kg/L	
			Organic solvents: 56.3 % Solids content: 43.7 %	
110	22	aal	Fulatite - Natural Shade	
111	230	gal	Rags (thin)	
,,,,	200	kg	Acrylic Reducer	
			1 · ·	
112	10	gal	Boiling Point/Boiling Range : 137°C Flash point: 30°C	
			•	
113	30	roll	Density: 0.87 g/cm3 Gypsum Tape	
114	50		Quick Dry Enamel - Black	
115	29	gal	Quick Dry Enamel - white	
116	24	gal	Traffic Paint - White	
117	14	gal	Traffic Paint - Yelllow	
111	14	gal	Flat Latex Black	
			Boiling Point/Boiling Range : 100°C	
118	40	gol	Vapour pressure at 20°C : 23hPa	
110	40	l gal	Density: 1.21 - 1.31 Kg/L	
			Organic solvents: 0.0 %	
			Water: 46.2 %	
			Solids content: 51-53 %	
			Flat Latex white	
			Boiling Point/Boiling Range : 100°C	
119	30		Organic solvents: 0.00 %	
		gal	Water: 44.00 %	
<u> </u>	<u> </u>		Solids content: 85.9 %	



· .
i



142	2,000	 	Metal Screw 3/4" #10 w/ washer	
143	30	set		
144	30	pcs	Angle Bar 1" x 3/16" x 20'	
145		pcs	Angle Bar 1-1/2" x 3/16" x 20'	
146	30	pcs	Flat Bar 1" x 3/16" x 20'	
	30	pcs	Square tube 1-1/2" x 20'; 2mm thk	
147	20	pcs	BI Pipe 1-1/2" x 20'; schd 40	
148	100	pcs	BI Pipe 1" x 20' ; schd 40	
149	20	pcs	Metal Stud 2" x 3" x 3m	
Lot V -	PLUMBIN	NG WORKS		
			Flush Valve type - Water Closet (As per sample)	
450	24		Floor flange installation	
150	31	set	Inclusion: Toilet seat cover	
			Flush Valve	
			Wax ring	
			1 Piece Toilet Bowl - Floor Flange Connection	
151	10	set	Length: 710	
			Color : White	
		-	Compatability : Compatible with our rougn-in	
152	8	set	Wall-Hung Urinal (As per sample)	
			Inclusion: Flush Valve	
153	200	set	Rubber Spud Washer 1-1/2"	
154	21	set	Under Counter Lavatory - As per sample	
155	100	set	Stainless tissue holder - as per sample, non removable barrel	
156	25	pcs	Bowl Wax	
157	20	pcs	Faucet Hosebib 1/2"dia., with earlock	
158	25	pcs	GI Pipe 1" - sched 80	
159	25	pcs	GI Coupling 1/2"	
160	25	pcs	GI Coupling 1"	
161	35	pcs	GI Elbow 1"	
162	30	pcs	GI Elbow 1/2"	
163	30	pcs	GI Elbow 1-1/2"	
164	20	pcs	GI Nipple 1" x 2"	
165	20	pcs	GI Nipple 1/2" x 1"	
166	20	pcs	GI Nipple 1/2" x 2"	
167	20	pcs	GI Nipple 1-1/2" x 1"	
168	20	pcs	GI Nipple 1-1/2" x 2"	
169	15	pcs	GI Nipple 1-1/2" x 3"	<u> </u>
170	6	pcs	GI Nipple 1-1/2" x 4"	
171	20	pcs	GI Pipe 1/2" - sched 40	
172	10	pcs	GI Pipe 1" - sched 40	
173	5	pcs	GI Tee 1/2"	
174	25	pcs	GI Tee 1"	
175	10	pcs	GI Union Patente 1/2"	
176	40		PVC Elbow 1"	
176	40	pcs	PVC Elbow 1"	



177	50	200	PVC Elbow 1/2"			
178	30	pcs	PVC Elbow 1/2 PVC Elbow 3/4"			
179	10	pcs	PVC Elbow 4"			
180	10	pcs				
		pcs	VC Elbow 4" x 45 deg			
181	65	pcs	VC Pipe 1/2" - water line			
182	35	pcs	PVC Pipe 3/4" - water line			
183	20	pcs	PVC Pipe 1"- water line			
184	65	pcs	Sloan Repair Kit A-156AA			
185	55	pcs	Sloan Repair Kit G-1007A			
186	55	pcs	Sloan Repair Kit G-1017A			
187	16	pcs	Tank Fitting / Fill Valve			
188	170	roll	Teflon Tape 1/2"			
189	170	roll	Teflon Tape 3/4"			
190	18	pcs	Vulcaseal sealant			
191	5	pcs	Water Plug Cement			
192	21	pcs	Flexible Hose for Bidet			
193	6	pcs	Water Meter 1/2", Heavy Duty			
194	3	pcs	Water Meter 1-1/2", Heavy Duty			
195	3	pcs	Water Meter 2", Heavy Duty			
Lot VI -	PARTS A	AND TOOL	s			
100	500	500 pcs	Caster Wheel 6" (50% fixed ; 50% swivel) heavy duty;			
196	500		Sealed Bearing, Hard Rubber, as per sample	-		
197	2	unit	Exhaust fan 12" x 12"			
	_		ceiling mounted exhaust fan 10" w/ flexible duct			
198	2	unit	at least 5m			
199	1	set	Combination Wrench set (8mm - 24mm) 14-16 pcs	· -		
200	1	set	Box Wrench set (6mm - 27mm) 10 pcs			
201	1	set	Socket Wrench set 27 pcs x 1/2 DR	:		
202	4	pcs	Adjustable Wrench 10"			
203	4	pcs	Adjustable Wrench 12"			
204	1	pcs	Pipe Wrench 8", Heavy Duty			
205	1	pcs	Bolt Cutter 24"			
206	6	pcs	LED Head Lamp			
207	9	pcs	Black Rubber Boots ,Flood Boots ; Heavy Duty			
208	40	pcs	Grinding Disc 4"			
209	20	pcs	Grinding Disc 7" dia			
210	50	pcs	Hacksaw Blade, 12" x 18TPI			
211	50	pcs	Cut-off Wheel 14" dia			
212	70	pcs	Cutting Disc 4" Dia			
213	25	pcs	High Speed Drill Bit 1/8" dia - as per existing sample			
214	25	pcs	High Speed Drill Bit 3/16" dia - as per existing sample			
		· ·	Masonry Drill Bit 3/16"			
215	25	pcs	Masonry Drill Bit 1/2"			
216	25	pcs				
217	35	pcs	Baby roller foam cotton 4"			



r			T	
218	35	pcs	Baby roller foam cotton 6"	
219	30	pcs	Paint Brush 3"	
220	30	pcs	Paint Brush 2"	
221	24	pcs	Putty knife w/ Handle	
222	25	pcs	Roller Foam 7" with Handle	
223	23	pcs	Steel Brush	\exists
224	23	pcs	Plastic Paint Tray	
225	15	pcs	Pencil Brush Pointed 1/8"	
226	10	gal	Respirator Cartridge (NP-305)	
227	20	pcs	Diamond Cutting Disc 4" Dia	
228	5	pcs	Diamond Cutting Disc 7" Dia cutting tile and ceramic	
Lot VII -	- MEMD	TOOLS AN	D MATERIALS	
229	3	pieces	Rubber Mallet 16 ounces	
230	3	pieces	Rubber Maliet 24 ounces	
231	2	cans	Multi-purpose grease 250 grams	
232	2	boxes	½ inch Staple wire for Stanley Gun Tucker	
233	2	boxes	1/4 inch Staple Wire for Stanley Gun Tucker	
234	10	cans	Multi-purpose Lubricant with flexible straw	
			0.1	

Statement of Compliance
Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.



Section VIII. Bidding Forms

Section VIII. Bidding Forms

Bid Form

To: [name and address of Procuring Entity]

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to the goods below stated in conformity with the said Bidding Documents for the sum/s as follows:

Description	Amount of Bid/s in words a (VAT Inclusive)	and figures
Lot I – Supply and Delivery of	TOTAL AMOUNT OF BIDS IN WORDS	
Carpentry Materials	(P) VAT Inclusive
Lot II – Supply and Delivery of	TOTAL AMOUNT OF BIDS IN WORDS	
Masonry Materials	(P) VAT Inclusive
Lot III – Supply and Delivery of Painting and	TOTAL AMOUNT OF BIDS IN WORDS	
Varnishing Materials	(P) VAT Inclusive
Lot IV – Supply and Delivery of	TOTAL AMOUNT OF BIDS IN WORDS	
Metal Materials	(P) VAT Inclusive
Lot V – Supply and Delivery of	TOTAL AMOUNT OF BIDS IN WORDS	
Plumbing Materials	(P) VAT Inclusive
Lot VI - Supply and Delivery of	TOTAL AMOUNT OF BIDS IN WORDS	
Parts and Tools	(P) VAT Inclusive
Lot VII – Supply and Delivery of MEMD Tools and	TOTAL AMOUNT OF BIDS IN WORDS	
Materials	(P) VAT Inclusive

Note: Attach detailed breakdown indicating the brand, unit price and amount per item.

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in **BDS** provision for **ITB** Clause 17.1 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the lowest or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of Name of Bidder, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the Supply and Delivery of Various Hardware Supplies, Parts and Materials of the Philippine International Convention Center [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the Name of Bidder, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for Supply and Delivery of Various Hardware Supplies, Parts and Materials of the Philippine International Convention Center.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this	day of	2019.	
[signature]		[in the capacity of]	
Duly authorized to sign	Bid for and on behalf	of	

Item No.	Qty.	Unit	Article /Description	Unit Cost	Total Amount	
Lot I – C	Lot I – CARPENTRY WORKS					
1	900	pcs	Acoustic Board, 5/8" x 24" x 48"			
2	1	unit	Blow Torch for LPG ; 35mm nozzle - As per sample			
3	1 ,	unit	Blow Torch for LPG ; 25mm nozzle - As per sample			
4	6	unit	LPG Tank 11kg , Tread Type , Brandnew tank with load			
5	6	unit	LPG Refill 11kg			
6	20	set	Catches - heavy duty			
7	4 .	roll	Sticker - Black 4' x 164' ; As per existing			
8	4	roll	Sticker - Frosted Glass 4' x 164'; As per existing			
9	10 、	roll	Cloth Tape 3" – gray, 50m			
10	10 .	roll	Cloth Tape 3" – red, 50m			
11	10	roll	Cloth Tape 3" – yellow, 50m			
12	10 ·	roll	Cloth Tape 2" – gray, 50m			
13	10	roll	Cloth Tape 2" – red, 50m		, , , , , , , , , , , , , , , , , , ,	
14	10	roll	Cloth Tape 2" – yellow, 50m			
15	15	pcs	Non-skid strip / Safety Walk 2" x 5yrd , Black			
16	25	set	Door Lockset; lever type; as per existing			
17	26	set	Dead Bolt - As per sample			
18	22	set	Double Dead Bolt - As per sample			
19	14	∕ set	Glass Door Lockset - as per sample,Forum Main Entrance Door			
20	15	pcs	Door Closer- For Wooden door, with hold open features; Selectible closing force; Holds at 90 degree			
21	100	pcs	Construction Adhesive 100g/sachet Viscosity: Approx. 300,000 cps @ 25°C Solids Content: Approx. 77% Specific gravity: 1.16 g/cm³ Flammability: Flammable Flashpoint - 20°C Service Temperature: - 30°C to +80°C Maximum Bond: 12-72 hours depending on temp & thickness			
22	30	pcs	Door Stopper ; as per existing			
23	30	pcs	Piano hinge 8'			
24	150	pcs	Escutcheon for fire Sprinkler ; as per existing			
25	10	pcs	Head Barrel Bolt - as per sample			
26	20 .	pcs	Fire Hose Cabinet Glass, cut glass, (1/8" x 29" x 86")			
27	150	tube	Silicone sealant ; clear, 300ml/tube			
28	30	pack	Black Screw #7 x 3/4" (100pc / pack)			
29	27	pack	Black Screw #7 x 1-1/2" (100pc / pack)			
30	19	pack	Black Screw #7 x 2" (100pc / pack)			
31	25	∠ Box	Air Tacker Cartridge 1" ; As per sample			



32	25 pcs	Gypsum Board 1/2"	
33	T 14	Gypsum Board 5/8"	
34	 		
35	 	Finishing Nails 3/4"	
	75 kg	Finishing Nails 1"	
36	75 kg	Finishing Nails 1-1/2"	
37	75 kg	Finishing Nails 2"	
38	75 kg	Finishing Nails 2-1/2"	
39	20 / pcs	Sanding Disk #60 - 4"	
40	20 pcs	Sanding Disk #60 - 7"	
41	20 pcs	Sanding Disk #100 - 4"	
42	20 pcs	Sanding Disk #100 - 7"	
43	20 box	Staple wire for Gun Tacker; 2000+/box; As per Sample	
44	200 pcs	Narra Plyood 1/4" x 4' x 8'	
45	11 pcs	Narra Plyood 3/4" x 4' x 8'	
		Contact Cement	
		Base Materials: Synthetic Rubber	
		Form: Thick, reddish brown liquid	
		Odor: Fragrant color	
40	25	Viscosity @ 25°C: 3,500 – 4,000 cps	
46	35 gal	Solid content : 20-22%	
		Specific gravity: 0.82 ± 0.005	
		Open Time: Up to 30 minutes	
}		Drying Time : 10-15 minutes	
		Curing Time : 24 Hours	
47	115 pcs	T-Runner (Main Tee) 1" x 12'	
48	165 pcs	T-Runner (Cross Tee) 1" x 4'	
49	115 pcs	Angle Tee - 1" x 10'	
50	30 can	Marble Grout w/ Hardener and Toner; 1 ltr / can	
51	150 - pcs	Lumber 2" x 2" x 10' s4s, KD	
52	60 pcs	Lumber 2" x 3" x 10' s4s, KD	
53	60 pcs	Lumber 2" x 4" x 10' s4s, KD	
54	60 pcs	Lumber 2" x 8" x 10' s4s, KD	
	00 200	Concealed Hinges	
	Doe	Concealed Hinges; Full Overlay; Heavy Duty; Self	
55	40 pcs	closing	
56	40 pcs	Concealed Hinges; Half Overlay; Heavy Duty; Self	
	40	closing	
57	40 pcs	Concealed Hinges; Inset; Heavy Duty; Self closing	
58	12 ^{pcs}	Cut Acrylic Plastic 1/4" thk (170mm x 1400mm), laser cut	
59	14 pcs	Cut Acrylic Plastic 1/4" thk (290mm x 1840mm), laser cut	
60	100 / pcs	Glass clip screw - As per sample	
61	4 pack	Wood Screw 3/4" (100pcs/pack)	
62	40 pack	Wood Screw 1" (100pcs/pack)	
63	400 pcs	Bolt and nut 3/8" dia x 2"	
	100 100		L

64	600	pcs	Bolt and nut 3/8" dia x 3"		
65	650	pcs	Bolt and nut 1/8" dia x 3/8"		
		pcs	Laminated Particle board 2 face laminate 33mm thk,	,	
66	70	,	4' x 8', as per sample		
67	45	pcs	Glass Door pivot - as per sample		
Lot II –	MASONR	Y WORKS			
68	95	bags	Portland Cement ; 40kg / bag		
69	100	sachet	Construction Adhesive ; As per sample		
70	200	pcs	Ceramic tiles 300mm x 300mm non skid		
			- As per sample Main Kitchen		
	200	pcs	Ceramic tiles 600mm x 600mm		
71			- As per sample 4th and 5th floor lobby		
	150	pcs	Delegation Bldg. Ceramic tiles 600mm x 600mm		
72	130		- As per sample existing Toilet Tiles		
73	287	bag	Tile Adhesive (25KG/BAG) ; As per sample		
· · · ·	201	, sug	Tile grout ; 2kg/bag ; As per sample		
			Tile Grout coverage: 8m2 (30cm x 30cm Tiles)		
74	50	bag	Mixing Ration : 650ml / 2kg		
			Pot Life : 1 Hour		
		box	Wood Vinyl Planks - As per existing at 3rd floor		
75	15	Box	lobby		
			-(24pcs / box) code IW3312		
76	8	bags	Skim Coat ; 20-25kg / bag		
77	2	Pail	Uecoflex PU 300		
78	20	roli	Waterproofing Torch Applied Membrane, 1 x 10m		
79	150	box	Black Vinyl tiles 12" x 12" x 3.00mm - as per		
	·		Sample ; 25pcs / Box Waterbased , no Harmful Emission		· ·
80	100	gai			
		noc	Water resistant , Superior Bonding Rubber Corner Guard ; Black and yellow stripes		-
81	9	pcs	Bolted connection		
81			Min : 88mm x 88mm x 0.8-1m (15mm thk)		
	0=		· · · · · · · · · · · · · · · · · · ·		
00	37	pcs	Rubber Corner Guard ; Black / white Bolted connection		
82			Min : 88mm x 88mm x 0.8-1m (15mm thk)		
	<u> </u>		, ,		
02	17	pcs	Rubber Corner Guard ; Black Bolted connection		
83					
0.4	10		Min : 88mm x 88mm x 0.8-1m (15mm thk) Sand,seived, sack sand	ļ-, <u></u>	
84	10	cu.m.	Gravel 3/4		
85	10	cu.m.			
86	210	gallon	Cementitous Waterproofing		1
	1	G AND VA	RNISHING WORKS		
87	25	ltr	Polituff w/ Hardener		
			Lacquer Thinner		
88	E00		Boiling Point/Boiling Range : 55°C		
	500	gal	Flash point: -19°C		

			T	<u> </u>	
			Ignition temperature: 240°C		
			Density: 0.80 - 0.90 Kg/L		
			Organic solvents: 88.0 %		
			Solids content: 12.0 %		
89	85	, gai	Lacquer Flo Boiling Point/Boiling Range: 137°C Flash point: 30°C Ignition temperature: 240°C Density: 0.8919 g/cm3 Organic solvents: 100.0 %		
			Automotive Lacquer White		
			Boiling Point/Boiling Range : 55°C		
		/	Flash point: -19°C		
90	13	gal	Ignition temperature: 235°C		
			Density: 1 - 1.2 Kg/L	*	
			Organic solvents: 56.3 %		
			Solids content: 43.7 %		
			Epoxy Primer Gray		
	/	∤	Boiling Point/Boiling Range : 450°C	ı	
91	13	gal	Ignition temperature: 450°C		
			Density: 1.46 - 1.47 Kg/Li		
			Solids content: 68.0 %		
92	13	gal	Epoxy Reducer		
93	60	roll	Masking Tape 2"		
			Oil Wood Stain - Walnut		
			Surface Dry: Two (2) hours		
94	27	gal	Dry Through: 4-5 hours		
			Dry Film Thickness: 1.5 mils / coat		
			Overcoating Interval: Overnight		
95	4	4 000	Plastic Sheet 10' x 90mtr ; 6 mil -As per		
		pcs	Sample		
96	14 _	gal	Red Oxide Primer		
97	135	→ gal	Sanding Sealer		
			Tinting Color - Burnt Siena 1/4 ltr		
		,	Boiling Point/Boiling Range : 100°C		
		1	Flash point: -NA		
98	23	can	Density: 1.23 - 1.25 Kg/L		
			Organic solvents: 1.8 %		
	İ		Solids content: 66.10 %		
			Tinting Color - French yellow Ochre 1/4 ltr		
			Boiling Point/Boiling Range : 100°C		
99	30		Flash point: -NA		
			Density: 1.23 - 1.25 Kg/L		
			Organic solvents: 1.8 %		
			Solids content: 66.10 %		



ſ				Ţ	<u> </u>
			Flat Wall Enamel - white		
			Boiling Point/Boiling Range : 150°C		
100	20	gal	Flash point: 38°C		
	/		Density: 11.64 - 12.00 lbs/gal		
			Solids content: 65 - 67 %		
101	2 /	kilo	Red Leaf Powder		
102	10 /	[†] gal	Turco Rust Converter		
103	70 ′	gal	Semi-gloss clear lacquer		
104	120 .	pcs	Waterproof Sandpaper # 100; As per sample		
105	200	pcs	Waterproof Sandpaper # 150; As per sample		
106	260 <	pcs	Waterproof Sandpaper # 180 ; As per sample		
107	260	pcs	Waterproof Sandpaper # 240 ; As per sample		
			Lemon Yellow Automotive Lacquer		
			Boiling Point/Boiling Range : 55°C		
			Flash point: -19°C		
108	8 .	liter	Ignition temperature: 235°C		
			Density: 1 - 1.2 Kg/L		
			Organic solvents: 56.3 %		
			Solids content: 43.7 %		
			Red Automotive Lacquer		
			Boiling Point/Boiling Range : 55°C		
	_ {	,,,	Flash point: -19°C		
109	8	liter	Ignition temperature: 235°C	:	
			Density: 1 - 1.2 Kg/L		
			Organic solvents: 56.3 %		
			Solids content: 43.7 %		
110	22 -	k gal	Fulatite - Natural Shade		
111	230 _	kg	Rags (thin)		
			Acrylic Reducer		
112	10	anl	Boiling Point/Boiling Range : 137°C		
112	10	gal	Flash point: 30°C		
			Density: 0.87 g/cm3		
113	30 ₫	roll	Gypsum Tape		
114	50 /	gal	Quick Dry Enamel - Black		
115	29 ~	gal	Quick Dry Enamel - white		
116	24 -	gal	Traffic Paint - White		
117	14 /	gal	Traffic Paint - Yelllow		
		*	Flat Latex Black		
			Boiling Point/Boiling Range : 100°C		
			Vapour pressure at 20°C : 23hPa		
		ſ	Density: 1.21 - 1.31 Kg/L		
118	40	gal	Organic solvents: 0.0 %		
			Water: 46.2 %		
			Solids content: 51-53 %		
L	L				

		T	Flat I star visita		
			Flat Latex white		
			Boiling Point/Boiling Range : 100°C		
119	30		Organic solvents: 0.00 %		
'''		gal	Water: 44.00 %		
			Solids content: 85.9 %	_	
			Semi-gloss Latex white		
120	25	gal	Vapour pressure at 20°C : 23hPa		
		"	Organic solvents: 0.07 %		
			Water: 60.00 %		
			Latex Color - Hanza Yellow		
			Boiling Point/Boiling Range : 100°C		
			Vapour pressure at 20°C : 23hPa		
121	20	liter	Density: 1.23 - 1.25 Kg/L		
			Organic solvents: 1.80 %		
			Water: 31.60 %		
			Solids content: 66.10 %		
			Latov Color, Laws Black		
			Latex Color - Lamp Black		
			Boiling Point/Boiling Range : 100°C		!
122	1 4 5	1:4	Vapour pressure at 20°C : 23hPa		
122	15	liter	Density: 1.23 - 1.25 Kg/L		
	!		Organic solvents: 1.80 %		
			Water: 31.60 %		
			Solids content: 66.10 %		
			Latex Color - Venetian Red		
	/	1	Boiling Point/Boiling Range : 100°C		
123	16	liter	Vapour pressure at 20°C : 23hPa		
120	10	litei	Density: 1.23 - 1.25 Kg/L		
			Organic solvents: 1.80 %		
			Water: 31.60 %		
1 04 11/	METAL	WORKS	Solids content: 66.10 %		
124	15	L	Aluminum Dinin Chant #04 v. 41 v. 01		
125	85	pcs	Aluminum Plain Sheet #24 x 4' x 8'		
126	4 -	kg	GI Wire # 16 Acetylene Tanks, with load, Brand New		
127	3	Tank Tank	Oxygen Tanks, with load, Brand new		
128	700	pcs	Rivet 3/16" dia x 1/2"		
129	700	pcs	Rivet 3/16" dia x 5/16"		
130	20 ^	kg	Welding Rod 1/8" - Stainless		
131	150	kg	Welding Rod #6011		
132	500	pcs	Stainless Metal Screw 1"		
133	500	pcs	Stainless Metal Screw 1-1/2"		
134	8	tanks	Oxygen Refill		
135	1	1 tanks	Acetylene Refill		
136	600	pcs	Metal Screw # 10 x 2"		



·
Ī



172	10 /		nac	GI Pipe 1" - sched 40	T	· · ·
173	5 /	_	pcs	GI Tee 1/2"		
174	25	_	pcs	GI Tee 1"		
175	10 /		pcs	· · · · · · · · · · · · · · · · · · ·		
		├	pcs	GI Union Patente 1/2"		
176	40 _	_	pcs	PVC Elbow 1"		
177	50	<u> </u>	pcs	PVC Elbow 1/2"	-	
178	30	Ł	pcs	PVC Elbow 3/4"		
179	10 /	_	pcs	PVC Elbow 4"		
180	10	Ł	pcs	PVC Elbow 4" x 45 deg		
181	65	<u> </u>	pcs	PVC Pipe 1/2" - water line	_	
182	35		pcs	PVC Pipe 3/4" - water line		
183	20		pcs	PVC Pipe 1"- water line		
184	65 ,	Ł	pcs	Sloan Repair Kit A-156AA		
185	55	<u> </u>	pcs	Sloan Repair Kit G-1007A		
186	55		pcs	Sloan Repair Kit G-1017A		_
187	16 1	<u></u>	pcs	Tank Fitting / Fill Valve		
188	170	L	roll	Teflon Tape 1/2"		
189	170		roll	Teflon Tape 3/4"		
190	18	L	pcs	Vulcaseal sealant		
191	5	_	pcs	Water Plug Cement		
192	21	r	pcs	Flexible Hose for Bidet		
193	6]	pcs	Water Meter 1/2", Heavy Duty		
194	3		pcs	Water Meter 1-1/2", Heavy Duty		
195	3	Ĺ	pcs	Water Meter 2" , Heavy Duty		
Lot VI –	PARTS	AN	D TOOL	S		
		ı		Caster Wheel 6" (50% fixed ; 50% swivel) heavy duty;		
196	500 /	<u> </u>	pcs	Sealed Bearing, Hard Rubber, as per sample		
196 197	500 /	7	pcs unit	, ,		
		7		sample		
197 198 199	2 -		unit unit set	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs		
197 198 199 200	2 -		unit unit set	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs		
197 198 199 200 201	2 - 1 , 1 - 1		unit unit set set set	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR		
197 198 199 200 201 202	2 - 1 - 1 - 4 - 4		unit unit set set set pcs	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR Adjustable Wrench 10"		
197 198 199 200 201 202 203	2 - 1 - 1 - 4 - 4 - 4		unit unit set set set pcs pcs	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR Adjustable Wrench 10" Adjustable Wrench 12"		
197 198 199 200 201 202 203 204	2 - 1 - 1 - 4 - 4 - 1		unit unit set set set pcs pcs pcs	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR Adjustable Wrench 10" Adjustable Wrench 12" Pipe Wrench 8", Heavy Duty		
197 198 199 200 201 202 203 204 205	2 - 2 - 1 - 1 - 4 - 4 - 1 1 - 1 - 1		unit unit set set set pcs pcs pcs pcs	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR Adjustable Wrench 10" Adjustable Wrench 12" Pipe Wrench 8", Heavy Duty Bolt Cutter 24"		
197 198 199 200 201 202 203 204 205 206	2 / 2 - 1 / 1 / 4 / 1 / 1 / 6 /		unit unit set set set pcs pcs pcs pcs pcs	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR Adjustable Wrench 10" Adjustable Wrench 12" Pipe Wrench 8", Heavy Duty Bolt Cutter 24" LED Head Lamp		
197 198 199 200 201 202 203 204 205 206 207	2 - 2 - 1 - 1 - 4 - 4 - 4 - 1 1 - 6 - 4 9 - 7		unit unit set set pcs pcs pcs pcs pcs pcs	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR Adjustable Wrench 10" Adjustable Wrench 12" Pipe Wrench 8", Heavy Duty Bolt Cutter 24" LED Head Lamp Black Rubber Boots ,Flood Boots ; Heavy Duty		
197 198 199 200 201 202 203 204 205 206 207 208	2 / 2 - 1 / 1 / 4 / 1 / 1 / 6 / 9 /		unit unit set set pcs pcs pcs pcs pcs pcs pcs	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR Adjustable Wrench 10" Adjustable Wrench 12" Pipe Wrench 8", Heavy Duty Bolt Cutter 24" LED Head Lamp Black Rubber Boots ,Flood Boots ; Heavy Duty Grinding Disc 4"		
197 198 199 200 201 202 203 204 205 206 207	2 - 2 - 1 - 1 - 4 - 4 - 4 - 1 1 - 6 - 4 9 - 7		unit unit set set pcs pcs pcs pcs pcs pcs	sample Exhaust fan 12" x 12" ceiling mounted exhaust fan 10" w/ flexible duct at least 5m Combination Wrench set (8mm - 24mm) 14-16 pcs Box Wrench set (6mm - 27mm) 10 pcs Socket Wrench set 27 pcs x 1/2 DR Adjustable Wrench 10" Adjustable Wrench 12" Pipe Wrench 8", Heavy Duty Bolt Cutter 24" LED Head Lamp Black Rubber Boots ,Flood Boots ; Heavy Duty		



211	50 <	pcs	Cut-off Wheel 14" dia	
212	70	pcs	Cutting Disc 4" Dia	
213	25 、	pcs	High Speed Drill Bit 1/8" dia - as per existing sample	
214	25. /	pcs	High Speed Drill Bit 3/16" dia - as per existing sample	
215	25	pcs	Masonry Drill Bit 3/16"	
216	25	pcs	Masonry Drill Bit 1/2"	
217	35	pcs	Baby roller foam cotton 4"	
218	35	✓ pcs	Baby roller foam cotton 6"	
219	30 -	pcs	Paint Brush 3"	
220	30 -	pcs	Paint Brush 2"	
221	24 ~	pcs	Putty knife w/ Handle	
222	25	pcs	Roller Foam 7" with Handle	
223	23 /	pcs	Steel Brush	
224	23	/ pcs	Plastic Paint Tray	
225	15	✓ pcs	Pencil Brush Pointed 1/8"	"
226	10 -	gal	Respirator Cartridge (NP-305)	
227	20 1	pcs	Diamond Cutting Disc 4" Dia	
228	5	pcs	Diamond Cutting Disc 7" Dia cutting tile and ceramic	
Lot VII -	- MEMD	TOOLS AN	D MATERIALS	
229	3	pieces	Rubber Mallet 16 ounces	
230	3	pieces	Rubber Mallet 24 ounces	
231	2	cans	Multi-purpose grease 250 grams	
232	2	boxes	1/2 inch Staple wire for Stanley Gun Tucker	
233	2	boxes	1/2 inch Staple Wire for Stanley Gun Tucker	
234	10	cans	Multi-purpose Lubricant with flexible straw	
parame		each Spec	Statement of Compliance either "Comply" or "Not Comply" against each of the individual ification stating the corresponding performance parameter of	



PHILIPPINE INTERNATIONAL CONVENTION CENTER BIDS AND AWARDS COMMITTEE

CHECKLIST OF REQUIREMENTS

Bidders shall submit their bids through their duly authorized representative using the forms specified in the Bidding Documents in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first envelope shall contain the technical component of the bid including the eligibility requirements and the second shall contain the financial component of the bid.

I. FIRST ENVELOPE: ELIGIBILITY AND TECHNICAL COMPONENTS:

A. ELIGIBILITY DOCUMENTS:

- 1. Certified photocopy of the valid and current PhilGEPS Certificate of Registration Platinum Membership. The certificate shall be submitted together with Annex "A".
 - If any of the documents mentioned in Annex "A" is not current, the new document should be submitted.
- Statement of all on-going government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (ANNEX "A");
- 3. Statement of the Single Largest Completed Contract (SLCC) similar to the contract to be bid, entered into within the last three (3) years from the date of submission and opening of bids, and whose value is at least fifty percent (50%) of the ABC. (ANNEX "B") Attach to such statement the following:
 - a. Certified photocopy of the SLCC; and
 - b. Certificate of Acceptance or Official Receipt or Sales Invoice
- 4. Net Financial Contracting Capacity (NFCC): (ANNEX "C")

Computation of NFCC must be at least equal to the ABC to be bid, calculated as follows;

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

or a committed Line of Credit from Universal or Commercial Bank, in lieu of its NFCC Computation. The committed Line of Credit must be at least equal to ten percent (10%) of the ABC to be bid.



B. TECHNICAL COMPONENT:

- 1. Bid Security:
 - Notarized Bid Securing Declaration (ANNEX "D"); or
 - Cash or Manager's Check / Cashier's check issued by a Universal or Commercial Bank in the amount of not less than 2% of the ABC; or
 - Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank in the amount of not less than 2% of the ABC; or
 - Surety Bond, callable upon demand, issued by a private insurance company with attached Certification issued by the Office of the Insurance Commission that said insurance company is authorized to issue such surety, in the amount of not less than 5% of the ABC.
- 2. Sections VI Schedule of requirements and VII- Technical Specifications of the Bidding Documents, fully accomplished;
- 3. Notarized Omnibus Sworn Statement (ANNEX "E") with attached;
 - a. For Corporations, the duly notarized Secretary's Certificate; or
 - b. For Sole Proprietorship, the notarized Special Power of Attorney.

II. <u>SECOND ENVELOPE: FINANCIAL COMPONENT OF THE BID</u> (BID PROPOSAL FORMS)

1. Financial Bid Form (Section VIII of the Bidding Documents) with detailed breakdown per lot.

Note:

To facilitate the evaluation of the bids, bidders are advised to follow the arrangement in the above-mentioned checklist when placed in an Envelope, with documents tabbed and labeled accordingly. See also Annex "F" for guidance.



								ANNEX "A"
Standard For Number: SF-GOOD-13a)OD-13a							
Revised on: July 28, 2004	and the first of the section of the section of the first of the section of the first of the section of the sect				A MARIAN I MANIMANI M			
LIST OF ALL ON-GOIN	G GOVERNIMENT &	LIST OF ALL ON-GOING GOVERNMENT & PRIVATE CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT Y	CLUDING CC	NTRACT	AWARDED BUT NO	T YET STARTED	RTED	
Business Name:								A first formally transferred to the man constrained from the man formal formal from his markets.
Business Address:								
							,	
Name of Project / Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role	Role	a. Date Awarded b. Date Started c. Date Completion	% of Accomplishment	of ishment	Value of Outstanding Works / Undelivered Portion
			Description	%		Planned	Actual	
Government:								
Private:								
Submitted by:								
el later (III lade) l'emai el débito d'hébito d'estat e ment l'hébitoliket le ces e l	The state of the s	(Printed Name & Signature)						to form as a find well observed the statement of the stat
Designation:								
Date:					Out of a statement of the first			

THE RESERVE THE PROPERTY OF TH			A Made later to the later to the later Add at our later and a made later to be a later to a manufacture of the later to a manu	
exemple AAAAK A.D de AA de da Jaha a 190 C 190 C VII C AAAA di da Abada an di daara ahaa aa aa aa aa aa aa aa a	SINGL	SINGLE LARGEST COMPLETED CONTRACT) CONTRACT	данняй дення компания на дення в на вереня в на ве
I MARKET PERSONAL PERSONAL PERSONAL PERSONAL PERSONAL PERSONAL PROPERTY PERSONAL PER	WHICH	WHICH IS SIMILAR TO THE CONTRACT TO BE BID	ACT TO BE BID	
Business Name:				
Business Address:				
a. O	a. Owner' Name b. Address	Nature of Item/Service	a. Amount of Award b. Amount at Completion	a. Date Awarded b. Contract Effectivity
; -	elephone Nos.		c. Duration	c. pare completed
Note: This statement shall be supported with:	pported with:			
1. Contract	α το προσκό το για αυτό κου συ κου που κου που που που που που που που που που π	да д	Mental Handyan yang banda yang Mediana yang bersada dan dalam kana dalam salam kana dalam kana dalam dalam dalam salam banda dalam banda d	воде воделителей и верей воделей воделей воделей и воделей воделей воделей воделей воделей воделей воделей воде
2. Certificate of Com	pletion and Acceptance or	Certificate of Completion and Acceptance or Official Receipt/s or Sales Invoice issued for	oice issued for the contract	
ote: The Single Largest Comple	ted Contract shall be compl	eted within the last three (3) y	Note: The Single Largest Completed Contract shall be completed within the last three (3) years from the date of submission and receipt of bids	n and receipt of bids,
that is similar to the contr	act to be bid, the amount o	that is similar to the contract to be bid, the amount of which shall be at least fifty percent (50%) of	ercent (50%) of the ABC.	
Submitted by:		Armonis en esta composita composita e empose e esta en esta en esta esta en esta en esta en esta en esta esta e		ATTOWN AND AND AND AND AND AND AND AND AND AN
	(Printed Name & Signature)	& Signature)		
Designation:				
Date:			efferfer for the contraction of the feature and the feature and the feature and feature an	

Name of the Procuring Entity

Project Reference Number Name of the Project Location of the Project

Standard Form Number: SF-GOOD-14

Revised on: May 24, 2004

FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK

A. Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached Income Tax Return and Audited Financial Statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

		Year 20
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	
7.	Value of all outstanding or uncompleted portions of the project under	
	ongoing contracts, including awarded contracts yet to be started coinciding	
	with contract to be bid.	

Note:

1. If Partnership or Joint Venture, each Partner or Member Firm of Joint Venture shall submit the above requirements.

BID SECURING DECLARATION FORM

REPUBLIC	C OF THE PHILIPPINES	5)
CITY OF _) S.S.
		_
x		x

BID SECURING DECLARATION

Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We¹, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;

I Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

(6)	Bid, and I/we have furnished the performance security and signed the Contract.
IN WITNES [month] [year] at [p	SS WHEREOF, I/We have hereunto set my/our hand/s this day of place of execution].
	[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant
execution], Philippin through competent et No. 02-8-13-SC). A card used], with his his/her Community	ND SWORN to before me this day of [month] [year] at [place of nes. Affiant/s is/are personally known to me and was/were identified by me evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. affiant/s exhibited to me his/her [insert type of government identification /her photograph and signature appearing thereon, with no and Tax Certificate No issued on at Indeed a seal this day of [month] [year].
Roll of Attorneys No[date of Attorneys No[date of Attorneys No	issionuntil
Doc. No Page No Book No Series of	

ANNEX "E"

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES	5)		
CITY/MUNICIPALITY OF) S.S.		

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5.	[Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized
	representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
 - a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

IN WITNESS	WHEREOF,	I have	hereunto	set my	hand	this _	_ day	of _	, 20_	_ at
, Philippines.										
										IN WITNESS WHEREOF, I have hereunto set my hand this day of, 20, Philippines.

of execution], Philippines. Affiant/s is/are perme through competent evidence of identity (A.M. No. 02-8-13-SC). Affiant/s exhibit identification card used], with his/her photo-	efore me this day of [month] [year] at [place ersonally known to me and was/were identified by as defined in the 2004 Rules on Notarial Practice ted to me his/her [insert type of government ograph and signature appearing thereon, with no. ificate No issued on at
Witness my hand and seal this d	ay of [month] [year].
	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No [date issued], [place issued] IBP No [date issued], [place issued]
Doc. No Page No Book No Series of	

