

#### BIDS AND AWARDS COMMITTEE

# Invitation to Bid for the Supply and Delivery of Various Hardware Supplies, Parts and Materials

1. The Philippine International Convention Center (PICC), through the Approved Budget for CY 2021, intends to apply the sum of FOUR MILLION ONE HUNRED SEVENTY-FIVE THOUSAND EIGHTY-FOUR PESOS AND NINETY-THREE CENTAVOS (Php 4,175,084.93) VAT Inclusive, being the Approved Budget for the Contract (ABC) to payments under the contract for the SUPPLY AND DELIVERY OF VARIOUS HARDWARE SUPPLIES, PARTS AND MATERIALS. The Procurement Project consists of the following lots, with the corresponding sub-ABC:

LOTI	SUPPLY AND DELIVERY OF CARPENTRY MATERIALS	Php 1,155,371.75
LOTII	SUPPLY AND DELIVERY OF PAINTING & VARNISHING MATERIALS	Php 1,247,182.00
<b>LOT III</b>	SUPPLY AND DELIVERY OF PLUMBING MATERIALS	Php 1,527,806.68
LOT IV	SUPPLY AND DELIVERY OF METAL WORKS MATERIALS	Php 62,345.00
LOT V	SUPPLY AND DELIVERY OF MASONRY MATERIALS	Php 124,980.00
LOT VI	SUPPLY AND DELIVERY OF PARTS AND TOOLS	Php 57,399.50

Bids received in excess of the sub-ABC for each lot shall be automatically rejected at bid opening.

- 2. The *PICC* now invites bids for the above Procurement Project. Delivery of the Goods is required within THIRTY (30) CALENDAR DAYS. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. Prospective Bidders may obtain further information from the *PICC-BAC* and inspect the Bidding Documents at the address given below during office hours.

5. A complete set of Bidding Documents may be acquired by Prospective Bidders on June1, 2021 from the given address and website(s) below and upon payment of a non-refundable fee in the amounts of:

LOTI	SUPPLY AND DELIVERY OF CARPENTRY MATERIALS	Php 2,000.00
LOTII	SUPPLY AND DELIVERY OF PAINTING & VARNISHING MATERIALS	Php 2,000.00
LOT III	SUPPLY AND DELIVERY OF PLUMBING MATERIALS	Php 2,000.00
LOT IV	SUPPLY AND DELIVERY OF METAL WORKS MATERIALS	Php 300.00
LOT V	SUPPLY AND DELIVERY OF MASONRY MATERIALS	Php 400.00
LOT VI	SUPPLY AND DELIVERY OF PARTS AND TOOLS	Php 300.00

The PICC shall allow the bidder to present its proof of payment for the fees by furnishing the PICC-BAC a copy of the Official Receipt.

- 6. The PICC-BAC will hold a Pre-Bid Conference on June 8, 2021 at 10:00 a.m. Meeting Room 10 (MR-10), 3<sup>RD</sup> Floor Delegation Building, PICC and/or through videoconferencing/webcasting via Zoom, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before June 22, 2021 at 9:30 a.m.. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on June 22, 2021, at 10:00 a.m. at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *PICC* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

BIDS AND AWARDS COMMITTEE (BAC)
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, Pasay City 1307
87894759 and 87894760
Telefax No. 87894761
Email: procurement@picc.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.picc.gov.ph

[Date of Issue]

MELPIN A. GONZAGA
Chairman

# PHILIPPINE INTERNATIONAL CONVENTION CENTER



PROJECT TITLE : SUPPLY AND DELIVERY OF VARIOUS

HARDWARE, SUPPLIES, PARTS AND

**MATERIALS** 

ABC : ₱4,175,084.93

Sub-ABC Lot I - P1,155,371.75

Lot II - ₱1,247,182.00 Lot III - ₱1,527,806.68 Lot IV - ₱62,345.00 Lot V - ₱124,980.00 Lot VI - ₱57,399.50

Reference/s : PICC APP2021 - 14

PICC APP2021 - 15 PICC APP2021 - 16 PICC APP2021 - 17 PICC APP2021 - 18 PICC APP2021 - 19

> ITB-2021 May 31, 2021

> > 1

### TABLE OF CONTENTS

Glossa	ry of Terms, Abbreviations, and Acronyms	3
Section	I. Invitation to Bid	5
	n II. Instruction to Bidders	
1.	Scope of Bid	
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive and Coercive Practices	
5.	Eligible Bidders	
6.	Origin of Goods	11
7.	Subcontracts	
8.	Pre-bid Conference	12
9.	Clarification and Amendments of Bidding Documents	12
10.	Documents Comprising the Bid: Eligibility and Technical Component	
11.	Documents Comprising the Bid: Financial Component	
12.	Bid Prices	
13.	Bid and Payment Currencies	
14.	Bid Security	
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post Qualification	
21.	Signing of the Contract	
	III. Bid Data Sheet	
	IV. General Conditions of Contract	
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	
3.	Performance Security	
4.	Inspection and Test	
5.	Warranty	
	Liability of the Supplier	
	1 V. Special Conditions of Contract	
	1 VI. Schedule of Requirements	
Section	1 VII. Technical Specifications	28
Section	1 VIII. Checklist of Technical and Financial Documents	35

### Glossary of

## Terms, Abbreviations, and Acronyms

**ABC** – Approved Budget for the Contract.

ARCC - Allowable Range of Contract Cost.

BAC - Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP - Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**Contractor** – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI - Consumer Price Index.

**DOLE** - Department of Labor and Employment.

DTI - Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI - Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of



any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA - National Government Agency.

PCAB - Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

SLCC - Single Largest Completed Contract.

UN - United Nations.



# Section I. Invitation to Bid

### Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, *Philippine International Convention Center* wishes to receive Bids for the *Supply and Delivery of Various Mechanical Supplies, Parts and Materials* with identification numbers *PICC APP2021-14*, *PICC APP2021-15*, *PICC APP2021-16*, *PICC APP2021-19* 

The Procurement Project (referred to herein as "Project") is composed of SIX (6) LOTS, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2021 in the total amount of PhP4,175,084.93.
- 2.2. The source of funding is:
  - a. GOCC and GFIs, the Corporate Operating Budget.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.



- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least fifty percent (50%) of the ABC. If the bidder submit bids for two (2) or more lots, the lot with the largest ABC shall be the basis to determining compliance with the required percentage.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. [If Procuring Entity has determined that subcontracting is allowed during the bidding, state:] The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in ITB Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in ITB Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.



#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at and/or through videoconferencing/webcasting as indicated in paragraph 6 of the IB.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within the last three (3) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the sub ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.



#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

£

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2 The Bid and bid security shall be valid one hundred twenty (120) calendar days from the date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

14

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
  - One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

### III. Bid Data Sheet

## **Bid Data Sheet**

ITB	
Clause	
5	The following persons shall be eligible to participate in this bidding:
	<ul> <li>a. Duly licensed Filipino citizens/sole proprietorships;</li> <li>b. Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;</li> <li>c. Corporations duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the of the outstanding capital stock belongs to citizens of the Philippines; and</li> <li>d. Cooperatives duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines</li> </ul>
5.3	For this purpose, similar contract shall refer to supply and delivery of hardware and tools supplies, parts and materials.
	The Bidder must have completed within the last three (3) years a single contract that is similar to this requirement, the amount of which shall be at least fifty percent (50%) of the ABC. If the bidder submit bids for two (2) or more lots, the lot with the largest ABC shall be the basis to determining compliance with the required percentage.
7.1	Sub-contracting is not allowed
12	Not applicable
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	For Lot I
	<ul> <li>a. The amount of not less than ₱23,107.44, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>b. The amount of not less than ₱57,768.59, if bid security is in Surety Bond</li> </ul>
	For Lot II
	a. The amount of not less than \$\P24,943.64\$, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than ₱62,359.10 if bid security is in Surety Bond
	For Lot III
	<ul> <li>a. The amount of not less than ₱30,556.13, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> </ul>



	b. The amount of not less than ₱76,390.33 if bid security is in Surety Bond
	For Lot IV
	a. The amount of not less than \$\mathbb{P}\$1,246.90, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than ₱3,117.25 if bid security is in Surety Bond
	For Lot V
	<ul> <li>a. The amount of not less than \$\mathbb{P}2,499.60\$, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> </ul>
	b. The amount of not less than ₱6,249.00 if bid security is in Surety Bond
	For Lot VI
	a. The amount of not less than ₱1,147.99, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than ₱2,869.97 if bid security is in Surety Bond
15	Sealing and Marking of Bids
	Each Bidder shall submit the original and one (1) copy of the first and second components of its Bid.
16.1	The address for submission of bids is:
	PICC-Bids and Awards Committee (BAC) Secretariat
	Ground floor, Delegation Building
	PICC Complex, 1307 Pasay City
	The deadline for submission of bids is June 22, 2021 at 9:30 a.m.
17.1	The place of bid
	BAC CONFERENCE ROOM
	MR10, 3 <sup>rd</sup> Floor, Delegation Building
	PICC Complex, 1307 Pasay City
	The date and time of bid opening is June 22, 2021 at 10:00 a.m.

	In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and the opening of Bids shall be at 2:00 p.m. of the next working day.			
19.3	Total ABC is FOUR MILLION ONE HUNDRED SEVENTY-FIVE THOUSAND EIGHTY-FOUR PESOS AND NINETY-THREE CENTAVOS (PhP 4,175,084.93), VAT Inclusive.  The Sub-ABC per Lot is as follows:			
	LOTI	SUPPLY AND DELIVERY OF CARPENTRY MATERIALS	Php 1,155,371.75	
	LOT II	SUPPLY AND DELIVERY OF PAINTING & VARNISHING MATERIALS	Php 1,247,182.00	
	LOT III	SUPPLY AND DELIVERY OF PLUMBING MATERIALS	Php 1,527,806.68	
	LOT IV	SUPPLY AND DELIVERY OF METAL WORKS MATERIALS	Php 62,345.00	
	LOT V	SUPPLY AND DELIVERY OF MASONRY MATERIALS	Php 124,980.00	
	LOT VI	SUPPLY AND DELIVERY OF PARTS AND TOOLS	Php 57,399.50	
20.2 Within a non-extendible period of five (5) calendar days from bidder of the notice from the BAC that it submitted the LCB, submit the following documentary requirements:  a. Certified Photocopy of the CY 2019 Income and Business filed and paid through the BIR Electronic Filing and Pays (eFPS);		e LCB, the Bidder shall Business Tax Returns		
	b. Sections III and V of the bid documents, signed on each and every page by the bidder's authorized representative;			
	d. Certificate	Profile with sketch of office location; of Satisfactory Completion & Acceptan dertaken within the last three (3) years, if		
21.2	No additional	requirement		



Section IV. General Conditions of Contract

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.



All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



# Section V. Special Conditions of Contract

**Special Conditions of Contract** 

CCC	Special Conditions	or contract	
GCC			
Clause			
1	The Procuring Entity is <i>The</i> Philippine International Convention Center (PICC)		
2.2	Payment		
	Full payment upon complete del documents.	ivery and submission of the required	
3	Performance Security		
	Within ten (10) calendar days from rece case later than the signing of the contract shall furnish the performance security in	by both parties, the successful Bidder	
	Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)	
1	Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank.	Five percent (5%)	
	Bank draft/guarantee issued by a Universal or Commercial Bank	Five percent (5%)	
	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)	
4	Inspection and Tests		
	PICC may reject any materials tha The Contractor shall replace such mate cost to PICC.	t do not conform to the specifications.	
5	Warranty period		
	Three (3) months warranty after acceptance by the PICC authorized representative of the delivered Goods or after the Goods are consume whichever is earlier.		
	The obligation for the warranty shall be covered by either retention mo an amount equivalent to five percent (5%) of the total contract price, or a		



	bank guarantee & equivalent to five percent (5%) of the total contract price. (Note: GPPB RES NO. 30-2017.
	The said amount shall be released after the lapse of the warranty period or after consumption thereof, provided, that the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met. For all other items, the warranty is three (3) months.
6	The period for correction of defects in the warranty period is seven (7) calendar days upon receipt of notice from PICC project-in-charge.



## Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Delivered, Weeks/Months
LOT I	SUPPLY AND DELIVERY OF CARPENTRY MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT II	SUPPLY AND DELIVERY OF PAINTING AND VARNISHING MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT III	SUPPLY AND DELIVERY OF PLUMBING MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT IV	SUPPLY AND DELIVERY OF METAL WORKS MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT V	SUPPLY AND DELIVERY OF MASONRY MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT VI	SUPPLY AND DELIVERY OF PARTS AND TOOLS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company / Bidder	
Signature over printed Name of A	uthorized Representative
Position	
Date	





# Section VII. Technical Specifications

# **Technical Specifications**

Item	Qty.	Unit	Specification	Statement of Compliance
Lot I –	CARPEN	TY MATER	IALS	Общриние
1	8	set	Floor hinge with adjustable hold open, Heavy Duty, BTS 80 EN4- Existing 341mm (L) x 78mm (W) x 60mm (H)	
2	900	pcs	Acoustic Board, 5/8" x 24" x 48" existing: 1730 fine fissured RH99	
3	200	pcs	Acoustic Board, Same as existing 24" x 48" x 15mm, smooth white, Reaction to fire: A1; NRC: 0.95 Humidity & sag resistance: up to 100 RH 1/C0N	
4	10	unit	Door Closer, with hold open, wooden doors, Scissor type Max door width: 950mm Max door weight 65kg Operating Angle: 0-105 degree	
5	15	set	Door Lockset; Lever type; Same as existing Backset 60mm(2-3/8") -/ 70mm(2-3/4") Zinc Alloy Handle Door thickness: 35mm (1-3/8" to 2") Brass core cylinder	
6	25	pack	Black Screw #7 x 3/4" (100pc / pack)	
7	25	pack	Black Screw #7 x 1" (100pc / pack)	
8	20	pack	Black Screw #7 x 1-1/2" (100pc / pack)	
9	25	pack	Black Screw #7 x 2" (100pc / pack)	
10	25	pcs	Door Stopper ; as per existing, Chrome plated	
11	16	set	Drawer Guide 18" - heavy duty	
12	20	pcs	Padlock 50mm - long shackle	
13	30	roll	Cloth tape, yellow 2" x 25m	
14	10	roll	Cloth tape, red 2" x 25m	
15	10	roll	Cloth tape, gray 2" x 25m	
16	10	pcs	Instant Glue, 3g, can hold 2 Tons	
17	7	pcs	Penetrating Oil - 191ML	
18	100	pcs	Lumber 2" x 2" x 10' s4s, kd	
19	55	pcs	Lumber 2" x 3" x 10' s4s, kd	
20	100	pcs	Narra Plywood 1/4" x 4' x 8', high quality, uniform haspe	
21	30	pcs	Narra Plywood 3/4" x 4' x 8' high quality, uniform haspe	
22	15	pcs	Marine Plywood 3/4:	
23	200	pcs	Metal Screw # 6 x 3/4" with Tox	
24	20	roli	None skid strip / Carborundum strip tape, black, 2" x 15'	
25	2	set	Panic device- Heavy Duty Single point locking Up to 1000mm door width	
26	5	pcs	Double sided tape, 22mm x 4.6m Super strength Molding tape	



Lot II- PAINTING AND VARNISHING MATERIALS			
27	12	gal	Automotive Lacquer - Iemon yellow Boiling Point/Boiling Range : 55°C Flash point: -19°C Ignition temperature: 235°C Density: 1 - 1.2 Kg/L
			Organic solvents: 56.3 % Solids content: 43.7 % Automotive Lacquer - red
28	12	gal	Boiling Point/Boiling Range : 55°C Flash point: -19°C Ignition temperature: 235°C Density: 1 - 1.2 Kg/L Organic solvents: 56.3 % Solids content: 43.7 %
29	16	gal	Automotive Lacquer - white Boiling Point/Boiling Range : 55°C Flash point: -19°C Ignition temperature: 235°C Density: 1 - 1.2 Kg/L Organic solvents: 56.3 % Solids content: 43.7 %
30	16	gal	Automotive Lacquer primer surfacer - white
31	14	gal	Automotive Lacquer putty - green
32	45	gal	Automotive Lacquer - Carbon Black Boiling Point/Boiling Range : 55°C Flash point: -19°C Ignition temperature: 235°C Density: 1 - 1.2 Kg/L Organic solvents: 56.3 % Solids content: 43.7 %
33	8	gal	Acrylic Lacquer paint Black
34	12	gal	Acrylic Lacquer paint Analoc
35	24	gal	Acrylic Reducer - Sphero
36	200	gal	Flat Latex – White Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Organic solvents: 0.00 % Water: 44.00 % Solids content: 85.9 %
37	60	gal	Flat Latex - Black Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.21 - 1.31 Kg/L Organic solvents: 0.0 % Water: 46.2 % Solids content: 51-53 %
38	80	gal	Semi-gloss Latex – White Vapour pressure at 20°C : 23hPa Organic solvents: 0.07 % Water: 60.00 %
39	200	gal	Lacquer Thinner Boiling Point/Boiling Range: 55°C Flash point: -19°C Ignition temperature: 240°C Density: 0.80 - 0.90 Kg/L Organic solvents: 88.0 % Solids content: 12.0 %



40	12	gal	Gypsum Putty
41	200	roll	Masking Tape 1"
42	100	kg	Rags, thin, white
43	80	gal	Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Overcoating Interval: Overnight
44	10	gal	Oil Wood Stain – oak Surface Dry: Two (2) hours Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Overcoating Interval: Overnight
45	30	gal	Oil Wood Stain - wall nut Surface Dry: Two (2) hours Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Overcoating Interval: Overnight
46	20	gal	Traffic Paint - White
47	15	gal	Traffic Paint - Yellow
48	100	gal	Paint Thinner Boiling Point/Boiling Range: 162°C Density: 0.78571 Kg/L Organic solvents: 100.00 % Water: not miscible or difficult to mix
49	24	Liter	Latex Color - raw sienna Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.36 Kg/L Organic solvents: 1.60 % Water: 29.70 % Solids content: 67.30 %
50	24	liter	Latex Color - Venetian red Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 %
51	21	liter	Latex Color - Hanza Yellow Boiling Point/Boiling Range: 100°C Vapour pressure at 20°C: 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 %
52	21	liter	Latex Color - Lamp Black Boiling Point/Boiling Range: 100°C Vapour pressure at 20°C: 23hPa Density: 1.23 - 1.25 Kg/L Organic solvents: 1.80 % Water: 31.60 % Solids content: 66.10 %
53	110	pcs	Waterproof Sandpaper # 100 ; As per sample
54	160	pcs	Waterproof Sandpaper # 150 ; As per sample
55	160	pcs	Waterproof Sandpaper # 240 ; As per sample
56	160	pcs	Waterproof Sandpaper # 400 ; As per sample



	1 -	1		
57	25	can	Tinting color - Lemon Yellow - 1/4 ltr	
58	15	can	Tinting color - Venetian Red - 1/4 ltr	
59	20	can	Tinting color - Lamp Black - 1/4 ltr	
60	20	can	Tinting color - Burnt Umber - 1/4 ltr	
61	2	kg	Red leaf powder / orange powder	
62	200	gal	Sanding sealer	
63	12	gal	Epoxy primer gray	
64	12	gal	Epoxy Reducer	
65	15	gal	Valspar putty	
66	20	gal	Polytuff w/ Hardener	
67	16	gal	Silver paint	
68	25		Quick dry Enamel - Black	
	· · · · · · · · · · · · · · · · · · ·	gal		
69	2	sack	Patching compound 20kg	
70	3	roll	Plastic Sheet 10' x 90mtr ; 6 mil -As per Sample	
71	170	gal	Clear concrete sealer ; Glossy ; for stamped concrete	
· · · · · · · · · · · · · · · · · · ·	- PLUMB	NG MATER		
72	19	pcs	Strong Rubberized Waterproof Repair Tape Large 4" wide x 5' Roll	
73	44	pcs	Pop-up 1-1/4" - for Lavatory drain	
74	14	pcs	PVC Tee 1/2" dia waterline	
75	14	pcs	GI Elbow 1/2" x 2" dia.	
76	20	pcs	GI Nipple 1/2" x 2" dia.	
77	5	pcs	GI Pipe 3/4" dia.	
78	5	can	Hydraulic water-stop cement, 10 lbs	
79	20	ltr	Vulcaseal	
80	5	can	Water plug cement	
81	200	pcs	Teflon tape 1/2"	
82	100	pcs	Teflon tape 3/4"	
83	10	pcs	Gooseneck Faucet Chrome plated, single, lever type	
84	10	pcs	Bowl wax	
85	5	pcs	Water Meter 3" dia.	
86	16	pcs	Water Meter 2" dia.	
87	7	pcs	Water Meter 1-1/2" dia.	
88	10	pcs	Sloan Repair Kit A-163A	
89	15	pcs	Sloan Repair Kit A-19AC	
90	20	pcs	Sloan Repair Kit A-156AA	
91 92	20	pcs	Sloan Repair Kit G-1007A Sloan Repair Kit G-1017A	
92	20 50	pcs	Sloan Repair Kit H-541ASD, 1"	
93	30	pcs	1 Piece Toilet Bowl - Floor Flange Connection	
94	9	set	As per Existing Inclusion: Toilet seat cover Floor Flange Bowl wax Length: 710mm Color: White	
95	21	set	Flush Valve type - Water Closet HCG titan #c6811fv - Existing Floor flange installation	



r		· · · · · · · · · · · · · · · · · · ·		
			Inclusion: Toilet seat cover	
			Wax ring Floor Flange	
96	3	set	Wall-Hung Urinal - Same as existing	
97	20	set	Under Counter Lavatory - Same as existing	
98	30	set	Faucet as per sample- Same as existing	
99	37	set	Bidet, High pressure, Stainless steel type 304	
LOT IV	LOT IV – METAL WORKS MATERIALS			
100	5	pcs	Aluminum Plain Sheet #24	
101	10	pcs	BI Pipe 1-1/4". Sched 40	
02	30	pcs	Cut-off Wheel 4" dia x .045"	
103	2	pcs	Grinding Wheel 6" dia. x 19mm - rough	
104	15	pcs	High Speed Drill Bit 1/16" dia.	
105	10	pcs	High Speed Drill Bit 1/8" dia.	
106	10	pcs	High Speed Drill Bit 3/16" dia.	
107	6	tank	LPG - refill 11kg	
108	10	tank	Oxygen -refill	
109	5	tank	Acetylene -refill	
110	15	box	Rivets 3/8 dia. X 1/2" note: 100pcs/box	
111	40	kg	Welding Rod #6011	
112	15	kg	Welding Rod #6013	
LOT 5 -	- MASO	VRY MATE	RIALS	
113	25	pcs	Masonry Drill Bit 1/4" dia.	
114	19	pcs	Masonry Drill Bit 3/16" dia.	
115	100	pcs	Ceramic tile 600 x 600, As per sample, toilet tiles, white	
116	100	pcs	Ceramic tile 600 x 600, As per sample, toilet tiles, accent/offwhite	
117	100	pcs	Ceramic tile 600 x 600, As per sample, 4th/5th floor tiles offwhite	
118	120	pcs	Ceramic tile 300 x 300, As per sample, 4th/5th flr Pantry tiles offwhite	
119	60	pcs	Ceramic tile 300 x 300, As per sample, 4th/5th flr Service elevator tiles	
120	20	gal	Contact Cement	
121	4	gal-set	All Purpose Structural Epoxy , A & B, gallon-set	
LOT 6	- PARTS	AND TOOL		
122	20	pcs	Camel Brush 1"	
123	20	pcs	Camel Brush 2"	
124	20	pcs	Camel Brush 3"	
125	36	pcs	Putty knife 3" w/ handle	
126	20	pcs	Putty knife 4"	
127	30	pcs	Paint Brush 1"	
128	35	pcs	Paint Brush 2"	
129	35	pcs	Paint Brush 2-1/2"	
130	35	pcs	Paint Brush 3"	
131	20	pcs	Pencil Brush 1/8" pointed - As per sample	
132	20	pcs	Pencil Brush 1/4"	
133	20	pcs	Pencil Brush 1/2"	
134	40	pcs	Roller Foam 4"	
135	85	pcs	Paint Roller Foam with handle 7"	
136	40	pcs	Baby Roller cotton 6"	





137	40	pcs	Baby Roller cotton 4"	
138	17	pcs	Paint Tray - plastic	7
139	12	pcs	Steel Brush	
140	2	pcs	Glasscutter - diamond tip	_
141	8	pcs	Hand Reveter, 3/16", 5/32", 1/8", Heavy Duty	
142	10	box	Carbon brush (CB-124, Makita) note 2pcs/box	
143	10	box	Carbon brush (CB-419A, Makita) note 2pcs/box	7
144	1	set	Diamond Hollow Core Drill Bits - for tiles, 18sizes	

#### STATEMENT OF COMPLIANCE

Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.

#### Note:

Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.



# Section VIII. Checklist of Technical and Financial Documents

#### **BID FORM**

Date:	
Project Identification No.:	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply and Delivery of Various Mechanical and Electronics Supplies, Parts and Materials in conformity with the said PBDs for the sum of:

Description	Amount of Bid/s in words and figures (VAT Inclusive)
Lot I - SUPPLY AND DELIVERY OF CARPENTRY MATERIALS	TOTAL AMOUNT OF BIDS IN WORDS  (P) VAT Inclusive
Lot II - SUPPLY AND DELIVERY OF PAINTING AND VARNISHING MATERIALS	TOTAL AMOUNT OF BIDS IN WORDS  (P) VAT Inclusive
Lot III - SUPPLY AND DELIVERY OF PLUMBING MATERIALS	TOTAL AMOUNT OF BIDS IN WORDS  (P) VAT Inclusive
Lot IV - SUPPLY AND DELIVERY OF METAL WORKS MATERIALS	TOTAL AMOUNT OF BIDS IN WORDS  (P) VAT Inclusive
Lot V - SUPPLY AND DELIVERY OF MASONRY MATERIALS	TOTAL AMOUNT OF BIDS IN WORDS  (P) VAT Inclusive
Lot VI - SUPPLY AND DELIVERY OF PARTS AND TOOLS	TOTAL AMOUNT OF BIDS IN WORDS  (P) VAT Inclusive

or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv)



other fiscal levies and duties], which are itemized herein or in the Price Schedules (see attached),

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	



### Cost Breakdown

No.	Qty.	Unit	Article /Description	Unit Price	Total Amount
Lot I	CARPE	NTRY M	IATERIALS	·	<del></del>
1	8	set	Floor hinge with adjustable hold open, Heavy Duty, BTS 80 EN4- Existing 341mm (L) x 78mm (W) x 60mm (H)		
2	900	pcs	Acoustic Board, 5/8" x 24" x 48" existing: 1730 fine fissured RH99		
3	200	pcs	Acoustic Board, Same as existing 24" x 48" x 15mm, smooth white, Reaction to fire: A1; NRC: 0.95 Humidity & sag resistance: up to 100 RH 1/C0N		
4	10	unit	Door Closer, with hold open, wooden doors, Scissor type Max door width: 950mm Max door weight 65kg Operating Angle: 0-105 degree		
5	15	set	Door Lockset; Lever type; Same as existing Backset 60mm(2-3/8") -/ 70mm(2-3/4") Zinc Alloy Handle Door thickness: 35mm (1-3/8" to 2") Brass core cylinder		
6	25	pack	Black Screw #7 x 3/4" (100pc / pack)		
7	25	pack	Black Screw #7 x 1" (100pc / pack)		
8	20	pack	Black Screw #7 x 1-1/2" (100pc / pack)		
9	25	pack	Black Screw #7 x 2" (100pc / pack)		
10	25	pcs	Door Stopper ; as per existing, Chrome plated		
11	16	set	Drawer Guide 18" - heavy duty		
12	20	pcs	Padlock 50mm - long shackle		
13	30	roll	Cloth tape, yellow 2" x 25m		
14	10	roll	Cloth tape, red 2" x 25m		
15	10	roll	Cloth tape, gray 2" x 25m		
16	10	pcs	Instant Glue, 3g, can hold 2 Tons		
17	7	pcs	Penetrating Oil - 191ML		
18	100	pcs	Lumber 2" x 2" x 10' s4s, kd		
19	55	pcs	Lumber 2" x 3" x 10' s4s, kd		
20	100	pcs	Narra Plywood 1/4" x 4' x 8', high quality, uniform haspe		
21	30	pcs	Narra Plywood 3/4" x 4' x 8' high quality, uniform haspe		
22	15	pcs	Marine Plywood 3/4:		
23	200	pcs	Metal Screw # 6 x 3/4" with Tox		
24	20	roll	None skid strip / Carborundum strip tape, black, 2" x 15'		
25	2	set	Panic device- Heavy Duty Single point locking Up to 1000mm door width		
26	5	pcs	Double sided tape, 22mm x 4.6m Super strength Molding tape		
Lot II –	PAINT	ING ANI	Sub - D VARNISHING MATERIALS	- total	
			Automotive Lacquer - lemon yellow		<u></u>
27	12	gal	Boiling Point/Boiling Range : 55°C Flash point: -19°C		



Ignition temperature: 235°C   Density: 1-1.2 KgdL   Organic solvents: 56.3 %   Solids content: 43.7 %   Automotive Lacquer - red   Boiling Point/Boiling Range : 55°C   Flash point: 1-19°C   Density: 1-1.2 KgdL   Organic solvents: 55.3 %   Solids content: 43.7 %   Automotive Lacquer - white   Boiling Point/Boiling Range : 55°C   Flash point: 1-19°C   Ignition temperature: 235°C   Density: 1-1.2 KgdL   Organic solvents: 55.3 %   Solids content: 43.7 %   Automotive Lacquer - white   Boiling Point/Boiling Range : 55°C   Flash point: 1-19°C   Ignition temperature: 235°C		_				
Organic solvents; 56.3 %   Solids content; 43.7 %   Automotive Lacquer - rad Boiling Point/Boiling Range : 55°C   Flash point; 19°C   Ignifion temperature; 235°C   Density; 1 - 1.2 Kg/L   Organic solvents; 56.3 %   Solids content; 43.7 %   Automotive Lacquer - white Boiling Point/Boiling Range : 55°C   Flash point; 19°C   Density; 1 - 1.2 Kg/L   Organic solvents; 66.3 %   Solids content; 43.7 %   Automotive Lacquer primer surfacer - white   Automotive Lacquer prime				1 9		
Solids content: 43.7 %   Automotive Lacquer - red Boiling Point/Boiling Range: 55°C   Flash point: 1-91°C   Ignition temperature: 225°C   Density: 1-1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Automotive Lacquer - white Boiling Point/Boiling Range: 55°C   Ignition temperature: 235°C   Density: 1-1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Solids content: 56.3 %   Solids content:						
Automotive Lacquer - red Boiling Point/Boiling Range : 55°C   Flash point : 19°C   Gensity: 1 - 1.2 Kg/L						
Boiling Point/Boiling Range : 55°C   Flash point : 19°C   Ignilion temperature: 235°C   Density: 1 - 12 Kg/I   Organic solvents: 56.3 %   Solids content: 43.7 %   Automotive Lacquer - white   Boiling Point/Boiling Range: 55°C   Ignilion temperature: 235°C   Ignilion temperature: 230°C   Ignilion temperature: 240°C   Ignilion tempera						
Flash point: -19°C   Density: 1 - 1.2 Kg/L   Organic selvents: 56.3 %   Solids content: 43.7 %   Automotive Lacquer white   Bolling Point/Bolling Range: 55°C   Flash point: -19°C   Density: 1 - 1.2 Kg/L   Organic selvents: 56.3 %   Solids content: 43.7 %   Automotive Lacquer white   Bolling Point/Bolling Range: 55°C   Flash point: -19°C   Density: 1 - 1.2 Kg/L   Organic selvents: 56.3 %   Solids content: 43.7 %   Automotive Lacquer putly - green   Automotive Lacquer putly - green   Automotive Lacquer putly - green   Automotive Lacquer putly: - green   Automotive Lacquer: - green   Automotive Lacquer - gree						
28						
Density: 1 - 1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Automotive Lacquer - white   Bolling Point/Bolling Range: 55°C   Flash point: -19°C   Density: 1 - 1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Solids content: 85.9 %   Solids content: 85.0 %   Solids content: 85.0 %   Solids content: 85.1-53 %   Somigliar Solids content: 50.0 %   Water: 46.0 %   Solids content: 50.0 %   Water: 46.2 %   Solids content: 50.0 %   Water: 45.2 %   Solids	28	12	gal			
Solids content: 43.7 %   Automotive Lacquer - white Boiling Point/Boiling Range: 55°C   Flash point: 1-9°C   Density: 1-1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Solids cont			"			
Automotive Lacquer - white   Bolling Point/Bolling Range : 55°C   Flash point: -19°C   Ignition temperature: 235°C   Density: 1 - 1.2 Kg/L						
Boiling Point/Boiling Range : 55°C   Flash point : 19°C   Ignilton temperature : 235°C   Density : 1 - 1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Automotive Lacquer primer surfacer - white						
Flash point: -19°C   Ignilion temperature: 235°C   Density: 1 - 1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Solids content: 43.7 %   Solids content: 43.7 %   Solids content: 43.7 %   Solids content: 19°C   Ignilion temperature: 235°C   Density: 1 - 12 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Solids content: 85.9 %   Solids content: 85.9 %   Solids content: 85.9 %   Solids content: 85.9 %   Solids content: 51.53 %   Solids content: 51.						
16						
Density: 1 - 1.2 kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %	29	16	len			
Organic solvents: 56.3 %   Solids content: 43.7 %	23	10	gai .			
Solids content: 43.7 %						
31						
Automotive Lacquer - Carbon Black   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 235°C   Density: 1 - 1.2 Kg/L   Organic solvents: 55.3 %   Solids content: 43.7 %   Solids content: 85.9 %   Solids content: 85.9 %   Flat Latex - White   Boiling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Organic solvents: 80.0 %   Solids content: 85.9 %   Flat Latex - Black   Boiling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Density: 1.21 - 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex - White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.0 %   Water: 60.0 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 240°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0	30	16	gal	Automotive Lacquer primer surfacer - white		
Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 235°C   Density: 1 - 1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Solids content: 43.8 %   Solid	31	14	gal			
Flash point: -19°C   Ignition temperature: 235°C   Density: 1 - 1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %						
32   45   gal   Ignition temperature: 235°C   Density: 1 - 1.2 Kg/L   Organic solvents: 56.3 %   Solids content: 43.7 %   Solids content: 50.0 %   Solids content: 50.0 %   Solids content: 85.9 %   Flat Latex - Black   Bolling Point/Boilling Range: 100°C   Vapour pressure at 20°C: 23hPa   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex - White   Vapour pressure at 20°C: 23hPa   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex - White   Vapour pressure at 20°C: 23hPa   Organic solvents: 0.0 %   Vater: 60.00 %   Semi-gloss Latex - White   Vapour pressure at 20°C: 23hPa   Organic solvents: 0.07 %   Vater: 60.00 %   Cacquer Thinner   Bolling Point/Boiling Range: 55°C   Flash point: -19°C   Ignition temperature: 240°C   Density: 0.80 - 0.90 kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %   Solids content: 1						
Density: 1 - 1.2 kg/L	1 77	45		,		
Organic solvents: 56.3 %   Solids content: 43.7 %	32	45	gai			
Solids content: 43.7 %						
33   8   gal   Acrylic Lacquer paint Black   34   12   gal   Acrylic Lacquer paint Analoc   35   24   gal   Acrylic Reducer - Sphero   Flat Latex - White   Bolling Point/Boilling Range : 100°C   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.00 %   Water: 44.00 %   Solids content: 85.9 %   Flat Latex - Black   Boiling Point/Boilling Range : 100°C   Vapour pressure at 20°C : 23hPa   Density: 1.21 - 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex - White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ensity: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0						
35   24   gal   Acrylic Reducer - Sphero   Flat Latex — White   Boiling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.00 %   Water: 44.00 %   Solids content: 85.9 %   Flat Latex – Black   Boiling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Density: 1.21 - 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex — White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex — White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 240°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %   Solid	33	8	gal			
Flat Latex — White   Bolling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.00 %   Water: 44.00 %   Solids content: 85.9 %   Flat Latex — Black   Boiling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Density: 1.21 – 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex — White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex — White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thirnner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 240°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %   Solids content: 12.0 %   Solids content: 20°C   Solids   Solids content: 20°C   Solids		<del></del>	gal			
Boiling Point/Boiling Range : 100°C	35	24	gal			
Solids content: 85.9 %   Solids content: 85.9 %   Solids content: 85.9 %   Flat Latex - Black Boiling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Density: 1.21 - 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex - White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex - White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 240°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %   Gypsum Putty   41   200   roll   Masking Tape 1"   42   100   kg   Rags, thin, white   Oil Wood Stain - maple   Surface Dry: Two (2) hours   Dry Through: 4-5 hours   Organic solvents				· · · · · · · · · · · · · · · · · · ·		
Organic solvents: 0.00 %   Water: 44.00 %   Solids content: 85.9 %						
Water: 44.00 %   Solids content: 85.9 %	36	200	gal	1 ' '		
Solids content: 85.9 %   Flat Latex - Black   Boiling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Density: 1.21 - 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex - White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Elash point: -19°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %	!	ĺ				
Flat Latex - Black   Boiling Point/Boiling Range : 100°C   Vapour pressure at 20°C : 23hPa   Density: 1.21 - 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex - White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Flash point: -19°C   Ensity: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %						
Vapour pressure at 20°C : 23hPa   Density: 1.21 - 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %						
37   60   gal   Density: 1.21 - 1.31 Kg/L   Organic solvents: 0.0 %   Water: 46.2 %   Solids content: 51-53 %   Semi-gloss Latex – White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 240°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %   Solids content:						
Organic solvents: 0.0 % Water: 46.2 % Solids content: 51-53 %  Semi-gloss Latex – White Vapour pressure at 20°C : 23hPa Organic solvents: 0.07 % Water: 60.00 %  Lacquer Thinner Boiling Point/Boiling Range: 55°C Flash point: -19°C Ignition temperature: 240°C Density: 0.80 - 0.90 Kg/L Organic solvents: 88.0 % Solids content: 12.0 %  40 12 gal Gypsum Putty  41 200 roll Masking Tape 1"  42 100 kg Rags, thin, white Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours		60				
Water: 46.2 %   Solids content: 51-53 %	3/	00	gai			
Solids content: 51-53 %   Semi-gloss Latex – White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 240°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %   Solids content: 12.0 %   Organic solvents: 41 200   roll   Masking Tape 1"   A2 100   kg   Rags, thin, white   Rags   Rags, thin, white   Oil Wood Stain – maple   Surface Dry: Two (2) hours   Dry Through: 4-5 hours   Dry Throug						i
Semi-gloss Latex – White   Vapour pressure at 20°C : 23hPa   Organic solvents: 0.07 %   Water: 60.00 %   Lacquer Thinner   Boiling Point/Boiling Range : 55°C   Flash point: -19°C   Ignition temperature: 240°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %   40   12   gal   Gypsum Putty   41   200   roll   Masking Tape 1"   42   100   kg   Rags, thin, white   Oil Wood Stain – maple   Surface Dry: Two (2) hours   Dry Through: 4-5 hours   Oil Wood Stain – Market   Organic Surface Dry: Two (2) hours   Dry Through: 4-5 hours   Oil Wood Stain – Water   Organic Surface Dry: Two (2) hours   Organic Surface						
38 80 gal Organic solvents: 0.07 % Water: 60.00 %  Lacquer Thinner Boiling Point/Boiling Range: 55°C Flash point: -19°C Jensity: 0.80 - 0.90 Kg/L Organic solvents: 88.0 % Solids content: 12.0 %  40 12 gal Gypsum Putty  41 200 roll Masking Tape 1"  42 100 kg Rags, thin, white  Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours						
Organic solvents: 0.07 % Water: 60.00 %  Lacquer Thinner Boiling Point/Boiling Range: 55°C Flash point: -19°C Ignition temperature: 240°C Density: 0.80 - 0.90 Kg/L Organic solvents: 88.0 % Solids content: 12.0 %  40 12 gal Gypsum Putty  41 200 roll Masking Tape 1"  42 100 kg Rags, thin, white  Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours	20	80	gol	Vapour pressure at 20°C : 23hPa		
Lacquer Thinner Boiling Point/Boiling Range: 55°C Flash point: -19°C Ignition temperature: 240°C Density: 0.80 - 0.90 Kg/L Organic solvents: 88.0 % Solids content: 12.0 %  40 12 gal Gypsum Putty  41 200 roll Masking Tape 1"  42 100 kg Rags, thin, white Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours	36	80	gai			
Boiling Point/Boiling Range: 55°C Flash point: -19°C Ignition temperature: 240°C Density: 0.80 - 0.90 Kg/L Organic solvents: 88.0 % Solids content: 12.0 %  40 12 gal Gypsum Putty 41 200 roll Masking Tape 1"  42 100 kg Rags, thin, white Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours						
Second Part						
39   200   gal   Ignition temperature: 240°C   Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %     40						
Density: 0.80 - 0.90 Kg/L   Organic solvents: 88.0 %   Solids content: 12.0 %	39	200	gal	1 '		
Organic solvents: 88.0 %   Solids content: 12.0 %		200	541			
40         12         gal         Gypsum Putty           41         200         roll         Masking Tape 1"           42         100         kg         Rags, thin, white           Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours         Surface Dry: Two (2) hours						
41         200         roll         Masking Tape 1"           42         100         kg         Rags, thin, white           43         80         gal         Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours				Solids content: 12.0 %		
42 100 kg Rags, thin, white Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours	40	12	gal	Gypsum Putty		
43 80 gal Oil Wood Stain – maple Surface Dry: Two (2) hours Dry Through: 4-5 hours	41	200	roll	Masking Tape 1"		
43 80 gal Surface Dry: Two (2) hours Dry Through: 4-5 hours	42	100	kg	Rags, thin, white		
43 00 gai Dry Through: 4-5 hours						
Ory Inrough: 4-5 nours	43	80	gal	1		
Dry Film Thickness: 1.5 mils / coat	"5		Sui			İ
				Dry Film Thickness: 1.5 mils / coat		



Overcoating Interval: Overnight  Oil Wood Stain – oak Surface Dry: Two (2) hours  Ory Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Overcoating Interval: Overnight  Oil Wood Stain – wall nut Surface Dry: Two (2) hours  Ory Through: 4-5 hours  Dry Through: 4-5 hours	
Surface Dry: Two (2) hours Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Overcoating Interval: Overnight Oil Wood Stain - wall nut Surface Dry: Two (2) hours  45 30 gal Dry Through: 4-5 hours	
44 10 gal Dry Through: 4-5 hours Dry Film Thickness: 1.5 mils / coat Overcoating Interval: Overnight Oil Wood Stain - wall nut Surface Dry: Two (2) hours 45 30 gal Dry Through: 4-5 hours	
Dry Film Thickness: 1.5 mils / coat Overcoating Interval: Overnight Oil Wood Stain - wall nut Surface Dry: Two (2) hours 45 30 gal Dry Through: 4-5 hours	
Oil Wood Stain - wall nut Surface Dry: Two (2) hours 45 30 gal Dry Through: 4-5 hours	
Surface Dry: Two (2) hours 45 30 gal Dry Through: 4-5 hours	-
45 30 gal Dry Through: 4-5 hours	
Dry Film Thickness: 1.5 mils / coat	
Overcoating Interval: Overnight	
46 20 gal Traffic Paint - White	
47 15 gal Traffic Paint - Yellow	
Paint Thinner	
Boiling Point/Boiling Range : 162°C  48 100 gal Density: 0.78571 Kg/L	
Organic solvents: 100.00 %	
Water: not miscible or difficult to mix	
Latex Color - raw sienna	
Boiling Point/Boiling Range : 100°C	
Vapour pressure at 20°C : 23hPa	
49   24   Liter   Density: 1.23 - 1.36 Kg/L	
Organic solvents: 1.60 %	
Water: 29.70 %	
Solids content: 67.30 %	
Latex Color - Venetian red	
Boiling Point/Boiling Range: 100°C	
Vapour pressure at 20°C : 23hPa  50 24 liter Density: 1.23 - 1.25 Kg/L	
50   24   liter   Density: 1.23 - 1.25 Kg/L   Organic solvents: 1.80 %	
Water: 31.60 %	
Solids content: 66.10 %	
Latex Color - Hanza Yellow	
Boiling Point/Boiling Range : 100°C	
Vapour pressure at 20°C : 23hPa	
51 21 liter   Density: 1.23 - 1.25 Kg/L	
Organic solvents: 1.80 %	
Water: 31.60 %	
Solids content: 66.10 %	
Latex Color - Lamp Black	
Boiling Point/Boiling Range : 100°C Vapour pressure at 20°C : 23hPa	
52 21 liter Density: 1.23 - 1.25 Kg/L	
Organic solvents: 1.80 %	
Water: 31.60 %	
Solids content: 66.10 %	
53 110 pcs Waterproof Sandpaper # 100 ; As per sample	· · · · · · · · · · · · · · · · · · ·
54 160 pcs Waterproof Sandpaper # 150 ; As per sample	
55 160 pcs Waterproof Sandpaper # 240 ; As per sample	
56 160 pcs Waterproof Sandpaper # 400 ; As per sample	
57 25 can Tinting color - Lemon Yellow - 1/4 ltr	
58 15 can Tinting color - Venetian Red - 1/4 ltr	
59 20 can Tinting color - Lamp Black - 1/4 ltr	
60 20 can Tinting color - Burnt Umber - 1/4 ltr	
61 2 kg Red leaf powder / orange powder	
62 200 gal Sanding sealer	





63	12	]	Frankriman	
64	12	gal	Epoxy primer gray	
-	<del> </del>	gal	Epoxy Reducer	
65	15	gal	Valspar putty	
66	20	gal	Polytuff w/ Hardener	
67	16	gal	Silver paint	
68	25	gal	Quick dry Enamel - Black	
69	2	sack	Patching compound 20kg	
70	3	roll	Plastic Sheet 10' x 90mtr ; 6 mil -As per Sample	
71	170	gal	Clear concrete sealer ; Glossy ; for stamped concrete	
				total
	– PLUI	VIBING I	MATERIALS	
72	19	pcs	Strong Rubberized Waterproof Repair Tape Large 4" wide x 5' Roll	
73	44	pcs	Pop-up 1-1/4" - for Lavatory drain	
74	14	pcs	PVC Tee 1/2" dia waterline	
75	14	pcs	GI Elbow 1/2" x 2" dia.	
76	20	pcs	GI Nipple 1/2" x 2" dia.	
77	5	pcs	GI Pipe 3/4" dia.	
78	5	can	Hydraulic water-stop cement, 10 lbs	
79	20	ltr	Vulcaseal	
80	5	can	Water plug cement	
81	200	pcs	Teflon tape 1/2"	
82	100	pcs	Teflon tape 3/4"	
83	10	pcs	Gooseneck Faucet Chrome plated, single, lever type	
84	10	pcs	Bowl wax	
85	5	pcs	Water Meter 3" dia.	
86	16	pcs	Water Meter 2" dia.	
87	7	pcs	Water Meter 1-1/2" dia.	
88	10	pcs	Sloan Repair Kit A-163A	
89	15	pcs	Sloan Repair Kit A-19AC	
90	20	pcs	Sloan Repair Kit A-156AA	
91	20	pcs	Sloan Repair Kit G-1007A	
92	20	pcs	Sloan Repair Kit G-1017A	
93	50	pcs	Sloan Repair Kit H-541ASD, 1"	
94	9	set	1 Piece Toilet Bowl - Floor Flange Connection As per Existing Inclusion: Toilet seat cover Floor Flange Bowl wax Length: 710mm Color: White	
95	21	set	Flush Valve type - Water Closet HCG titan #c6811fv - Existing	



			Floor flange installation Inclusion: Toilet seat cover Wax ring Floor Flange		
96	3	set	Wall-Hung Urinal - Same as existing		
97	20	set	Under Counter Lavatory - Same as existing		
98	30	set	Faucet as per sample- Same as existing		
99	37	set	Bidet, High pressure, Stainless steel type 304		
				Sub – total	
	IV – ME	TAL WO	DRKS MATERIALS		
100	5	pcs	Aluminum Plain Sheet #24		
101	10	pcs	BI Pipe 1-1/4". Sched 40		
02	30	pcs	Cut-off Wheel 4" dia x .045"		
103	2	pcs	Grinding Wheel 6" dia. x 19mm - rough		
104	15	pcs	High Speed Drill Bit 1/16" dia.		
105	10	pcs	High Speed Drill Bit 1/8" dia.		
106	10	pcs	High Speed Drill Bit 3/16" dia.		
107	6	tank	LPG - refill 11kg		
108	10	tank	Oxygen -refill		
109	5	tank	Acetylene -refill		
110	15	box	Rivets 3/8 dia. X 1/2" note: 100pcs/box		
111	40	kg	Welding Rod #6011		<u> </u>
112	15	kg	Welding Rod #6013		
				Sub - total	
LOT \	/ – MA	SONRY	<b>MATERIALS</b>		
113	25	pcs	Masonry Drill Bit 1/4" dia.		
114	19	pcs	Masonry Drill Bit 3/16" dia.		
115	100	pcs	Ceramic tile 600 x 600, As per sample, toilet tiles, white		
116	100	pcs	Ceramic tile 600 x 600, As per sample, toilet tiles, accent/offwhite		
117	100	pcs	Ceramic tile 600 x 600, As per sample, 4th/5th floor tiles offwhite		
118	120	pcs	Ceramic tile 300 x 300, As per sample, 4th/5th flr Pantry tiles offwhite		
119	60	pcs	Ceramic tile 300 x 300, As per sample, 4th/5th flr Service elevator tiles		
120	20	gal	Contact Cement		:
121	4	gal- set	All Purpose Structural Epoxy , A & B, gallon-set		
				Sub – total	
LOT V	/I – PAF	TS AND	TOOLS		
122	20	pcs	Camel Brush 1"		
123	20	pcs	Camel Brush 2"		





124	20	pcs	Camel Brush 3"	
125	36	pcs	Putty knife 3" w/ handle	
126	20	pcs	Putty knife 4"	
127	30	pcs	Paint Brush 1"	
128	35	pcs	Paint Brush 2"	
129	35	pcs	Paint Brush 2-1/2"	
130	35	pcs	Paint Brush 3"	
131	20	pcs	Pencil Brush 1/8" pointed - As per sample	
132	20	pcs	Pencil Brush 1/4"	
133	20	pcs	Pencil Brush 1/2"	
134	40	pcs	Roller Foam 4"	
135	85	pcs	Paint Roller Foam with handle 7"	
136	40	pcs	Baby Roller cotton 6"	
137	40	pcs	Baby Roller cotton 4"	
138	17	pcs	Paint Tray - plastic	
139	12	pcs	Steel Brush	
140	2	pcs	Glasscutter - diamond tip	
141	8	pcs	Hand Reveter, 3/16", 5/32", 1/8", Heavy Duty	
142	10	box	Carbon brush (CB-124, Makita) note 2pcs/box	
143	10	box	Carbon brush (CB-419A, Makita) note 2pcs/box	
144	1	set	Diamond Hollow Core Drill Bits - for tiles, 18sizes	
			Sub	– total

# Prepared by:

Signature over printed name of	Authorized Representative
Position	_
Date	_



## Checklist of Technical and Financial Documents

### I. TECHNICAL COMPONENT ENVELOPE

### Class "A" Documents Legal Documents (a) Valid Phil-GEPS Registration Certificate (Platinum Membership) (all pages); (b) Registration certificate from Securities and Exchange Commission (SEC). Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document, and (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas; (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR). **Technical Documents** (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and Original copy of Bid Security. If in the form of a Surety Bond, submit also a (g) certification issued by the Insurance Commission; Original copy of Notarized Bid Securing Declaration; and Conformity with the Section VII -Technical Specifications and Section VI -(h) Schedule of Requirements, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; and Original duly signed Omnibus Sworn Statement (OSS); (i) and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. Financial Documents (i) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; and (k) The prospective bidder's computation of Net Financial Contracting Capacity

or

(NFCC);

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.



### Class "B" Documents

☐ (1) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

### II. FINANCIAL COMPONENT ENVELOPE

(m)	Original of duly signed and accomplished Financial Bid Form; and
(n)	Original of duly signed and accomplished Price Schedule(s).

Standard For Number: SF-GOOD-13a

# Revised on: July 28, 2004

LIST OF ALL ON-GOING GOVERNMENT & PRIVATE CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED

Business Name:

Business Address:			:			•		
Name of Project / Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role	Role	a. Date Awarded b. Date Started c. Date Completion	% of Accomplishment	of ishment	Value of Outstanding Works / Undelivered Portion
			Description	%		Planned	Actual	
Government:								
		•						
		•						
Private:		,						
			-					
Submitted by:								
		(Printed Name & Signature)						
Designation:								
Date:								



# SINGLE LARGEST COMPLETED CONTRACT

WHICH IS SIMILAR TO THE CONTRACT TO BE BID

Business Name: Business Address:

	1		
		Name of Contract	
·	c. Telephone Nos.	b. Address	a. Owner' Name
		Nature of Item/Service	
	c. Duration	b. Amount at Completion	a. Amount of Award
	c. Date Completed	b. Contract Effectivity	a. Date Awarded

		Note: 1
2. Certificate of Completion and Acceptance or Official Receipt/s or Sales Invoice issued for the contract	1. Contract	Note: This statement shall be supported with:

Note: The Single Largest Completed Contract shall be completed within the last three (3) years from the date of submission and receipt of bids, that is similar to the contract to be bid, the amount of which shall be at least fifty percent (50%) of the ABC.

### BID SECURING DECLARATION FORM

REPUBLIC OF THE PH	ILIPPINES)
CITY OF	) S.S.
X	

### BID SECURING DECLARATION

Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We<sup>2</sup>, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.



 $<sup>^2</sup>$  Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE]
[Insert Signatory's Legal Capacity]
Affiant

Affiant					
of execution], Philippines. Affiant/s is/are pome through competent evidence of identity (A.M. No. 02-8-13-SC). Affiant/s exhibited identification card used], with his/her photo-	refore me this day of [month] [year] at [place ersonally known to me and was/were identified by as defined in the 2004 Rules on Notarial Practice ted to me his/her [insert type of government ograph and signature appearing thereon, with no. ificate No issued on at				
Witness my hand and seal this d	NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No.  PTR No [date issued], [place issued]  IBP No [date issued], [place issued]				
Doc. No Page No Book No Series of					

### PHILIPPINE INTERNATIONAL CONVENTION CENTER

# Name of the Project: Supply and Delivery of Various Hardware Supplies, Parts and Materials

### FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK

A. Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the attached Income Tax Return and Audited Financial Statement, stamped "RECEIVED" by the Bureau of Internal Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy of Schedule of Fixed Assets particularly the list of construction equipment.

		Year 20
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	
7	Value of all outstanding or uncompleted portions of the project under ongoing contracts, including awarded contracts yet to be started coinciding with contract to be bid.	

Contract to be old.	
B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as	s follows:
NFCC = [(Current assets minus current liabilities) (15)] minus value of all or uncompleted portions of the project under ongoing contracts, including awarded contracted coinciding with contract to be bid.	utstanding or acts yet to be
NFCC = P	
The values of the bidder's current assets and current liabilities shall be based on the dathe BIR.	ta submitted to
or	
A committed Line of Credit, in an amount to at least ten percent (10%) of the ABC, issued of Commercial Bank.	by a Universal
Submitted by:	
Name of Supplier / Distributor / Manufacturer	
Signature of Authorized Representative Date:	

Note:

1. If Partnership or Joint Venture, each Partner or Member Firm of Joint Venture shall submit the above requirements.



# Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF	
) S.S.	

### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an



- authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.



IN	WITNESS	WHEREOF,	I hav	e hereunto	set	my	hand	this_	_day	of	_,	20
									_at			
	,	Philippines.			•				_			

[Insert NAME OF BIDDER OR ITS
AUTHORIZED
REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

# [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]