# PHILIPPINE INTERNATIONAL CONVENTION CENTER



#### **BIDDING DOCUMENTS**

PROJECT TITLE : SUPPLY AND DELIVERY OF VARIOUS

HARDWARE, SUPPLIES, PARTS AND

**MATERIALS** 

ABC : ₱6,976,553.50

Sub-ABC Lot I − ₱2,256,210.00

Lot II - ₱1,366,599.00 Lot III - ₱1,006,098.00 Lot IV - ₱1,322,785.00 Lot V - ₱239,288.00 Lot VI - ₱140,623.50

Lot VII - ₱644,950.00

Reference/s : PICC APP2024 – MC - 11

PICC APP2024 - MC - 12

ITB -2024 March 13, 2024

### TABLE OF CONTENTS

Glossa	ry of Terms, Abbreviations, and Acronyms	3
Section	I. Invitation to Bid	5
	II. Instruction to Bidders	
1.	Scope of Bid	
2.	Funding Information	10
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive and Coercive Practices	
5.	Eligible Bidders	10
6.	Origin of Goods	11
7.	Subcontracts	11
8.	Pre-bid Conference	
9.	Clarification and Amendments of Bidding Documents	
10.	Documents Comprising the Bid: Eligibility and Technical Component	
11.	Documents Comprising the Bid: Financial Component	
12.	Bid Prices	
13.	Bid and Payment Currencies	
14.	Bid Security	
15.	Sealing and Marking of Bids	14
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post Qualification	
21.	Signing of the Contract	
Section	III. Bid Data Sheet	17
Section	IV. General Conditions of Contract	
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	
3.	Performance Security	
4.	Inspection and Test	
5.	Warranty	
6.	Liability of the Supplier	
	V. Special Conditions of Contract	
Section	VI. Schedule of Requirements	27
	VII. Technical Specifications	
Section	VIII. Checklist of Technical and Financial Documents	37

### Glossary of

### Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC - Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

**CDA** – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**Contractor** – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

**CPI** – Consumer Price Index.

**DOLE** – Department of Labor and Employment.

DTI - Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**GFI** – Government Financial Institution.

GOCC - Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of

equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

NGA - National Government Agency.

PCAB - Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC - Single Largest Completed Contract.

UN - United Nations.

### Section I. Invitation to Bid



#### BIDS AND AWARDS COMMITTEE

# Invitation to Bid for the Supply and Delivery of Various Hardware Supplies, Parts and Materials

1. The Philippine International Convention Center (PICC), through the Approved Budget for CY 2024, intends to apply the sum of SIX MILLION NINE HUNRED SEVENTY-SIX THOUSAND FIVE HUNDRED FIFTY-THREE PESOS AND FIFTY CENTAVOS (Php6,976,553.50), VAT Inclusive, being the Approved Budget for the Contract (ABC) to payments under the contract for the Supply and Delivery of Various Hardware Supplies, Parts and Materials (PICC APP2024-MC-11and PICC APP20224-MC-12). The Procurement Project consists of the following lots, with the corresponding sub-ABC:

LOTI	SUPPLY AND DELIVERY OF CARPENTRY	Php2,256,210.00
LOT II	SUPPLY AND DELIVERY OF MASONRY MATERIALS	Php1,366,599.00
LOT III	SUPPLY AND DELIVERY OF PAINTING & VARNISHING MATERIALS	Php1,006,098.00
LOT IV	SUPPLY AND DELIVERY OF PLUMBING MATERIALS	Php1,322,785.00
LOT V	SUPPLY AND DELIVERY OF METAL MATERIALS	Php239,288.00
LOT VI	SUPPLY AND DELIVERY OF PARTS AND TOOLS	Php140,623.50
LOT VII	SUPPLY AND DELIVERY OF POWER TOOLS AND EQUIPMENT	Php644,950.00

Bids received in excess of the sub-ABC for each lot shall be automatically rejected at bid opening.

- 2. The *PICC* now invites bids for the above Procurement Project. Delivery of the Goods is required within SIXTY (60) CALENDAR DAYS. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

- 4. Prospective Bidders may obtain further information from the *PICC-BAC* and inspect the Bidding Documents at the address given below during office hours.
- 5. A complete set of Bidding Documents may be acquired by prospective bidders on April 3, 2024, from the given address and website(s) below and upon payment of a non-refundable fee in the amounts of:

LOTI	SUPPLY AND DELIVERY OF CARPENTRY	Php3,000.00
LOT II SUPPLY AND DELIVERY OF MASONRY MATERIALS		Php2,000.00
LOTIII	SUPPLY AND DELIVERY OF PAINTING & VARNISHING MATERIALS	Php2,000.00
LOT IV	SUPPLY AND DELIVERY OF PLUMBING MATERIALS	Php2,000.00
LOTV	SUPPLY AND DELIVERY OF METAL MATERIALS	Php400.00
LOT VI	SUPPLY AND DELIVERY OF PARTS AND TOOLS	Php400.00
LOT VII	SUPPLY AND DELIVERY OF POWER TOOLS AND EQUIPMENT	Php800.00

A bidder shall present its proof of payment for the fees by furnishing the PICC-BAC a copy of the Official Receipt.

- 6. The PICC-BAC will hold a Pre-Bid Conference on April 15, 2024 at 10:00 a.m. at Function Room B, 2<sup>nd</sup> Floor, Secretariat Building, PICC and/or through videoconferencing/webcasting via Zoom/Google Meet, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before April 29, 2024 at 9:30 a.m. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on April 29, 2024, at 10:00 a.m. at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *PICC* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

#### 11. For further information, please refer to:

BIDS AND AWARDS COMMITTEE
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, Pasay City 1307
87894759 and 87894760
Telefax No. 87894761
Email: procurement@picc.gov.ph

#### 12. You may visit the following websites:

For downloading of Bidding Documents: www.picc.gov.ph

[Date of Issue]



### Section II. Instructions to Bidders

#### 1. Scope of Bid

The Procuring Entity, *Philippine International Convention Center* wishes to receive Bids for the *Supply and Delivery of Various Hardware Supplies, Parts and Materials* with identification numbers *PICC APP2024-MC-11 and PICC APP2024-MC-12* 

The Procurement Project (referred to herein as "Project") is composed of seven (7) lots, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2024 in the total amount of PhP6,976,553.50
- 2.2. The source of funding is:
  - a. GOCC and GFIs, the Corporate Operating Budget.

#### 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least fifty percent (50%) of the ABC. If the bidder submit bids for two (2) or more lots, the lot with the largest ABC shall be the basis to determining compliance with the required percentage.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. [If Procuring Entity has determined that subcontracting is allowed during the bidding, state:] The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in ITB Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in ITB Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at and/or through videoconferencing/webcasting as indicated in paragraph 6 of the IB.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### 10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within the last three (3) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the sub ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section** VII (Technical Specifications).

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
  - a. Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2 The Bid and bid security shall be valid one hundred twenty (120) calendar days from the date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### 18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
  - One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

### III. Bid Data Sheet

### **Bid Data Sheet**

ITB Clause	
5	The following persons shall be eligible to participate in this bidding:
	<ul> <li>a. Duly licensed Filipino citizens/sole proprietorships;</li> <li>b. Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;</li> <li>c. Corporations duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the of the outstanding capital stock belongs to citizens of the Philippines; and</li> <li>d. Cooperatives duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines</li> </ul>
5.3	For this purpose, a similar contract shall refer to supply and delivery of hardware and tools supplies, parts and materials.
	The Bidder must have completed within the last three (3) years a single contract that is similar to this requirement, the amount of which shall be at least fifty percent (50%) of the ABC. If the bidder submit bids for two (2) or more lots, the lot with the largest ABC shall be the basis to determining compliance with the required percentage.
7.1	Sub-contracting is not allowed
8	The PICC will hold a pre-bid conference on April 15, 2024 at 10:00 a.m.
12	Not applicable
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:  For Lot I
	<ul> <li>a. In the amount of not less than ₱45,124.20, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</li> <li>b. Surety Bond in the amount of not less than ₱112,810.50.</li> </ul>
	For Lot II
	<ul> <li>a. In the amount of not less than ₱27,331.98, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</li> <li>b. Surety Bond in the amount of not less than ₱68,329.95.</li> </ul>
	For Lot III
	<ul> <li>a. In the amount of not less than ₱20,121.96, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</li> <li>b. Surety Bond in the amount of not less than ₱50,304.90.</li> </ul>

Palasa	For Lot IV					
	<ul> <li>a. In the amount of not less than ₱26,455.70, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</li> <li>b. Surety Bond in the amount of not less than ₱66,139.25.</li> </ul>					
	For Lot V					
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<ul> <li>a. In the amount of not less than \$\mathbb{P}4,785.76\$, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</li> <li>b. Surety Bond in the amount of not less than \$\mathbb{P}11,964.40\$.</li> </ul>					
	For Lot VI					
	<ul> <li>a. In the amount of not less than ₱2,812.47, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</li> <li>b. Surety Bond in the amount of not less than ₱7,031.18.</li> </ul>					
	For Lot VII					
	<ul> <li>a. In the amount of not less than ₱12,899.00, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;</li> <li>b. Surety Bond in the amount of not less than ₱32,247.50.</li> </ul>					
15	Sealing and Marking of Bids					
	Each Bidder shall submit the original and one (1) copy of the first and second components of its Bid.					
16.1	The address for submission of bids is:					
	PICC-Bids and Awards Committee (BAC) Secretariat Ground floor, Delegation Building PICC Complex, 1307 Pasay City					
	The deadline for submission of bids is April 29, 2024 at 9:30 a.m.					
17.1	The place of bid					
	BAC CONFERENCE ROOM MR10, 3 <sup>rd</sup> Floor, Delegation Building PICC Complex, 1307 Pasay City					
	The date and time of bid opening is April 29, 2024 at 10:00 a.m.					
	In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and the opening of Bids shall be at 2:00 p.m. of the next working day.					

19.3	Total ABC is SIX MILLION NINE HUNRED SEVENTY-SIX THOUSAND FIVE HUNDRED FIFTY-THREE PESOS AND FIFTY CENTAVOS (Php6,976,553.50), VAT Inclusive.					
	The Sub-	he Sub-ABC per Lot is as follows:				
	LOTI	SUPPLY AND DELIVERY OF CARPENTRY	Php2,256,210.00			
	LOT II	SUPPLY AND DELIVERY OF MASONRY MATERIALS	Php1,366,599.00			
	LOT III	SUPPLY AND DELIVERY OF PAINTING & VARNISHING MATERIALS	Php1,006,098.00			
	LOT IV SUPPLY AND DELIVERY OF Php1,322,785					
	LOT V	SUPPLY AND DELIVERY OF METAL MATERIALS	Php239,288.00			
	LOT VI	SUPPLY AND DELIVERY OF PARTS AND TOOLS	Php140,623.50			
	LOT VII	SUPPLY AND DELIVERY OF POWER TOOLS AND EQUIPMENT	Php644,950.00			
20.2	Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the LCB, the Bidder shall submit the following documentary requirements:  a. Certified Photocopy of the CY 2022 Income and Business Tax Returns with proof of payment;  b. Sections III and V of the bid documents, signed on each and every page by the bidder's authorized representative;  c. Company Profile with sketch of office location;  d. Certificate of Satisfactory Completion & Acceptance of previous PICC projects undertaken within the last three (3) years, if any.					
21.2	No additional r	equirement				

Section IV.	General	<b>Conditions</b>	of	Contract
-------------	---------	-------------------	----	----------

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

#### 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

**Special Conditions of Contract** 

	Special Conditions	vi Cviiti act		
GCC Clause				
1	The Procuring Entity is <i>The</i> Philippine International Convention Center (PICC)			
2.2	Payment  Full payment upon complete delivery and submission of the required documents.			
3	Performance Security  Within ten (10) calendar days from receipt of the Notice of Award, but in n case later than the signing of the contract by both parties, the successful Bidde shall furnish the performance security in any of the following forms:			
	Form of Performance Security	Amount of Performance Security (Equal to Percentage of the Total Contract Price)		
	Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank.	Five percent (5%)		
	Bank draft/guarantee issued by a Universal or Commercial Bank	Five percent (5%)		
	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)		
	The successful bidder mal also opt to subm provided that it shall require to submit performance security prior to issuance of	any of the aforementioned forms of		
4	Inspection and Tests  PICC may reject any materials tha The Contractor shall replace such mate cost to PICC.	t do not conform to the specifications. erials to meet the specifications at no		
5	<ul> <li>Warranty period</li> <li>The Warranty period shall be as for the Lots I, II, III, IV, V and VI – sixty Lot VII – one (1) year</li> </ul>			



	The obligation for the warranty shall be covered by either retention money in an amount equivalent to five percent (5%) of the total contract price, or a special bank guarantee & equivalent to five percent (5%) of the total contract price. (Note: GPPB RES NO. 30-2017.
	The said amount shall be released after the lapse of the warranty period or after consumption thereof, provided, that the supplies delivered are free from patent and latent defects and all the conditions imposed under the contract have been fully met. For all other items, the warranty is three (3) months.
6	The period for correction of defects is seven (7) calendar days upon receipt of notice from PICC project-in-charge.



# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Delivered, Weeks/Months
LOT I	SUPPLY AND DELIVERY OF CARPENTRY	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT II	SUPPLY AND DELIVERY OF MASONRY MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT III	SUPPLY AND DELIVERY OF PAINTING & VARNISHING MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT IV	SUPPLY AND DELIVERY OF PLUMBING MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT V	SUPPLY AND DELIVERY OF METAL MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT VI	SUPPLY AND DELIVERY OF PARTS AND TOOLS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT VII	SUPPLY AND DELIVERY OF POWER TOOLS AND EQUIPMENT	Full delivery within sixty (60) calendar days from receipt of Notice to Proceed

I hereby commit to comply and deliver all the above requirements in accordance with the above stated schedule.

Name of Company / Bidder					
Signature over printed Name	of Authorized Representative				
Position					
Date	····				



# Section VII. Technical Specifications

### **Technical Specifications**

Item no.	Qty.	Unit	Specification	Statement of Compliance
Lot I – C	ARPENTY	MATERIA	LS	
1	100	pcs	Plywood 3/4" - ribbon grain 4' x 8'	***************************************
2	150	pcs	Plywood 1/4" - ribbon grain 4' x 8'	
3	50	pcs	Marine plywood 3/4" x 4' x 8'	
4	50	pcs	Marine plywood 1/4" x 4' x 8'	
5	50	pcs	Concealed hinge C2	
6	100	pcs	Concealed hinge C3	
7	50	pcs	Cabinet Handle, wooden, 45mm x 120mm, as per sample	
8	19	set	Lockset, for wood, Lever type	
	~~~~~		Antique brass finish	
			3" cover plate	***************************************
			Suitable for 30 to 70mm	
			Solid Steel chassis and latch, zinc plated for	<del></del>
			corrosion resistance	
			Exposed trim is zinc die-cast electroplated	
······		***************************************	Solid brass 5pin tumbler cylinder with 3 keys	
9	47	sets	Door Closer, with hold open, wooden doors	
			Door Capacity: 60-85kg	
			Max Width: 1100mm	
		<b>1</b>	Closing Speed control	
10	84	units	Kick Down, Door Stopper	
	· · · · · · · · · · · · · · · · · · ·		Color: Brush Silver	
			Material: Zinc Alloy	
			Spring design holds the stop in the up position	
11	14	pcs	Panic Device - Dorma; PHB 3000	
	*********		Material: Stainless Steel.	
			Usage/Application: Industrial	ar-Attachinent
			Finish Type: Satin	
			Door Width: = 1300 mm</td <td></td>	
			Max Door Leaf Weight: 200 kg.	
12	8	pcs	Vertical Rod Exit Device - Dorma	
			Compatible with panic device	
1-1111111			Material: Stainless Steel.	
			Usage/Application: Industrial	······································
			Finish Type: Satin	
			Door Width: = 1300 mm</td <td>The state of the s</td>	The state of the s
			Door Height: compatible to 2150mm door height	
	***************************************		Max Door Leaf Weight: 200 kg.	



13	600	pcs	Acoustic Board, 5/8" x 24" x 48" existing: 1730	
15	1 000	pes	fine fissured RH99	
14	35	roll	Cloth tape, yellow 2" x 25m	
15	10	can	Penetrating Oil WD-40	
16	60	roll	Non-skid strip / carborandum strip - black 50mm x 4.57	******
17	100	pcs	Adhesives / Liquid Nail , 100g	-
18	50	pcs	Hacksaw Carbon Steel Blade (12"x1/2"x24T)	<del></del>
19	200	pcs	Metal Screw 1/4 x 3/4" with Tox	
20	200	pcs	Metal Screw 3/16 x 3/4" with Tox	
21	1	roll	Black Sticker, 4' x 165', matte /	
22	100	pcs	600mm x 600mm Clip -in Metal Aluminum tile ceiling -	
			As per sample, white	
	200		0.70 mm thick; Perforated with NWT	
23	200	pcs	584mm x 584mm Lay-in Metal Aluminum tile ceiling	_
			As per sample, white	
24	100	nos	0.70 mm thick; Perforated with NWT T-tunner 1" x 4' - cross tee, powder coated, white	
25	100	pcs box	18 gauge brad nails 35mm; 5000 pcs/box	
26	2	pcs	Circular Wood Saw Blade 60 teeth, 8"	-
27	20	pcs	Ceramic tile 600mm x 600mm, As per sample, white	
	ASONRY N	1		
1	2	set	Hole Saw Cutting Set	_
			Must include the following size:	_
			3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),	
			1-1/4" (32mm), 1-1/2" (38mm),	7
			1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),	
			3" (76mm), 3-3/2" (89mm), 4" (102mm),	7
			5" (127mm)	_
			1/4inch (6mm) arbors	<del>-</del>
			1 x reinforcing plate	
			1 x hex key	
			1 x Storage Box	***************************************
2	5	pcs	Ceramic/tile drill bit 5mm, diamond coated	
3	5	pcs	Ceramic/tile drill bit 6mm, diamond coated	
4	5	pcs	Ceramic/tile drill bit 8mm, diamond coated /	
5	5	pcs	Ceramic/tile drill bit 10mm, diamond coated -	
6	5	pcs	Ceramic/tile drill bit 12mm, diamond coated /	
7	2	pcs	Hole Saw Core Bit for tiles 50mm /	
8	2	pcs	Hole Saw Core Bit for tiles 65mm	
9	2	pcs	Hole Saw Core Bit for tiles 80mm	
10	2	pcs	Hole Saw Core Bit for tiles 100mm /	
11	2	pcs	Hole Saw Core Bit for wood 6" dia /	
12	200	pcs	Small sand sack (sako) -	
13	3	pcs	Masonry Drill bit, sds plus, 6mm - working length 50mm	and the same of th



	1 ^	I	
14	3	pcs	Masonry Drill bit, sds plus, 10mm - working length 150mm -
15	2	pcs	Masonry Drill bit, sds plus, 10mm - working length 400mm /
16	3	pcs	Masonry Drill bit, sds plus, 12mm - working length 150mm -
17	2	pcs	Masonry Drill bit, sds plus, 12mm - working length 400mm -
18	3	pcs	Masonry Drill bit, sds plus, 16mm - working length 150mm -
19	2	pcs	Masonry Drill bit, sds plus, 16mm - working length 400mm -
	300	pcs	Lock washer 3/8"
21	50	pcs	Rubber wheel stopper 183cm x 15cm x 10cm, /
			black and yellow /
22	220	gal	Concrete sealer, applicable to stamped concrete -
*****			Exterior weather durability
			Coverage: 15sqm / 4L / coat
			Drying Time: 4 hours prior to recoating
			Method of application: brush, roller & spray
23	4	bag	Leak Plug, 25kg/bag –
			Compressive Strength;
			@2hrs -725psi
			@28days -3625psi
24	20	tube-set	Low Viscosity Structural Epoxy Resin -
			Crack injection repair,(500ml set)
			Compressive Strength;
			@1day -3,000 - 4,000psi
			@7days -8,000 - 10,000psi
			@28days -10,000 - 12,000psi
			Tensile Strength - 5,000-6,000 psi
			2-tube/set
25	20	tube-set	Chemical Anchor Structural Epoxy,
			Splitting Tensile Strength: >8.5Mpa
			Flexural Strength: >50Mpa
			Compressive Strength: >60Mpa
26	4	gal-set	High Viscosity Concrete Epoxy
			Part A & B, 3.5liter/part
			Tensile Strength:3,000+-500psi
			flexural Strength:7,000+-500psi
			Compressive Strength:8,500+-500psi
27	5	bags	Concrete Patch (for pavement and flooring)
			25kg/bag
			Rapid setting repair mortar for pavement and floors
			Compressive Strength;
			@3hrs - 2,500 psi
			@1day - 4,000 psi



	7		@28days - 6,500psi
28	6	gal-set	Low Viscosity Concrete Epoxy
		8	Part A & B, 3.5liter/part
		·	Tensile Strength:4,500+-5000psi
			Flexural Strength:8,000+-5000psi
			Compressive Strength:7,000+-5000psi
29	2	pail	Curing Solution- Emulsion base, 20liters/pail
30	7	bags	Cementitious pre-packed repair mortar, 25kg/bag
31	40	Tube	Multi purposed adhesive and sealant
			280ml / tube, Color: white, Odorless
·			Stress at 100% Elongation ca.0.8Mpa
			Tensile Strength ca. 1.8Mpa
			Elongation to break ca. 500%
32	15	bag	Skim coat / Thin Plastering Mortar
		" 5	20kg / bag , Color: White
			Bonding strength at 28 days:@1mm: 290; @3mm:217psi
33	20	bag	Tile Adhesive /
<u> </u>			0.15m3 / bag, for ceramic tiles
34	20	bag	Waterproof Tile Grout, 2kg/bag, color: summer beige
35	20	bag	Waterproof Tile Grout, 2kg/bag, color: white
36	150	gal	Water Repellent Matte Finish sealer
			Sealer for concrete, brickworks, natural stone, paver,
		****	precast concrete and cement fiberboards
37	100	Tube	Silicone Sealant, Mold-Resistant Sanitary
			Color: White
			270ml / tube
38	350	tube	General Pupose Nuetral Cure Sealant
			Color: Black
			270ml / tube
			Cure type: Oxime
***************************************			Density: 1.37 g/cm3
			Modulus@ 100%: 0.60 N/mm2
			Tensile Strength: 0.68 N/mm2
			Elongation: 470%
39	110	tube	Weather Resistant Neutral Cure Sealant
			300g/tube
			Cure type: Oxime
			Density: 1.37 g/cm3
			Modulus@ 100%: 0.49 N/mm2
	***************************************		Tensile Strength: 0.61 N/mm2
			Elongation: 590%(ultimate)



40	10	can	Expandable PU Foam Sealant -
	10	Cuii	750 ml / can
41	10	roll	Aluminum Butyl Flashing Tape
			75mm x 3m per roll
42	3	roll	Copper Tube 3/8" dia. x 10'
	L		RNISHING MATERIALS
1	250	gal	Lacquer Thinner   -
2	150	gal	Sanding Sealer
3	150	gal	Clear Dead Flat Lacquer
4	210	roll	Masking Tape 1"
5	1	roll	Waterproof Sandpaper #100, 12" x 45M per Roll, 3M
6	1	roll	Waterproof Sandpaper #80, 12" x 45M per Roll, 3M
7	200	pcs	Waterproof Sandpaper #150, as per sample
8	200	pcs	Waterproof Sandpaper #180, as per sample
9	200	pcs	Waterproof Sandpaper #240, as per sample
11	200	pcs	Waterproof Sandpaper #360, as per sample Waterproof Sandpaper #400, as per sample
12	24	pcs	Flat Wall Enamel - white -
		gal	Quick Dry Enamel - white
13	20	gal	
14	25	gal	Quick Dry Enamel - Black
15	250	kg	Rags, white, thin (as per sample)
16	50	pcs	Hardener for Polituff, 120 g, for liter
17	15	gal	Rust Converter, Rust Remover
18	25	gal	Traffic Paint White, non-reflectorized
19	5	gal	Traffic Paint Yellow, non-reflectorized
20	4	gal	Fulatite - Natural Shade
21	15	gal	Clear Gloss Acrylic Emulsion >
22	35	gal	Boral Premium Premixed Putty 888 /
23	125	gal	Semi-gloss Latex - White -
24	115	gal	Flat Latex - White
25	44	gal	Red Oxide Primer
26	54	gal	Roofguard Roof paint - Samar Beige /
27	10	gal	Flat Latex - Black
·	PLUMBIN		1
1	75	pcs	Sloan Repair Kit A-156AA
2	45	pes	Sloan Repair Kit G- 1007A
3	45	pes	Sloan Repair Kit G- 1017A
4	50	pcs	Sloan Repair Kit A-163 A
5	30		Sloan Repair Kit V-551A
6	20	pcs	Sloan Gem - Handle Repair Kit B-50A -
7	60	pcs	Flash valve for water closet - Sloan Gem
/	00	pcs	
			1.6 GPF / 6.0 LPF



	.,	***************************************	Filtered O Ring by - Pass Piston
Y*************************************			
			Less Vacuum Breaker
			Chrome Plate Finish
8	40	set	Bidet, High pressure, Stainless steel type 304 , 1/2"_
9	30	pcs	Brass, Spud washer 1-1/2" -
10	15	set	Single Lever Lavatory Faucet - Grohe /
			Finish : Chrome plated Glossy
			Material : Brass
			Flow Rate : 5.7 L/mn
			Max. Working Pressure : 72.5 PSI
11	88	pcs	PVC Pipe 2" x 10' - Sanitary ~
12	8	pcs	PVC Pipe 3" x 10' - Sanitary
13	8	pcs	PVC Pipe 4" x 10' - Sanitary
14	5	pcs	PVC Elbow 2" x 90 deg Orange <
15	5	pcs	PVC Elbow 3" x 90 deg Orange
16	5	pcs	PVC Elbow 4" x 90 deg Orange <
17	5	pcs	PVC Elbow 2" x 45 deg Orange
18	5	pcs	PVC Elbow 3" x 45 deg Orange
19	5	pcs	PVC Elbow 4" x 45 deg Orange ~
20	5	pcs	PVC Wye 2" x 2" - Orange -
21	5	pcs	PVC Wye 3" x 2" - Orange -
22	5	pcs	PVC Wye 3" x 3" - Orange -
23	5	pcs	PVC Wye 4" x 2" - Orange
24	5	pcs	PVC Wye 4" x 3" - Orange
25	5	pcs	PVC Wye 4" x 4" - Orange 🕜
26	10	pcs	PPR Pipe 1/2", PN20 x 4m <
27	10	pcs	PPR Pipe 3/4", PN20 x 4m
28	10	pcs	PPR Pipe 1-1/2", PN20 x 4m
29	10	pcs	PPR Pipe 2", PN20 x 4m
30	5	pcs	PPR Elbow 1/2", 90 deg. <
31	5	pcs	PPR Elbow 3/4", 90 deg. <
32	5	pcs	PPR Elbow 1", 90 deg. /
33	5	pes	PPR Elbow 1-1/2", 90 deg. <
34	5	pcs	PPR Elbow 2", 90 deg.
35	10	pcs	PPR Elbow 1/2", with thread, female –
36	20	pcs	PPR Coupling 1-1/2" -
37	10	pcs	PPR adapter female 1/2", with thread ⁄
38	10	pcs	PPR adapter female 3/4", with thread 🗸
39	5	pcs	PPR adapter female 1", with thread <
40	5	pcs	PPR adapter female 1-1/2", with thread
41	5	pcs	PPR adapter female 2", with thread
42	20	can	Solvent PVC cement, 200cc
43	420	roll	Teflon tape 1/2" x 250" –
44	320	roll	Teflon tape 3/4" x 250" /
45	20	can	All around sealant, 1/4 liter per can
46	20	pcs	Silicone Gasket Maker, Grey, 85g <
LOT V - N	TETAL M	ATERIALS	
1	1	pcs	MS Plate 3mm x 4' x 8'



2	1 1		MC Cl1 1 Pl. 4 2 41 - 91	٦
2	20	pcs	MS Checkered Plate 3mm x 4' x 8'	_
3	20	pcs	Angle bar 1" x 1" x 10' x 3mm	-
4	20	pcs	Flap Disc 100mm x 16mm, 120grit	_
5	20	pcs	Flap Disc 100mm x 16mm, 320grit	_
6	20	pcs	Flap Disc 100mm x 16mm, 400grit	
7	20	pcs	Welding glass - Dark, 11cm x 5cm	
8	20	pcs	Welding glass - Clear, 11cm x 5cm	
9	100	pcs	Tungsten Electrode, Lanthanated 2.4mm x 150mm	
10	10	pair	Step Drill bit (cone) - 4-32mm, titanium coated	
11	100	pcs	Sanding Disc 4", 120grit -	
12	20	pcs	Steel cup brush 4" for grinder -	
13	5	pcs	Buffing soap, large 800g –	
14	500	pcs	Cut-off Wheel 4" dia x .045", heavy duty-	
15	10	pack	Rivet 3/16" dia x 3/8", 100pcs/pack –	
16	10	pack	Rivet 3/16" dia x 1/2", 100pcs/pack /	
17	10	pack	Rivet 3/16" dia x 3/4", 100pcs/pack	
18	10	pack	Rivet 1/8" dia x 3/8" 100pcs/pack	
19	10	pack	Rivet 1/8" dia x 1/2" 100pcs/pack -	
20	20	pcs	Flat Bar 1" x 3/16"thk x 20'	
21	100	pcs	Chalk stone, for metal markings	
22	50	pcs	High Speed drill Bit 1/8"	
23	50	pcs	High speed drill bit 3/16"	
24	40	pcs	High speed drill bit 1/4"	
25	10	pcs	Screw adaptor bit - for teks screw -	
26	16	pcs	Aluminum Treshold 4" x 10' x 5mm thk x 1/2" ht	
27	50	pcs	Prepainted Corrugated roof 0.60mm x 4' x 12'	
28	1,600	pcs	Teks screw 2" for roofing	
29	15	kg	GI tie wire # 16	2
LOT VI -	PARTS A	ND TOOLS		
1	91	pcs	Paint Brush 3"	
2	91	pcs	Paint Brush 2-1/2" –	
3	91	pcs	Paint Brush 2"	
4	91	pcs	Paint Brush 1"	
5	105	pcs	Baby roller cotton 4", with handle	
6	45	pcs	Steel Brush 1" x 10" with handle	
7	20	pcs	Ball valve 1/4", brass, heavy duty	
8	25	pcs	Putty knife 3" w/ Plastic Handle	1
9	40	pcs	Putty knife 4"	
10	5	pcs	Putty knife 5"	
11	2	рс	W-71 Spray Gun, Sunction/siphon, w/ container 1000ml	
12	2	рс	W-71 Spray Gun , Gravity, w/ container 400ml	
13	4	units	Caulking Gun 2:1 for low viscosity epoxy resin (2-tubes)	
14	7	units	Caulking Gun for sealant	
15	2	pcs	Adjustable Pipe Wrench 10", Heavy Duty, Ridgid	
16	5	pair	Welding Gloves, 14" -	-
17	2	pcs	Welding Jacket/Apron w/ sleeve, flame resistant	-
18	1	roll	Level Hose, Green, 1/4" x 150m	
19	2	pcs	Demolition Jackhammer point bit,	
	-	Pes	30mm(1-3/16")hex shank	
	.1		Johnney Dien Shalle	



		<u> </u>	Townshible with Melite IIM 1200
20	2		compatible with Makita HM 1306
20	2	set	Router Bits SET 12PCS/SET 1/4" (6mm)
			Shank diameter: 6mm
			3pcs Straight bit:6mm,12mm,16mm
			1pc 1/2" 90°V-groove bit
			1pc 1/2" Dovetail bit
	4.		1pc 32mm 45°Chamfer bit
			1pc 1/2" flush trim bits
			2pc Round over bit:1/4",3/8"
			1pc 1/4" Core box bit
			1pc 1/4" Core bit
			1pc R-4 Roman ogee bit
21	6	unit	24" F- Clamp, /
			Quick Clamp, Quick Release Speed squezze
			Clamp length: 600mm
			Clamping Depth: 60mm
22	2	set	2PCS/Set Tongue & Groove Router Bit 3/4" ~
23	2	set	Multi Tool Angle grinder conversion tool head /
			for 100mmAngle grinder
			As per sample
24	4	pcs	Planer Blade - 110mm (4-3/8) for Makita model 1911B
25	1	roll	Plastic Chain, Yellow, 6mm x 25m
26	2	pcs	Power Hacksaw Blade 2" x 24"
27	3	pcs	Paint Tray, Plastic
LOT VII –	POWER	TOOLS AN	ID EQUIPMENT
1	1	unit	Random Orbital Sander
			Power: 240 W
			Pad Size: 125mm (5")
***************************************		*********************************	Orbit per Minute: 12,000
		*****	Orbit per Minute: 12,000 Weight: 1.1kg (2.4 lbs)
2	1	unit	Weight: 1.1kg (2.4 lbs)
2	1	unit	Weight: 1.1kg (2.4 lbs)
2	1	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on
2	1	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)
2	1	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)
2	1		Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial
	-	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")
	-		Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W
	-		Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W  Plunge capacity: 0-60mm
	-		Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W  Plunge capacity: 0-60mm  Base Diameter: 160 x 148mm
3	1	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W  Plunge capacity: 0-60mm  Base Diameter: 160 x 148mm  No-load speed: 22,000 rpm
	-		Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W  Plunge capacity: 0-60mm  Base Diameter: 160 x 148mm  No-load speed: 22,000 rpm  Map and Plan Steel Cabinets
3	1	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W  Plunge capacity: 0-60mm  Base Diameter: 160 x 148mm  No-load speed: 22,000 rpm  Map and Plan Steel Cabinets  Gauge no. 22
3	1	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W  Plunge capacity: 0-60mm  Base Diameter: 160 x 148mm  No-load speed: 22,000 rpm  Map and Plan Steel Cabinets  Gauge no. 22  Net Weight: 139kgs
3	1	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W  Plunge capacity: 0-60mm  Base Diameter: 160 x 148mm  No-load speed: 22,000 rpm  Map and Plan Steel Cabinets  Gauge no. 22  Net Weight: 139kgs  2 rows with total 10 drawers
3	1	unit	Weight: 1.1kg (2.4 lbs)  Battery Operated Caulking Gun  18V Li-on  Max pushing force: 5,000 N (1,100lbs)  No-load speed: 0-28mm/sec (0-66in/min.)  5-speed dial  Plunge Router (1/4"&1/2")  Power: 1,650W  Plunge capacity: 0-60mm  Base Diameter: 160 x 148mm  No-load speed: 22,000 rpm  Map and Plan Steel Cabinets  Gauge no. 22  Net Weight: 139kgs  2 rows with total 10 drawers  Color: Beige
3	1	unit	Weight: 1.1kg (2.4 lbs) Battery Operated Caulking Gun  18V Li-on Max pushing force: 5,000 N (1,100lbs) No-load speed: 0-28mm/sec (0-66in/min.) 5-speed dial Plunge Router (1/4"&1/2") Power: 1,650W Plunge capacity: 0-60mm Base Diameter: 160 x 148mm No-load speed: 22,000 rpm Map and Plan Steel Cabinets Gauge no. 22 Net Weight: 139kgs 2 rows with total 10 drawers Color: Beige Overall Dimensions: 38 7/8" height x 44 1/2" x 33" width
4	1 12	unit	Weight: 1.1kg (2.4 lbs) Battery Operated Caulking Gun  18V Li-on Max pushing force: 5,000 N (1,100lbs) No-load speed: 0-28mm/sec (0-66in/min.) 5-speed dial Plunge Router (1/4"&1/2") Power: 1,650W Plunge capacity: 0-60mm Base Diameter: 160 x 148mm No-load speed: 22,000 rpm Map and Plan Steel Cabinets Gauge no. 22 Net Weight: 139kgs 2 rows with total 10 drawers Color: Beige Overall Dimensions: 38 7/8" height x 44 1/2" x 33" width Centralized lock with two (2) pcs keys
3	1	unit	Weight: 1.1kg (2.4 lbs) Battery Operated Caulking Gun  18V Li-on Max pushing force: 5,000 N (1,100lbs) No-load speed: 0-28mm/sec (0-66in/min.) 5-speed dial Plunge Router (1/4"&1/2") Power: 1,650W Plunge capacity: 0-60mm Base Diameter: 160 x 148mm No-load speed: 22,000 rpm Map and Plan Steel Cabinets Gauge no. 22 Net Weight: 139kgs 2 rows with total 10 drawers Color: Beige Overall Dimensions: 38 7/8" height x 44 1/2" x 33" width



Overall dimension : 72" H x 36" W x 18" D	
Color: Beige	
Five (5) adjustable shelves, acrylic sliding door	
with handle, lock two (2) pcs keys	

### STATEMENT OF COMPLIANCE

Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.

### Note:

Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.



# Section VIII. Checklist of Technical and Financial Documents

# **Checklist of Technical and Financial Documents**

# I. TECHNICAL COMPONENT ENVELOPE

II.

		Class "A" Documents
Leg	gal De	<u>ocuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR. If any of the documents in Annex "A" are expired, the updated document shall be submitted during post-
		qualification;
Te	chnice	ul Documents
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (Annex "A"); and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (Section "B"); and
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration (Annex C"); and
	(e)	Conformity with the Technical Specifications (Section VII –signed on each and every page), which includes production/delivery schedule, manpower requirements, and/or after-sales/parts (Section VI), if applicable; and
	(f)	Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder (Annex "D).
<u>Fin</u>	ancia	l Documents
	(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (Annex "E") or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
		Class "B" Documents
	(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
FIN	ANC	IAL COMPONENT ENVELOPE
	(i)	Original of duly signed and accomplished Financial Bid Form;
<u>Oth</u>	er do	cumentary requirements under RA No. 9184 (as applicable)
	(j)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in
	(k)	government procurement activities for the same item or product.  Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Standard For Number: SF-GOOD-13a

Revised on: July 28, 2004

Business Name: Business Address:

# LIST OF ALL ON-GOING GOVERNMENT & PRIVATE CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED

Name of Project / Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Date Awarded b. Date Started c. Date Completion	% Accompl	% of Accomplishment	Value of Outstanding Works / Undelivered Portion
			Description	%		Planned	Actual	
Government:								
Private:								
	The state of the s	THE						
								OTHER PROPERTY.
						TOTAL	T	
Submitted by:								
Designation:		(Printed Name & Signature)						
Date:								

# SINGLE LARGEST COMPLETED CONTRACT

# WHICH IS SIMILAR TO THE CONTRACT TO BE BID

**Business Name:** 

**Business Address:** 

	a. Owner' Name		a. Amount of Award	a. Date Awarded
Name of Contract	b. Address	Nature of Item/Service	b. Amount at Completion	b. Contract Effectivity
	c. Telephone Nos.		c. Duration	c. Date Completed
				COMMUNICATION CONTRACTOR CONTRACT

Note: This statement shall be supported with:

- 1. Contract
- 2. Certificate of Completion and Acceptance or Official Receipt/s or Sales Invoice issued for the contract

Note: The Single Largest Completed Contract shall be completed within the last three (3) years from the date of submission and receipt of bids, that is similar to the contract to be bid, the amount of which shall be at least fifty percent (50%) of the ABC.

Submitted by:	
	(Printed Name & Signature)
Designation:	
Date:	

### BID SECURING DECLARATION FORM

REPUBLIC OF THE	PHILIPPINES)
CITY OF	) S.S.
X	

# BID SECURING DECLARATION Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We<sup>2</sup>, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
  - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

---

<sup>&</sup>lt;sup>2</sup> Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

# [Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant

execution], Philippines. Affiant/s is/are pathrough competent evidence of identity as 02-8-13-SC). Affiant/s exhibited to me his	before me this day of [month] [year] at [place of personally known to me and was/were identified by me defined in the 2004 Rules on Notarial Practice (A.M. No. s/her [insert type of government identification card used], earing thereon, with no and his/her Community at
Witness my hand and seal this	day of [month] [year].
	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Doc. No Page No Book No Series of	

# Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

	 · · · · · · · · · · · · · · · · · · ·	
REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF) S.S.		

### **AFFIDAVIT**

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest withanother blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting:
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

## 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the enduser unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN	WITNESS	WHEREOF,	I hav	e hereunto	set	my	hand	this_	_day	of_	,	20_	at
		Philippines.				•							

# [Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]
Affiant

# [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Name of the Project: Supply and Delivery of Various Hardware Supplies Parts and Materials

# FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK

A.	Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of	the
	attached Income Tax Return and Audited Financial Statement, stamped "RECEIVED" by the Bureau of Inter-	na
	Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy	
	Schedule of Fixed Assets particularly the list of construction equipment.	

		Year 20
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	
7	Value of all outstanding or uncompleted portions of the project under ongoing contracts, including awarded contracts yet to be started coinciding with contract to be bid.	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus value of all outstanding or uncompleted portions of the project under ongoing contracts, including awarded contracts yet to be started coinciding with contract to be bid.

NFCC = P\_\_\_\_\_\_

The values of the bidder's current assets and current liabilities shall be based on the data submitted to the BIR. or

A committed Line of Credit, in an amount to at least ten percent (10%) of the ABC, issued by a Universal of Commercial Bank.

Submitted by:

Name of Supplier / Distributor / Manufacturer

Signature of Authorized Representative

Date: \_\_\_\_\_\_\_

			Non alsid atmin / and annu dama = 4.1. 1.11		1
16	60	roll	Non-skid strip / carborandum strip - black 50mm x 4.57	man and a man an	and the second s
17	100				
18	100 50	pcs	Adhesives / Liquid Nail , 100g		
	<del></del>	pcs	Hacksaw Carbon Steel Blade (12"x1/2"x24T)		
19	200	pcs	Metal Screw 1/4 x 3/4" with Tox		
20	200	pcs	Metal Screw 3/16 x 3/4" with Tox		
21	1	roll	Black Sticker, 4' x 165', matte		
22	100	pcs	600mm x 600mm Clip -in Metal Aluminum tile ceiling		70.000 P. H. WOOD OF THE PARTY
			As per sample, white		***************************************
			0.70 mm thick; Perforated with NWT		
			584mm x 584mm Lay-in Metal Aluminum		***
23	200	pcs	tile ceiling		ATTERNATION AND ATTERNATION AN
			As per sample, white		
			0.70 mm thick; Perforated with NWT		
24	100		T-tunner 1" x 4' - cross tee, powder coated,	***************************************	
24	100	pcs	white		
25	10	box	18 gauge brad nails 35mm; 5000 pcs/box		
26	2	pcs	Circular Wood Saw Blade 60 teeth, 8"		
27	20		Ceramic tile 600mm x 600mm, As per sample,		
27	20	pcs	white		44-00-00-00-00-00-00-00-00-00-00-00-00-0
	,			Sub – total	
Lot II -	- MASON	RY MA		***************************************	<u> </u>
	1	r	<b>FERIALS</b>		
Lot II -	- MASON	RY MA	FERIALS Hole Saw Cutting Set		
	1	r	Hole Saw Cutting Set Must include the following size:		
	1	r	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),		
	1	r	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),		
	1	r	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),		
	1	r	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),		
	1	r	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)		
	1	r	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors		
	1	r	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate		
	1	r	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key		
1	2	set	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box		
2	5	pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated		
2 3	5 5	pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated		
2 3 4	5 5 5	pcs pcs pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated  Ceramic/tile drill bit 8mm, diamond coated		
2 3 4 5	5 5 5 5	pcs pcs pcs pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 8mm, diamond coated  Ceramic/tile drill bit 8mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated		
2 3 4 5 6	5 5 5 5	pcs pcs pcs pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 8mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated		
2 3 4 5 6 7	5 5 5 5 5	pcs pcs pcs pcs pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Hole Saw Core Bit for tiles 50mm		
2 3 4 5 6 7 8	5 5 5 5 5 2 2	pcs pcs pcs pcs pcs pcs pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 8mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Hole Saw Core Bit for tiles 50mm  Hole Saw Core Bit for tiles 65mm		
2 3 4 5 6 7 8 9	5 5 5 5 2 2	pcs pcs pcs pcs pcs pcs pcs pcs pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Hole Saw Core Bit for tiles 50mm  Hole Saw Core Bit for tiles 65mm  Hole Saw Core Bit for tiles 80mm		
2 3 4 5 6 7 8 9	5 5 5 5 2 2 2	pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Hole Saw Core Bit for tiles 50mm  Hole Saw Core Bit for tiles 65mm  Hole Saw Core Bit for tiles 80mm  Hole Saw Core Bit for tiles 80mm  Hole Saw Core Bit for tiles 100mm		
2 3 4 5 6 7 8 9 10	5 5 5 5 2 2 2 2	pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Hole Saw Core Bit for tiles 50mm  Hole Saw Core Bit for tiles 65mm  Hole Saw Core Bit for tiles 80mm  Hole Saw Core Bit for tiles 100mm  Hole Saw Core Bit for tiles 100mm  Hole Saw Core Bit for tiles 100mm  Hole Saw Core Bit for tiles 100mm		
2 3 4 5 6 7 8 9	5 5 5 5 2 2 2	pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Hole Saw Core Bit for tiles 50mm  Hole Saw Core Bit for tiles 65mm  Hole Saw Core Bit for tiles 80mm  Hole Saw Core Bit for tiles 100mm  Hole Saw Core Bit for tiles 100mm  Hole Saw Core Bit for wood 6" dia  Small sand sack (sako)		
2 3 4 5 6 7 8 9 10	5 5 5 5 2 2 2 2	pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Hole Saw Core Bit for tiles 50mm  Hole Saw Core Bit for tiles 65mm  Hole Saw Core Bit for tiles 80mm  Hole Saw Core Bit for tiles 100mm  Hole Saw Core Bit for wood 6" dia  Small sand sack (sako)  Masonry Drill bit, sds plus, 6mm - working		
2 3 4 5 6 7 8 9 10 11 12	5 5 5 5 2 2 2 2 2 2 200	pcs	Hole Saw Cutting Set  Must include the following size:  3/4" (19mm), 7/8" (22mm), 1-1/8" (29mm),  1-1/4" (32mm), 1-1/2" (38mm),  1-3/4" (44mm), 2" (51mm), 2-1/2" (64mm),  3" (76mm), 3-3/2" (89mm), 4" (102mm),  5" (127mm)  1/4inch (6mm) arbors  1 x reinforcing plate  1 x hex key  1 x Storage Box  Ceramic/tile drill bit 5mm, diamond coated  Ceramic/tile drill bit 6mm, diamond coated  Ceramic/tile drill bit 10mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Ceramic/tile drill bit 12mm, diamond coated  Hole Saw Core Bit for tiles 50mm  Hole Saw Core Bit for tiles 65mm  Hole Saw Core Bit for tiles 80mm  Hole Saw Core Bit for tiles 100mm  Hole Saw Core Bit for tiles 100mm  Hole Saw Core Bit for wood 6" dia  Small sand sack (sako)		

15	2	pcs	Masonry Drill bit, sds plus, 10mm - working length 400mm		
16	3	pcs	Masonry Drill bit, sds plus, 12mm - working length 150mm		
17	2	pcs	Masonry Drill bit, sds plus, 12mm - working length 400mm		
18	3	pcs	Masonry Drill bit, sds plus, 16mm - working length 150mm		
19	2	pcs	Masonry Drill bit, sds plus, 16mm - working length 400mm		
20	300	pcs	Lock washer 3/8"		
21	50	pcs	Rubber wheel stopper 183cm x 15cm x 10cm,		
		1 1	black and yellow		
22	220	gal	Concrete sealer, applicable to stamped concrete		
			Exterior weather durability		
			Coverage: 15sqm / 4L / coat		
			Drying Time: 4 hours prior to recoating		
			Method of application: brush, roller & spray		
23	4	bag	Leak Plug, 25kg/bag		
		1	Compressive Strength;		
			@2hrs -725psi		11
			@28days -3625psi		
24	20	tube- set	Low Viscosity Structural Epoxy Resin		
			Crack injection repair,(500ml set)		
			Compressive Strength;		
			@1day -3,000 - 4,000psi		
			@7days -8,000 - 10,000psi		
			@28days -10,000 - 12,000psi		
			Tensile Strength - 5,000-6,000 psi		
			2-tube/set		
25	20	tube- set	Chemical Anchor Structural Epoxy,		
		+07100VA-1-0-0	Splitting Tensile Strength: >8.5Mpa		
		1	Flexural Strength: >50Mpa		
			Compressive Strength: >60Mpa		
26	4	gal- set	High Viscosity Concrete Epoxy		
			Part A & B, 3.5liter/part		
			Tensile Strength:3,000+-500psi		
			flexural Strength:7,000+-500psi		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
			Compressive Strength:8,500+-500psi		
27	5	bags	Concrete Patch (for pavement and flooring)		
			25kg/bag		
			Rapid setting repair mortar for pavement and floors		
			Compressive Strength;	-	
			@3hrs - 2,500 psi		
			@1day - 4,000 psi		

		gal-	@28days - 6,500psi	***************************************
28	6	set	Low Viscosity Concrete Epoxy	
			Part A & B, 3.5liter/part	
Mult			Tensile Strength:4,500+-5000psi	
			Flexural Strength:8,000+-5000psi	
20		•	Compressive Strength:7,000+-5000psi	
29	2	pail	Curing Solution- Emulsion base, 20liters/pail	
30	7	bags	Cementitious pre-packed repair mortar, 25kg/bag	
31	40	Tube	Multi purposed adhesive and sealant	0.000
			280ml / tube, Color: white, Odorless	70 o
			Stress at 100% Elongation ca.0.8Mpa	
			Tensile Strength ca. 1.8Mpa	
			Elongation to break ca. 500%	
32	15	bag	Skim coat / Thin Plastering Mortar	
			20kg / bag, Color: White	
			Bonding strength at 28 days:@1mm: 290; @3mm:217psi	
33	20	bag	Tile Adhesive	
24	20	<u> </u>	Waterproof Tile Grout, 2kg/bag, color:	
34	20	bag	summer beige	
35	20	bag	Waterproof Tile Grout, 2kg/bag, color: white	
36	150	gal	Water Repellent Matte Finish sealer	
			Sealer for concrete, brickworks, natural	Ş I I
			stone, paver,	
			precast concrete and cement fiberboards	
37	100	Tube	Silicone Sealant, Mold-Resistant Sanitary	
			Color: White	
		***************************************	270ml / tube	
38	350	tube	General Purpose Neutral Cure Sealant	
			Color: Black	
			270ml / tube	
			Cure type: Oxime	
			Density: 1.37 g/cm3	
			Modulus@ 100%: 0.60 N/mm2	, , , , , , , , , , , , , , , , , , ,
			Tensile Strength: 0.68 N/mm2	
			Elongation: 470%	
39	110	tube	Weather Resistant Neutral Cure Sealant	
***************************************			300g/tube	
			Cure type: Oxime	
***************************************			Density: 1.37 g/cm3	
***************************************			Modulus@ 100%: 0.49 N/mm2	
			Tensile Strength: 0.61 N/mm2	

10   roll   Alum   750 mm	uer Thinner ing Sealer Dead Flat Lacquer ing Tape 1" rproof Sandpaper #100, 12" x 45M per	Sub - total				
10   roll   Alum   750 m   41   10   roll   Alum   75m   42   3   roll   Copp	ninum Butyl Flashing Tape  n x 3m per roll  er Tube 3/8" dia. x 10'  RNISHING MATERIALS  uer Thinner  ing Sealer  Dead Flat Lacquer  ting Tape 1"  rproof Sandpaper #100, 12" x 45M per	Sub – total				
1   250   gal   Lacq     2   150   gal   Sand     3   150   gal   Clear     4   210   roll   Mask     5   1   roll   Roll     6   1   roll   Roll     7   200   pcs   Wate     8   200   pcs   Wate     9   200   pcs   Wate     9   200   pcs   Wate     10   200   pcs   Wate	n x 3m per roll  er Tube 3/8" dia. x 10'  RNISHING MATERIALS  uer Thinner  ing Sealer  Dead Flat Lacquer  ring Tape 1"  rproof Sandpaper #100, 12" x 45M per	Sub - total				
1   250   gal   Lacq     2   150   gal   Sand     3   150   gal   Clear     4   210   roll   Mask     5   1   roll   Roll     6   1   roll   Roll     7   200   pcs   Wate     8   200   pcs   Wate     9   200   pcs   Wate     9   200   pcs   Wate     10   200   pcs   Wate	n x 3m per roll  er Tube 3/8" dia. x 10'  RNISHING MATERIALS  uer Thinner  ing Sealer  Dead Flat Lacquer  ring Tape 1"  rproof Sandpaper #100, 12" x 45M per	Sub - total				
42   3   roll   Copposition	er Tube 3/8" dia. x 10'  RNISHING MATERIALS  uer Thinner  ing Sealer  Dead Flat Lacquer  ting Tape 1"  rproof Sandpaper #100, 12" x 45M per	Sub - total				
LOT III - PAINTING ANSD VAID   1   250   gal   Lacq   2   150   gal   Sand   3   150   gal   Clear   4   210   roll   Mask   5   1   roll   Roll	RNISHING MATERIALS uer Thinner ing Sealer Dead Flat Lacquer ting Tape 1" rproof Sandpaper #100, 12" x 45M per	Sub - total				
1         250         gal         Lacq           2         150         gal         Sand           3         150         gal         Clear           4         210         roll         Mask           5         1         roll         Roll           6         1         roll         Roll           7         200         pcs         Wate           8         200         pcs         Wate           9         200         pcs         Wate           10         200         pcs         Wate	uer Thinner ing Sealer Dead Flat Lacquer ing Tape 1" rproof Sandpaper #100, 12" x 45M per					
2       150       gal       Sand         3       150       gal       Clear         4       210       roll       Mask         5       1       roll       Roll         6       1       roll       Roll         7       200       pcs       Wate         8       200       pcs       Wate         9       200       pcs       Wate         10       200       pcs       Wate         10       200       pcs       Wate	ing Sealer Dead Flat Lacquer ing Tape 1" rproof Sandpaper #100, 12" x 45M per					
3 150 gal Clear 4 210 roll Mask 5 1 roll Roll 6 1 roll Roll 7 200 pcs Wate 8 200 pcs Wate 9 200 pcs Wate	Dead Flat Lacquer ing Tape 1" rproof Sandpaper #100, 12" x 45M per					
3         150         gal         Clear           4         210         roll         Mask           5         1         roll         Roll           6         1         roll         Roll           7         200         pcs         Wate           8         200         pcs         Wate           9         200         pcs         Wate           10         200         pcs         Wate	rproof Sandpaper #100, 12" x 45M per					
4         210         roll         Mask           5         1         roll         Wate           6         1         roll         Roll           7         200         pcs         Wate           8         200         pcs         Wate           9         200         pcs         Wate           10         200         pcs         Wate	rproof Sandpaper #100, 12" x 45M per	www.				
I         roll         Roll           6         1         roll         Roll           7         200         pcs         Wate           8         200         pcs         Wate           9         200         pcs         Wate           10         200         pcs         Wate	<b>1</b>					
6 1 roll Roll 7 200 pcs Wate 8 200 pcs Wate 9 200 pcs Wate		***				
Toll   Roll						
7 200 pcs Water 8 200 pcs Water 9 200 pcs Water 10 200 pcs Water	rproof Sandpaper #80, 12" x 45M per . 3M					
8 200 pcs Water 9 200 pcs Water	rproof Sandpaper #150, as per sample					
9 200 pcs Water	rproof Sandpaper #180, as per sample					
10 200 Wate	rproof Sandpaper #240, as per sample					
	rproof Sandpaper #360, as per sample					
	rproof Sandpaper #400, as per sample					
	Wall Enamel - white					
	c Dry Enamel - white					
	c Dry Enamel - Black	*****				
	, white, thin (as per sample)					
	ener for Polituff, 120 g, for liter		The second secon			
17 15 gal Rust	Converter, Rust Remover		A CONTRACTOR OF THE CONTRACTOR			
·····	ic Paint White, non-reflectorized					
	ic Paint Yellow, non-reflectorized		- Control of the Cont			
The state of the s	ite - Natural Shade		TAX CONTRACTOR OF TAX CONTRACT			
	Gloss Acrylic Emulsion					
	Premium Premixed Putty 888					
	-gloss Latex - White		Available to the same of the s			
	Latex - White	A.I				
	Oxide Primer					
26 54 gal Roof	guard Roof paint - Samar Beige		111111111111111111111111111111111111111			
27 10 gal Flat	_atex - Black					
	Jack - Diack	Sub – total				
LOT IV – PLUMBING MATERIA	Satex - Diack	Sub – total				
1 75 pcs Sloar		Sub – total				

2	1 45		Sloan Repair Kit G- 1007A	
	45	pcs	Sloan Repair Kit G- 1017A	
3	45	pcs	_	
4	50	pcs	Sloan Repair Kit A-163 A	
5	30	pcs	Sloan Repair Kit V-551A	
6	20	pcs	Sloan Gem - Handle Repair Kit B-50A	
7	60	pcs	Flash valve for water closet - Sloan Gem	
			1.6 GPF / 6.0 LPF	
			Filtered O Ring by - Pass Piston	
		:	Less Vacuum Breaker	
			Chrome Plate Finish	
8	40	set	Bidet, High pressure, Stainless steel type 304, 1/2"	
9	30	pcs	Brass, Spud washer 1-1/2"	
10	15	set	Single Lever Lavatory Faucet - Grohe	
			Finish: Chrome plated Glossy	
			Material: Brass	
			Flow Rate : 5.7 L/mn	
			Max. Working Pressure: 72.5 PSI	
11	8	pes	PVC Pipe 2" x 10' - Sanitary	
12	8	pcs	PVC Pipe 3" x 10' - Sanitary	
13	8	pes	PVC Pipe 4" x 10' - Sanitary	
14	5	pcs	PVC Elbow 2" x 90 deg Orange	
15	5	pcs	PVC Elbow 3" x 90 deg Orange	
16	5	pcs	PVC Elbow 4" x 90 deg Orange	
17	5	pcs	PVC Elbow 2" x 45 deg Orange	
18	5	pcs	PVC Elbow 3" x 45 deg Orange	
19	5	pcs	PVC Elbow 4" x 45 deg Orange	
20	5	pcs	PVC Wye 2" x 2" - Orange	
21	5	pcs	PVC Wye 3" x 2" - Orange	
22	5	pcs	PVC Wye 3" x 3" - Orange	
23	5	pcs	PVC Wye 4" x 2" - Orange	
24	5	pcs	PVC Wye 4" x 3" - Orange	
25	5	pcs	PVC Wye 4" x 4" - Orange	
26	10	pcs	PPR Pipe 1/2", PN20 x 4m	
27	10	pcs	PPR Pipe 3/4", PN20 x 4m	
28	10	pcs	PPR Pipe 1-1/2", PN20 x 4m	
29	10	pcs	PPR Pipe 2", PN20 x 4m	
30	5	pcs	PPR Elbow 1/2", 90 deg.	
31	5	pcs	PPR Elbow 3/4", 90 deg.	
32	5	pcs	PPR Elbow 1", 90 deg.	
L	<u> </u>	1 *		

33   5   pcs   PPR Elbow 2", 90 deg.	
35   10   pcs   PPR Elbow 1/2", with thread, female   36   20   pcs   PPR Coupling 1-1/2"	
36   20   pcs   PPR Coupling I-1/2"	
37   10   pcs   PPR adapter female 1/2", with thread   38   10   pcs   PPR adapter female 3/4", with thread   39   5   pcs   PPR adapter female 1", with thread   40   5   pcs   PPR adapter female 1", with thread   41   5   pcs   PPR adapter female 2", with thread   41   5   pcs   PPR adapter female 2", with thread   42   20   can   Solvent PVC cement, 200cc   43   420   roll   Teflon tape 1/2" x 250"   44   320   roll   Teflon tape 3/4" x 250"   45   20   can   All around sealant , 1/4 liter per can   46   20   pcs   Silicone Gasket Maker, Grey, 85g	
38   10   pcs   PPR adapter female 3/4", with thread   39   5   pcs   PPR adapter female 1", with thread   40   5   pcs   PPR adapter female 1-1/2", with thread   41   5   pcs   PPR adapter female 2", with thread   42   20   can   Solvent PVC cement, 200cc   43   420   roll   Teflon tape 1/2" x 250"   44   320   roll   Teflon tape 3/4" x 250"   45   20   can   All around sealant	
39   5   pcs   PPR adapter female 1", with thread   40   5   pcs   PPR adapter female 1-1/2", with thread   41   5   pcs   PPR adapter female 2", with thread   42   20   can   Solvent PVC cement, 200cc   43   420   roll   Teflon tape 1/2" x 250"   44   320   roll   Teflon tape 3/4" x 250"   45   20   can   All around sealant , 1/4 liter per can   46   20   pcs   Silicone Gasket Maker, Grey, 85g   Sub - total   EOT V - METAL MATERIALS	
A	
41    5	<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>
42   20   can   Solvent PVC cement, 200cc     43   420   roll   Teflon tape 1/2" x 250"     44   320   roll   Teflon tape 3/4" x 250"     45   20   can   All around sealant , 1/4 liter per can     46   20   pcs   Silicone Gasket Maker, Grey, 85g	······································
43   420   roll   Teflon tape 1/2" x 250"	
Add   320   roll   Teflon tape 3/4" x 250"	
All around sealant	
Sub - total	
Sub - total	
LOT V - METAL MATERIALS   1	
LOT V - METAL MATERIALS   1	**************************************
1         1         pcs         MS Plate 3mm x 4' x 8'           2         1         pcs         MS Checkered Plate 3mm x 4' x 8'           3         20         pcs         Angle bar 1" x 1" x 10' x 3mm           4         20         pcs         Flap Disc 100mm x 16mm, 120grit           5         20         pcs         Flap Disc 100mm x 16mm, 320grit           6         20         pcs         Flap Disc 100mm x 16mm, 400grit           7         20         pcs         Welding glass - Dark , 11cm x 5cm           8         20         pcs         Welding glass - Clear, 11cm x 5cm           9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16	
2         1         pcs         MS Checkered Plate 3mm x 4' x 8'           3         20         pcs         Angle bar 1" x 1" x 10' x 3mm           4         20         pcs         Flap Disc 100mm x 16mm, 120grit           5         20         pcs         Flap Disc 100mm x 16mm, 320grit           6         20         pcs         Flap Disc 100mm x 16mm, 400grit           7         20         pcs         Welding glass - Dark , 11cm x 5cm           8         20         pcs         Welding glass - Clear, 11cm x 5cm           9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           17         10         pack	
3         20         pcs         Angle bar 1" x 1" x 10' x 3mm           4         20         pcs         Flap Disc 100mm x 16mm, 120grit           5         20         pcs         Flap Disc 100mm x 16mm, 320grit           6         20         pcs         Flap Disc 100mm x 16mm, 400grit           7         20         pcs         Welding glass - Dark , 11cm x 5cm           8         20         pcs         Welding glass - Clear, 11cm x 5cm           9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack	
4         20         pcs         Flap Disc 100mm x 16mm, 120grit           5         20         pcs         Flap Disc 100mm x 16mm, 320grit           6         20         pcs         Flap Disc 100mm x 16mm, 400grit           7         20         pcs         Welding glass - Dark , 11cm x 5cm           8         20         pcs         Welding glass - Clear, 11cm x 5cm           9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           17         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
5         20         pcs         Flap Disc 100mm x 16mm, 320grit           6         20         pcs         Flap Disc 100mm x 16mm, 400grit           7         20         pcs         Welding glass - Dark , 11cm x 5cm           8         20         pcs         Welding glass - Clear, 11cm x 5cm           9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
6         20         pcs         Flap Disc 100mm x 16mm, 400grit           7         20         pcs         Welding glass - Dark , 11cm x 5cm           8         20         pcs         Welding glass - Clear, 11cm x 5cm           9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
7         20         pcs         Welding glass - Dark , 11cm x 5cm           8         20         pcs         Welding glass - Clear, 11cm x 5cm           9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
8         20         pcs         Welding glass - Clear, 11cm x 5cm           9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045", heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	<del>.</del>
9         100         pcs         Tungsten Electrode, Lanthanated 2.4mm x 150mm           10         10         pair         Step Drill bit (cone) - 4-32mm, titanium coated           11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045", heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
10	
10	
10	
11         100         pcs         Sanding Disc 4", 120grit           12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045", heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
12         20         pcs         Steel cup brush 4" for grinder           13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
13         5         pcs         Buffing soap, large 800g           14         500         pcs         Cut-off Wheel 4" dia x .045", heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
14         500         pcs         Cut-off Wheel 4" dia x .045" , heavy duty           15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
15         10         pack         Rivet 3/16" dia x 3/8", 100pcs/pack           16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
16         10         pack         Rivet 3/16" dia x 1/2", 100pcs/pack           17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
17         10         pack         Rivet 3/16" dia x 3/4", 100pcs/pack           18         10         pack         Rivet 1/8" dia x 3/8" 100pcs/pack	
18 10 pack Rivet 1/8" dia x 3/8" 100pcs/pack	
T TO THOUSE NIVEL I/O WILLA I/A TRUBENIUMEN TO THE	
20 20 pcs Flat Bar 1" x 3/16"thk x 20'	
21 100 pcs Chalk stone, for metal markings	
22 50 pcs High Speed drill Bit 1/8"	
23 50 pcs High speed drill bit 3/16"	
24 40 pcs High speed drill bit 1/4"	
25 10 pcs Screw adaptor bit - for teks screw	
26 16 pcs Aluminum Treshold 4" x 10' x 5mm thk x 1/2" ht	

27	50	pcs	Prepainted Corrugated roof 0.60mm x 4' x 12'		
28	1,600	pcs	Teks screw 2" for roofing		
29	15	kg	GI tie wire # 16		
				Sub – total	
LOT VI	- PARTS	AND TO	OOLS		
1	91	pcs	Paint Brush 3"		
2	91	pcs	Paint Brush 2-1/2"		
3	91	pcs	Paint Brush 2"		
4	91	pcs	Paint Brush 1"		
5	105	pcs	Baby roller cotton 4", with handle		
6	45	pcs	Steel Brush 1" x 10" with handle		
7	20	pcs	Ball valve 1/4", brass, heavy duty		
8	25	pcs	Putty knife 3" w/ Plastic Handle		
9	40	pcs	Putty knife 4"		
10	5	pes	Putty knife 5"		
11	2	рс	W-71 Spray Gun, Sunction/siphon, w/container 1000ml		
12	2	рс	W-71 Spray Gun, Gravity, w/ container 400ml		
13	4	units	Caulking Gun 2:1 for low viscosity epoxy resin (2-tubes)		
14	7	units	Caulking Gun for sealant		
<u> </u>		uines	Adjustable Pipe Wrench 10", Heavy Duty,		
15	2	pcs	Ridgid		
16	5	pair	Welding Gloves, 14"		/
17	2	pcs	Welding Jacket/Apron w/ sleeve, flame resistant		
18	1	roll	Level Hose, Green, 1/4" x 150m		
19	2	pcs	Demolition Jackhammer point bit,		
			30mm(1-3/16")hex shank		
			compatible with Makita HM 1306		
20	2	set	Router Bits SET 12PCS/SET 1/4" (6mm)		
			Shank diameter: 6mm		
		<u> </u>	3pcs Straight bit:6mm,12mm,16mm		
			1pc 1/2" 90°V-groove bit		
			1pc 1/2" Dovetail bit		
			1pc 32mm 45°Chamfer bit	<u> </u>	
ļ			1pc 1/2" flush trim bits	<u> </u>	
			2pc Round over bit:1/4",3/8"		
			1pc 1/4" Core box bit		
	ļ		1pc 1/4" Core bit		
		<u> </u>	1pc R-4 Roman ogee bit		
21	6	unit	24" F- Clamp,		
			Quick Clamp, Quick Release Speed squeeze		
-		-	Clamp length: 600mm	-	
	<del>                                     </del>		Clamping Depth: 60mm		
22	2	set	2PCS/Set Tongue & Groove Router Bit 3/4"		
23	2	set	Multi Tool Angle grinder conversion tool head		

			for 100mmAngle grinder		·
			As per sample		
		-	Planer Blade - 110mm (4-3/8) for Makita		
24	4	pcs	model 1911B		
25	1	roll			
26	2		Plastic Chain, Yellow, 6mm x 25m		
27	$\frac{2}{3}$	pcs	Power Hacksaw Blade 2" x 24"		
21		pcs	Paint Tray, Plastic		
	777			Sub – total	
LOT VI	I – POW	ER TOOL	S AND EQUIPMENT		
1	1	unit	Random Orbital Sander		
			Power: 240 W		
			Pad Size: 125mm (5")		
			Orbit per Minute: 12,000		
			Weight: 1.1kg (2.4 lbs)		
2	1	unit	Battery Operated Caulking Gun	***************************************	
			18V Li-on		
			Max pushing force: 5,000 N (1,100lbs)		
			No-load speed: 0-28mm/sec (0-66in/min.)		
			5-speed dial		
3	1	unit	Plunge Router (1/4"&1/2")		
	***************************************		Power: 1,650W		701111111111111111111111111111111111111
			Plunge capacity: 0-60mm		
			Base Diameter: 160 x 148mm		
	· · · · · · · · · · · · · · · · · · ·		No-load speed: 22,000 rpm		
4	12	unit	Map and Plan Steel Cabinets	<del></del>	
			Gauge no. 22		
			Net Weight: 139kgs	<del></del>	
			2 rows with total 10 drawers		
			Color: Beige		
			Overall Dimensions: 38 7/8" height x 44 1/2"		
			x 33" width		
			Centralized lock with two (2) pcs keys		
5	5	unit	Steel Storage Cabinet		
	7 7111111		Gauge no. 24	***************************************	
			Overall dimension: 72" H x 36" W x 18" D		
			Color: Beige	<del> </del>	
		***	Five (5) adjustable shelves, acrylic sliding		
		***************************************	door		
3			with handle, lock two (2) pcs keys		
1					
			Visiting and the second	Sub – total	

Prepared by:

Signature over printe	d name of Authorized Representative
Position	
Date	