PHILIPPINE INTERNATIONAL CONVENTION CENTER



PROJECT TITLE

: SUPPLY AND DELIVERY OF VARIOUS

ELECTRICAL

AND ELECTRONICS.

SUPPLIES, PARTS AND MATERIALS

ABC

: ₱4,899,800.00

Sub-ABC

: Lot I - ₱1,037,430.00

Lot II - \$\mathbb{P}3,436,000.00 Lot III - \$\mathbb{P}91,320.00 Lot IV - \$\mathbb{P}335,050.00

Reference/s

: PICC APP2024 - MC - 01

ITB-2024 February 13, 2024

TABLE OF CONTENTS

Glossa	ry of Terms, Abbreviations, and Acronyms	2
Section	n I. Invitation to Bid	4
	n II. Instruction to Bidders	
1.	Scope of Bid	,
2.	Funding Information	
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive and Coercive Practices	
5.	Eligible Bidders	
6.	Origin of Goods	
7.	Subcontracts	
8.	Pre-bid Conference	10
9.	Clarification and Amendments of Bidding Documents	10
10.		
11.	Documents Comprising the Bid: Financial Component	
12.		
13.	Bid and Payment Currencies	11
14.	Bid Security	12
15.	Sealing and Marking of Bids	12
16.	Deadline for Submission of Bids	12
17.	1 0	
18.		
19.		
20.		
21.	Signing of the Contract	14
Section	ı III. Bid Data Sheet	15
Section	1 IV. General Conditions of Contract	19
1.	Scope of Contract	
2.	Advance Payment and Terms of Payment	20
3.	Performance Security	20
4.	Inspection and Test	20
5.	Warranty	21
6.	Liability of the Supplier	21
Section	1 V. Special Conditions of Contract	
	VI. Schedule of Requirements	
	VII. Technical Specifications	
Section	VIII. Checklist of Technical and Financial Documents	21
	- · ~	

Glossary of

Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC - Allowable Range of Contract Cost.

BAC - Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR - Bureau of Internal Revenue.

BSP - Bangko Sentral ng Pilipinas.

CDA - Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI - Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI - Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the

nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs - Local Government Units.

NFCC - Net Financial Contracting Capacity.

NGA - National Government Agency.

PCAB - Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC - Securities and Exchange Commission.

SLCC - Single Largest Completed Contract.

UN - United Nations.

Section I. Invitation to Bid



BIDS AND AWARDS COMMITTEE

Invitation to Bid for the Supply of Various Electrical and Electronics Supplies, Parts and Materials

1. The Philippine International Convention Center (PICC), through the Approved Budget for CY 2024, intends to apply the sum of FOUR MILLION EIGHT HUNRED **NINETY-NINE THOUSAND EIGHT** HUNDRED PESOS (Php4,899,800.00), VAT Inclusive, being the Approved Budget for the Contract (ABC) to payments under the contract for the Supply and Delivery of Various Electrical and Electronics Supplies. Parts and Materials (PICC APP2024-MC-01). The Procurement Project consists of the following lots, with the corresponding sub-ABC:

LOTI	SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS	₱1,037,430.00
LOT II	SUPPLY AND DELIVERY OF LIGHTING MATERIALS	₱3,436,000.00
LOT III	SUPPLY AND DELIVERY OF WIRES	₱91,320.00
LOT IV	SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS	₱335,050.00

Bids received in excess of the sub-ABC for each lot shall be automatically rejected at bid opening.

- 2. The *PICC* now invites bids for the above Procurement Project. Delivery of the Goods is required within THIRTY (30) CALENDAR DAYS. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. Prospective Bidders may obtain further information from the *PICC-BAC* and inspect the Bidding Documents at the address given below during office hours.
- 5. A complete set of Bidding Documents may be acquired by prospective bidders on April 12, 2024 from the given address and website(s) below and upon payment of a non-refundable fee in the amounts of:

LOTI	SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS	P2,000,00
LOTII	SUPPLY AND DELIVERY OF LIGHTING MATERIALS	P 4,000.00
LOT III	SUPPLY AND DELIVERY OF WIRES	P300.00
LOTIV	SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS	P500.00

A bidder shall present its proof of payment for the fee by furnishing the PICC-BAC a copy of the Official Receipt.

- 6. The *PICC-BAC* will hold a Pre-Bid Conference on April 24, 2024 at 10:00 a.m. at Function Room B, 2nd floor Secretariat Building, PICC and/or through videoconferencing/webcasting via Zoom, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before 9:30 a.m. at April 24, 2024. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on May 7, 2024, at 10:00 a.m. at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *PICC* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

BIDS AND AWARDS COMMITTEE
PHILIPPINE INTERNATIONAL CONVENTION CENTER
PICC Complex, Pasay City 1307
87894759 and 87894760
Telefax No. 87894761
Email: procurement@picc.gov.ph

12. You may visit the following websites:

For downloading of Bidding Documents: www.picc.gov.ph



Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, *Philippine International Convention Center* wishes to receive Bids for the *Supply of Various Electrical and Electronic Materials* with identification numbers *PICC APP2024-MC-01*

The Procurement Project (referred to herein as "Project") is composed of FOUR (4) LOTS, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2024 in the total amount of PhP4,899,800.00.
- 2.2. The source of funding is:
 - a. GOCC and GFIs, the Corporate Operating Budget.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

B

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2. [If Procuring Entity has determined that subcontracting is allowed during the bidding, state:] The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria stated in ITB Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.
- 7.3. [If subcontracting is allowed during the contract implementation stage, state:] The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in ITB Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or



workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at and/or through videoconferencing/webcasting as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within the last three (3) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

*

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.



14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2 The Bid and bid security shall be valid one hundred twenty (120) calendar days from the date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.



-

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items grouped into several lots, which shall be awarded as separate contracts per lot.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.



21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.



III. Bid Data Sheet



Bid Data Sheet

	DIG DATA DIECE
ITB Clause	
5	 The following persons shall be eligible to participate in this bidding: a. Duly licensed Filipino citizens/sole proprietorships; b. Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines; c. Corporations duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the of the outstanding capital stock belongs to citizens of the Philippines; and d. Cooperatives duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines.
5.3	For this purpose, a similar contract shall refer to supply and delivery of various electrical and electronics supplies, parts and materials. The Bidder must have completed within the last three (3) years a single contract that is similar to this requirement, the amount of which shall be at least fifty percent (50%) of the ABC. If the bidder submit bids for two (2) or more lots, the lot with the largest ABC shall be the basis to determining compliance with the required percentage.
7.1	Sub-contracting is not allowed
8	The PICC will hold a pre-bid conference on April 24, 2024 at 10:00 a.m.
12	Not applicable
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: For Lot I a. In the amount of not less than ₱20,748.60, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; b. Surety Bond in the amount of not less than ₱51,871.50. For Lot II a. In the amount of not less than ₱68,720.00, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; b. Surety Bond in the amount of not less than ₱171,800.00 For Lot III a. In the amount of not less than ₱1,826.40, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; b. Surety Bond in the amount of not less than ₱4,566.00
	 For Lot IV c. In the amount of not less than ₱6,701.00, or Cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; d. Surety Bond in the amount of not less than ₱16,752.50



15	Sealing and	Marking of Bids	
	Each Bidde components	er shall submit the original and one (1) copy or so of its Bid.	f the first and second
16.1	The address	s for submission of bids is:	
The state of the s		PICC-Bids and Awards Committee (BAC) Se Ground floor, Delegation Building PICC Complex, 1307 Pasay City	cretariat
Tree or tree o	The deadlin	ne for submission of bids is May 7, 2024 at 9:30	a.m.
17.1	The place o	f bid	
		BAC CONFERENCE ROOM Function Room B, 2 nd Floor, Secretariat Bu PICC Complex, 1307 Pasay City	ilding
and the second s	The date an	d time of bid opening is May 7, 2024 at 10:00 a.	m.
	shall take c	Bids cannot be opened as scheduled due to justificustody of the Bids submitted and the opening of next working day.	
19.3	Total ABC is FOUR MILLION EIGHT HUNRED NINETY-NINE THOUSAND EIGHT HUNDRED PESOS (Php4,899,800.00) VAT Inclusive.		
<u> </u>	I ne S	ub-ABC per Lot is as follows:	
	LOTI	SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS	P1,037,430.00
	LOTII	SUPPLY AND DELIVERY OF LIGHTING MATERIALS	₱3,436,000.00
	LOTIII	SUPPLY AND DELIVERY OF WIRES	₱91,320.00
	LOTIV	SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS	P335,050.00
20.2	of the notic	n-extendible period of five (5) calendar days from e from the BAC that it submitted the LCB, the B ocumentary requirements:	n receipt by the bidder idder shall submit the
		Photocopy of the CY 2023 Income and Busines payment;	s Tax Returns with
	b. Sections	III and V of the bid documents, signed on each a	and every page by the
	1	authorized representative;	
		e of the following items:	
	Lot I	I – All items	



	Lot IV –Item nos. 47 to 50
	d. UL/ETL Certification of Item Nos.22 & 26
	e. Company Profile with sketch of office location;
	f. Certificate of Satisfactory Completion & Acceptance of previous PICC
	projects undertaken within the last three (3) years, if any.
21.2	No additional requirement



Section IV. General Conditions of Contract



1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the Special Conditions of Contract (SCC).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the SCC.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project {[Include if Framework Agreement will be used:] or Framework Agreement} specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.



All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.



Section V. Special Conditions of Contract



Special Conditions of Contract

	Special Collultio	ns of Contract
GC		
C		
Cla		
use		1.6
1	The Procuring Entity is <i>The</i> Philippine In	nternational Convention Center (PICC)
2.2	Payment	
	calendar days after presentation of the bodocuments to Technical Services Department	oon complete delivery within thirty (30) illing and submission of the required artment (TSD) Electrical and Electronics SD) of PICC, which include the following:
	a. Sales Invoice b. Delivery Receipt duly acknowledge representative	ed/signed by PICC authorized
3	Performance Security	
		ipt of the Notice of Award, but in no case by both parties, the successful Bidder shall f the following forms: Amount of Performance Security (Equal to Percentage of the Total
	=	Contract Price)
	Cash or Cashier's/Manager's Check issued by a Universal or Commercial Bank.	Five percent (5%)
	Bank draft/guarantee issued by a Universal or Commercial Bank	Five percent (5%)
	Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Thirty percent (30%)
		submit a performance securing declaration mit any of the aforementioned forms of the Notice to Proceed
4	Inspection and Tests	
		at do not conform to the specifications. The o meet the specifications at no cost to PICC.



5	Warranty period:
	Lots I, III & IV – Ninety (90) days
Workston Stranger	Lot II – One (1) year
	The obligation for the warranty shall be covered by either retention money or special bank guarantee in the amount equivalent to at least five percent (5%) of the total contract price. The said amount shall only be released after the lapse of the warranty period.
6	The period for correction of defects in the warranty period is seven (7) calendar days upon receipt of notice from PICC project-in-charge.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Delivered, Weeks/Months
LOTI	SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT II	SUPPLY AND DELIVERY OF LIGHTING MATERIALS	Full delivery within sixty (60) calendar days from receipt of Notice to Proceed
LOT III	SUPPLY AND DELIVERY OF WIRES	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed
LOT IV	SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS	Full delivery within thirty (30) calendar days from receipt of Notice to Proceed

with the above stated schedu	ıle.
Name of Company / Bidder	****
Signature over printed Name	of Authorized Representative
Position	<u> </u>
Date	_

I hereby commit to comply and deliver all the above requirements in accordance



Section VII. Technical Specifications



Technical Specifications

Item	Qty.	Unit	Specification	Statement of Compliance
Lot I -	SUPPLY	AND DEL	IVERY OF ELECTRICAL MATERIALS	*
1	4	рс	Battery, sealed lead acid, 12V, 150Ah @ 20hr/120Ah @5hr (as per sample)	
2	8	рс	Battery, 8D complete with battery solution	
3	4	рс	Molded Case Circuit Breaker (MCCB), 400AT/AF, 3-pole, 35 kAIC@ 230V, 60Hz	
4	4	рс	Enclosed Circuit Breaker, 200A MCCB, 3-pole, min. of 35 kAIC@ 230V, 60Hz with NEMA 3R enclosure	
5	4	рс	Enclosed Circuit Breaker, 125A MCCB, 3-pole, min. of 35 kAIC@ 230V, 60Hz with NEMA 3R enclosure	
6	110	рс	Rubber Plug, 2-prong, parallel, heavy duty	
7	30	рс	Clear globe, acrylic, 12" dia. With e27 bulb socket (as per sample)	
8	1	lot	Drill bit for metal, HSS-G 4 pcs each - 4mm, 6mm, 8mm, 10mm, 12mm	
9	24	kg	Rags, cotton, round, white	
10	200	рс	Convenience outlet, surface mounted, round/flat combination, 2-gang with ground, 10A, 250V (for extension cord)	
11	250	рс	Convenience outlet, flush mounted, 2-gang, round flat combination with ground, 10A, 250V, complete set	
12	22	рс	Magnetic Contactor, 230V coil, 50A, 3pole	
13	120	рс	Stonco socket (as per sample)	
14	223	рс	Recessed type lighting fixtures (as per sample) made from steel plate with powder coating treatment, double parabolic mirrorized aluminum relfector, high purity aluminum louvers, pre-wired with lamp holder for two (2) LED tube (without ballast)	
Lot II -	SUPPLY	AND DE	LIVERY OF LIGHTING MATERIALS	· · ·
15	102	рс	LED Solar lighting, 100 watts, lithium battery, aluminum alloy & ABS housing with acrylic cover, 6000-6500K, IP65, 6-8 hours charging time minimum of 50,000 burning hours luminous flux: 1000lm visual angle: 120 degrees installation height: 5-6 meters light space: 16-18 meters working time: 10 hours @ full power/ 24 hours @ half power,	
16	180	рс	LED Sloar garden Lighting, minimum of 2 watts Solar panel: 5V/2W Battery: 3.7V/1200mAh lithium battery	
17	120	рс	LED PAR30, min. of 11watts, 230V, 60Hz, warm white, dimmable, E27, at least 30 deg beam angle with at least CE certification	



22	450	pc	CRI, E27 screw type, clear poly carbonated cover, 48-52mm cover diameter, 100% aluminum fin type heat sink, 50,000 burning hours, UL or ETL certified	
			Dimmable function: Triac dimmable(must passed with the actual testing without flicker in our existing dimmer)	
			Warranty: 3-years	
23	30	pc	LED Rectangular Downlight Slider, at least 30W, min. of 3000lm, 230VAC	
24	29	рс	LED Square Downlight, 12watts, 220VAC	
25	50	pc	Recessed LED downlight, tiltable, min. of 7 watts, daylight, 220VAC, 90mm Ø x 43.4mm	
26	896	pc	LED tubes, 15-18 watts, Length: 1.2m Input voltage: 220V (without ballast) Beam angle: at least 180 degrees color Temp.: Daylight Diffuser: Frosted poly carbonated cover Min. lifetime: 50000 hours Min. flux: 100 lm Offer brand must be Rosh and UL/ETL approved	
27	31	pc	LED Floodlight with heat sink, min. of 400watts, 100-240VAC, 3000K, min. of 48000 lumens, CRI ≥ 0, 60 degrees beam angle, IP65, min. of 30000 burning hours	
28	25	pc	LED uplight, in-ground, round, min. of 18watts, warm white, 220VAC, weatherproof, IP67	
29	10	roll	LED strip lights, SMD3528 Yellow, indoor, 8mm wide 2mm, 12VDC, 14.4 watts per meter, 5m/roll,	
30	10	pc	LED Driver, Input: 170-259VAC, 0.6 to 0.8A, Output: 12VDC, 6.67A, 80 watts (min)	
31	33	рс	LED Step/Foot Light with Motion sensor	
32	60	pc	LED Slim Panel Type Lighting, at least 36 watts, 220V, daylight, SMD LED technology, CE and ROHS compliant	
33	55	pc	Starting Capacitor for 400W High Pressure Sodium bulb, min. of 35µF	
Lot III	- SUPPLY	AND DI	ELIVERY OF WIRES	
34	4	roll	Flat Cord, AWG #16, black	
~ 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

36	3	roll	THHN Wire, 8.0mm2, copper, 150m/roll	
37	8	roll	THHN Wire, 3.5mm2, copper, 150m/roll	
			ELIVERY OF ELECTRONICS MATERIALS	
		<u> </u>	Thyristor (SCR)	
			Peak reverse voltage: at least 800V	
38	36	рс	Rated ave. on-state current: at least 50A	
			Package type: TO-65 (TO-208AC)	
39			Microphone cable, 2 core, stranded, copper conductor,	
			100m/roll	
			Capacitance: 120pF/m	
			Braid: copper	
	6	roll	Filler material: cotton	
			Insulation material: PVC	
	***		voltage rating: 300V	
			UL certified	
)"	Shielded Signal Cable, 2 core, stranded, copper conductor,	
			100m/roll	
40	1	pc	Braid: copper	
			Insulation material: PVC	
			voltage rating: 300V	
		***************************************	XLR Connector, 3-pin, male (as per sample)	
			body orientation: Straight	
41	60	pc	Housing material: zinc	
			No. of contact: 3	
			termination method: solder	
	[XLR Connector, 3-pin, female (as per sample)	
42	20	no	body orientation: Straight	
42	20	pc	Housing material: zinc No. of contact: 3	
		**************************************	termination method: solder	
			Phone jack, 3.5mm, male (as per sample)	
43	45	рс	No. of contact: 4	
		F	termination method: solder	
			Phone jack, 3.5mm, male (as per sample)	
44	45	рс	No. of contact: 3	
		•	termination method: solder	
45	100	no.	Battery, Size AAA, 1.5V, alkaline, with at least five (5) years	
۰+٦	100	рс	expiration date from the date of purchase	
46	10	рс	Magic tape, 4" x 25m long, black (as per sample)	
			Automatic Motion Sensor Switch, 360° detection range, 110-	
			240VAC, 60Hz	
			Ambient light: 3-2000 lux (adjustable)	
47	150	nc	Rated load: 1200 watts	
т/	150	pc	Time delay: up to 78 minutes	
Taraba da			Installation ht: up to 4 meters	
			Detection speed0.6 to 1.5ms	
			Detection distance up to 6 meters	
40	1.50		Infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360°	:
48	150	рc	detection range	
			Rated load: 40 watts	

		Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters
49 6	рс	Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing
50 8	pc	DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3-pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)

STATEMENT OF COMPLIANCE

Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered.

Note:

Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.



Section VIII. Checklist of Technical and Financial Documents



Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

II.

		Class "A" Documents
Leg	gal Do	ocuments
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR. If any of the documents in Annex "A" are expired, the updated document shall be submitted during post-qualification;
Tec	<u>chnice</u>	al Documents
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (Annex "A"); and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (Section "B"); and
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration (Annex C"); and
	(e)	Conformity with the Technical Specifications (Section VII), which includes production/delivery schedule, manpower requirements, and/or aftersales/parts (Section VI), if applicable; and
	(f)	Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder (Annex "D).
Fin	ancia	l Documents
	(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (Annex "E") or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
	(h)	Class "B" Documents If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence or duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
R'IN	ANC	IAL COMPONENT ENVELOPE
	(i)	Original of duly signed and accomplished Financial Bid Form;
Oth	er do	cumentary requirements under RA No. 9184 (as applicable)
	(j)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in
	(k)	government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

II.

		Class "A" Documents
Leg	al Do	<u>cuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
Tec	hnica	l Documents
П	(b)	Statement of the prospective bidder of all its ongoing government and private
	(0)	contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (Annex "A"); and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents (Section "B"); and
	(d)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission or Original copy of Notarized Bid Securing Declaration (Annex C"); and
	(e)	Conformity with the Technical Specifications (Section VII), which includes production/delivery schedule, manpower requirements, and/or aftersales/parts (Section VI), if applicable; and
	(f)	Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder (Annex "D).
Fin	ancial	Documents
	(g)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (Annex "E") or A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.
		Class "B" Documents
	(h)	If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.
FIN	ANCI	IAL COMPONENT ENVELOPE
	(i)	Original of duly signed and accomplished Financial Bid Form;
Oth	er doo	cumentary requirements under RA No. 9184 (as applicable)
	(j)	[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in
	(k)	government procurement activities for the same item or product. Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Standard For Number: SF-GOOD-13a

Revised on: July 28, 2004

LIST OF ALL ON-GOING GOVERNMENT & PRIVATE CONTRACTS INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED

Business Name:		***************************************			:	ı		
Business Address:						1		
Name of Project / Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Roie	Roie	a. Date Awarded b. Date Started c. Date Completion	% of Accomplishment	of ishment	Value of Outstanding Works / Undelivered Portion
	•		Description	%		Planned	Actual	
Government:								

Private:								
The state of the s								
						TOTAL	T	<u> </u>
Submitted by:								
Decignation		(Printed Name & Signature)						
Date:								

SINGLE LARGEST COMPLETED CONTRACT

WHICH IS SIMILAR TO THE CONTRACT TO BE BID

Business Name:

Business Address:

Name of Contract	a. Owner' Name b. Address c. Telephone Nos.	Nature of Item/Service	a. Amount of Award b. Amount at Completion c. Duration	a. Date Awarded b. Contract Effectivity c. Date Completed
			dell'estate dell'estate dell'estate dell'estate dell'estate dell'estate dell'estate dell'estate dell'estate de	

Note: This statement shall be supported with:

- 1. Contract
- 2. Certificate of Completion and Acceptance or Official Receipt/s or Sales Invoice issued for the contract

Note: The Single Largest Completed Contract shall be completed within the last three (3) years from the date of submission and receipt of bids, that is similar to the contract to be bid, the amount of which shall be at least fifty percent (50%) of the ABC.

	(Printed Name & Signature)		
Submitted by:		Designation	Date:

BID SECURING DECLARATION FORM

REPUBLIC OF THE P	HILIPPINES)
CITY OF) S.S.
Y	X

BID SECURING DECLARATION

Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We², the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

² Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant

SUBSCRIBED AND SWORN to before me this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no and his/her Community Tax Certificate No issued on at
Witness my hand and seal this day of [month] [year].
NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No. PTR No [date issued], [place issued] IBP No [date issued], [place issued]
Doc. No Page No Book No Series of

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

	The state of the s
REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF) S.S.	

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest withanother blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting:
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the enduser unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

WITNESS,	WHEREOF, Philippines.	I hav	e here	unto	set	my	hand	this	da	ay o	of	, 20_	_at
			[Insert	NAM	Œ	OF	BIDD.	ER (OR	ITS	AUTH	IORIZ	ΈD

[Insert signatory's legal capacity]
Affiant

REPRESENTATIVE]

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

PHILIPPINE INTERNATIONAL CONVENTION CENTER

Name of the Project: Supply and Delivery of Various Electrical and Electronics Supplies, Parts and Materials

FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK

A.	Summary of the Applicant Supplier's/Distributor's/Manufacturer's assets and liabilities on the basis of the
	attached Income Tax Return and Audited Financial Statement, stamped "RECEIVED" by the Bureau of Interna
	Revenue or BIR authorized collecting agent, for the immediately preceding year and a certified copy o
	Schedule of Fixed Assets particularly the list of construction equipment.

		Year 20
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	
7	Value of all outstanding or uncompleted portions of the project under ongoing contracts, including awarded contracts yet to be started coinciding with contract to be bid.	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:
NFCC = [(Current assets minus current liabilities) (15)] minus value of all outstanding or uncompleted portions of the project under ongoing contracts, including awarded contracts yet to be started coinciding with contract to be bid.
NFCC = P
The values of the bidder's current assets and current liabilities shall be based on the data submitted to the BIR.
or
A committed Line of Credit, in an amount to at least ten percent (10%) of the ABC, issued by a Universal of Commercial Bank.
Submitted by:
Name of Supplier / Distributor / Manufacturer
Signature of Authorized Representative Date:

Note:

^{1.} If Partnership or Joint Venture, each Partner or Member Firm of Joint Venture shall submit the above requirements.

BID FORM

Date:	_
Project Identification No.:	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to Supply and Delivery of Various Electrical and Electronics Supplies, Parts and Materials in conformity with the said PBDs for the sum of:

Description	Amount of Bid/s in words and figures (VAT Inclusive)
Lot I - SUPPLY AND DELIVERY OF ELECTRICAL MATERIALS	TOTAL AMOUNT OF BIDS IN WORDS (P) VAT Inclusive
Lot II - SUPPLY AND DELIVERY OF LIGHTING MATERIALS	TOTAL AMOUNT OF BIDS IN WORDS (P) VAT Inclusive
Lot III - SUPPLY AND DELIVERY OF WIRES	TOTAL AMOUNT OF BIDS IN WORDS (P) VAT Inclusive
Lot IV - SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS	TOTAL AMOUNT OF BIDS IN WORDS (P) VAT Inclusive

or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules (see attached),

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;

c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:	
Legal capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

Cost Breakdown

Item No.	Qty.	Unit	Article /Description	Unit Price	Total Amount	Offer brand
Lot I -	SUPPL	Y AND I	DELIVERY OF ELECTRICAL MATERIALS			
1	4	рс	Battery, sealed lead acid, 12V, 150Ah @ 20hr/120Ah @5hr (as per sample)			
2	8	рс	Battery, 8D complete with battery solution		***************************************	7-7-11111-1-1-1-1
3	4	рс	Molded Case Circuit Breaker (MCCB), 400AT/AF, 3-pole, 35 kAIC@ 230V, 60Hz			
4	4	рс	Enclosed Circuit Breaker, 200A MCCB, 3-pole, min. of 35 kAIC@ 230V, 60Hz with NEMA 3R enclosure			
5	4	рc	Enclosed Circuit Breaker, 125A MCCB, 3-pole, min. of 35 kAIC@ 230V, 60Hz with NEMA 3R enclosure			4,1000
6	110	рс	Rubber Plug, 2-prong, parallel, heavy duty			
7	30	рс	Clear globe, acrylic, 12" dia. With e27 bulb socket (as per sample)			
8	1	lot	Drill bit for metal, HSS-G 4 pcs each - 4mm, 6mm, 8mm, 10mm, 12mm			
9	24	kg	Rags, cotton, round, white	· · · · · · · · · · · · · · · · · · ·		
10	200	рс	Convenience outlet, surface mounted, round/flat combination, 2-gang with ground, 10A, 250V (for extension cord)			
11	250	pc	Convenience outlet, flush mounted, 2-gang, round flat combination with ground, 10A, 250V, complete set	PHARMA C		
12	22	рс	Magnetic Contactor, 230V coil, 50A, 3pole			
13	120	рс	Stonco socket (as per sample)	,····		
14	223	pc	Recessed type lighting fixtures (as per sample) made from steel plate with powder coating treatment, double parabolic mirrorized aluminum relfector, high purity aluminum louvers, pre-wired with lamp holder for two (2) LED tube (without ballast)			
	A-7-			– total		
Lot II -	SUPPI	LY AND I	DELIVERY OF LIGHTING MATERIALS			*****
15	102	pc	LED Solar lighting, 100 watts, lithium battery, aluminum alloy & ABS housing with acrylic cover, 6000-6500K, IP65, 6-8 hours charging time minimum of 50,000 burning hours luminous flux: 1000lm visual angle: 120 degrees installation height: 5-6 meters light space: 16-18 meters			



***************************************	1		working time: 10 hours @ full news.	1	1
			working time: 10 hours @ full power/		
			24 hours @ half power,		
			LED Sloar garden Lighting, minimum of 2		
16	180	рc	watts		
return state of the state of th		•	Solar panel: 5V/2W	}	
	-		Battery: 3.7V/1200mAh lithium battery		
			LED PAR30, min. of 11 watts, 230V,		
17	120	рс	60Hz, warm white, dimmable, E27, at least		
		r	30 deg beam angle		
			with at least CE certification	<u> </u>	
			LED PAR38, min. of 24watts, 230V,	ļ	
18	100	рс	60Hz, warm white, dimmable, E27,		
10	100	рC	3000K,	1	
			with at least CE & RoHS certification		
			LED bulb, minimum of 12 watts, daylight,	1	
10	1205		e27, 230VAC, at least 80 CRI, minimum		
19	1295	pc	of 20000 burning hours CE & RoHS		
			certified		
	***************************************		LED bulb, minimum of 12 watts, warm		
20	052		white, e27, 230VAC, at least 80 CRI,		
20	953	pc	minimum of 20000 burning hours CE &		
			RoHS certified		
			LED PAR Light, COB, min. of 200watts, with		
21	10	рc	zoom IN/OUT, warm white, 2 or 3 DMX		
			channel, 50000 burning hours		
et continue de la con			LED Round bulb, dimmable, 2-3 watts,	ļ	
ratio de la constante de la co			230VAC, at least 270 degrees beam angle,		
			warm white (2700K), not less than 80		
			CRI, E27 screw type, clear poly		
			carbonated cover, 48-52mm cover		
22	450		diameter, 100% aluminum fin type heat		
22	450	pc	sink, 50,000 burning hours, UL or ETL	j	
			certified		
			Dimmable function: Triac dimmable(must		
			passed with the actual testing without		
			flicker in our existing dimmer)		
			Warranty: 3-years		
			LED Rectangular Downlight Slider, at		
23	30	рc	least 30W, min. of 3000lm, 230VAC		
24	29	рс	LED Square Downlight, 12watts, 220VAC		
	27	P~	Recessed LED downlight, tiltable, min. of		
25	50	рс	7 watts, daylight, 220VAC, 90mm Ø x		
23	50	р¢	43.4mm		

			LED tubes, 15-18 watts,	1	
			Length: 1.2m		
			Input voltage: 220V (without ballast)	***	
26	896	рс	Beam angle: at least 180 degrees	-	
	"		color Temp.: Daylight		
			Diffuser: Frosted poly carbonated cover		
			Min. lifetime: 50000 hours		
L			Min. flux: 100 lm		

			Offer brand must be Rosh and UL/ETL			
			approved			
		pc	LED Floodlight with heat sink, min. of 400watts, 100-240VAC, 3000K, min. of			
27	25		48000 lumens, CRI ≥80, 60 degrees beam		an and an and an	
			angle, IP65, min. of 30000 burning hours			Western Park
			LED uplight, in-ground, round, min. of			
28			18watts, warm white, 220VAC,			
			weatherproof, IP67			
	10	roll	LED strip lights, SMD3528 Yellow,	V8.1		
29			indoor, 8mm wide 2mm, 12VDC, 14.4			
			watts per meter, 5m/roll,			
			LED Driver, Input: 170-259VAC, 0.6 to			
30			0.8A, Output: 12VDC, 6.67A, 80 watts		1	
			(min)			
31	33	рс	LED Step/Foot Light with Motion sensor			
			LED Slim Panel Type Lighting, at least 36			
32	60	рс	watts, 220V, daylight, SMD LED			
ļ			technology, CE and ROHS compliant			
33	55	pc	Starting Capacitor for 400W High Pressure			
		F -	Sodium bulb, min. of 35µF			
			Su	b – total		
Lot II	I – SUI	PPLY AN	D DELIVERY OF WIRES			
34	4	roll	Flat Cord, AWG #16, black	***		
35	3	roll	THHN Wire, 5.5mm2, copper, 150m/roll			***************************************
36	3	roll	THHN Wire, 8.0mm2, copper, 150m/roll			
37	8	roll	THHN Wire, 3.5mm2, copper, 150m/roll			
			S	ub – total	Ì	

Lot IX	Lot IV – SUPPLY AND DELIVERY OF ELECTRONICS MATERIALS			
38	36	pc	Thyristor (SCR) Peak reverse voltage: at least 800V Rated ave. on-state current: at least 50A Package type: TO-65 (TO-208AC)	
39	6	roll	Microphone cable, 2 core, stranded, copper conductor, 100m/roll Capacitance: 120pF/m Braid: copper Filler material: cotton Insulation material: PVC voltage rating: 300V UL certified	
40	1	рс	Shielded Signal Cable, 2 core, stranded, copper conductor, 100m/roll Braid: copper Insulation material: PVC voltage rating: 300V	
41	60	рс	XLR Connector, 3-pin, male (as per sample)	

Housing material: zinc No. of contact: 3 termination method: solder		ו ד				Т	T
No. of Contact: 3 termination method: solder XLR Connector; 3-pin, female (as per sample) body orientation: Straight Housing material: zine No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360" detection range, 110-240VAC, 60Hz, Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection distance up to 6 meters Infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360" detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 5 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VP 2800.0 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3-pin XLR connector interface for infout, complete with power supply, manual, power cord and gooseneck light (as per sample)				body orientation: Straight			
termination method: solder XLR Connector, 3-pin, female (as per sample) sample) body orientation: Straight Housing material: zine No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder							
XLR Connector, 3-pin, female (as per sample)				i de la companya de		ļ	
42 20 pc sample) body orientation: Straight Housing material: zinc No. of contact: 3 termination method: solder 43 45 pc Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder 44 45 pc Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder 45 Poor Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder 46 Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) 46 Automatic Motion Sensor Switch, 360" detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) 47 Automatic Motion Sensor Switch, 360" detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) 48 Iso pc Infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360" detection range 48 Iso pc Poc Infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360" detection range 48 Iso pc Poc Infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360" detection range 48 Iso pc Detection distance up to 6 meters For infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360" detection range 48 Iso pc Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro5500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0-9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3-pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)							
42 20 pc body orientation: Straight Housing material: zinc No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) 43 45 pc No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) 44 45 pc Phone jack, 3.5mm, male (as per sample) 45 100 pc Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase 46 10 pc Magic tape, 4" x 25m long, black (as per sample) 47 150 pc Magic tape, 4" x 25m long, black (as per sample) 48 Automatic Motion Sensor Switch, 360" detection range, 110-240VAC, 60Hz, Ambient light: 3-2000 lux (adjustable) 48 Rated load: 1200 watts Time delay: up to 78 minutes Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360" detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360" detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro\$500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				XLR Connector, 3-pin, female (as per		**************************************	
Housing material: zine No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection gistance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)		20		sample)		Mith disclare	
Housing material: zinc No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360* detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 120 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360* detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Detection distan	42			body orientation: Straight			
termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection sistance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	42		pc	Housing material: zinc			
43 45 pc Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 waits Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40, 360° detection range Rated load: 40, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				No. of contact: 3	1		
43 45 pc Phone jack, 3.5mm, male (as per sample) No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 waits Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40, 360° detection range Rated load: 40, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)		45		termination method: solder			
43 45 pc No. of contact: 4 termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase 46 10 pc Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360" detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection distance up to 6 meters Infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360" detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3-pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)			1				
termination method: solder Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360' detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360' detection range Rated load: 40 watts Time delay: up to 55 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	43		nc				
Phone jack, 3.5mm, male (as per sample) No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360" detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360" detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)			r				
44 45 pc No. of contact: 3 termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection speed0.6 to 1.5ms Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)		45					
termination method: solder Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360" detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360" detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	44		рc		j	***	
Battery, Size AAA, 1.5V, alkaline, with at least five (5) years expiration date from the date of purchase					***************************************		
45 100 pc at least five (5) years expiration date from the date of purchase 46 10 pc Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3-pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)							
the date of purchase Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	15	100					
46 10 pc Magic tape, 4" x 25m long, black (as per sample) Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection distance up to 6 meters Infrared Motion Sensor Switch, 110-240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3-pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	43	100	рc	1			
Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				·			
Automatic Motion Sensor Switch, 360° detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	46	10	рс				
detection range, 110-240VAC, 60Hz Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection of of the to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)			1				
Ambient light: 3-2000 lux (adjustable) Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				·		1	
47 150 pc Rated load: 1200 watts Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				_ · · · · · · · · · · · · · · · · · · ·			
Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				1			
Time delay: up to 78 minutes Installation ht: up to 4 meters Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	47	150	pc	Rated load: 1200 watts	****		
Detection speed0.6 to 1.5ms Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	''			Time delay: up to 78 minutes			
Detection distance up to 6 meters Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				Installation ht: up to 4 meters			
Infrared Motion Sensor Switch, 110- 240VAC, 60Hz, 360° detection range Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				Detection speed0.6 to 1.5ms]
48 150 pc Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)				Detection distance up to 6 meters			
48 150 pc Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	***************************************			Infrared Motion Sensor Switch, 110-			
Rated load: 40 watts Time delay: up to 5 minutes (adjustable) Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)		150	рс				***
Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	40			_ _		***************************************	İ
Installation ht: up to 3.5 meters Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	48			Time delay: up to 5 minutes (adjustable)			
Detection distance: up to 6 meters Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)						1	
Projector Lamp with Module, for Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)							
Viewsonic Pro8500, 220V, 220watts, 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)							
49 6 pc 3000 burning hours Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)		6		1 · · · · · · · · · · · · · · · · · · ·			
Lamp type: P-VIP 280/0.9 E20.8E Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	49		pc				F
Model: RLC-059 with housing DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)	1]	***************************************
DMX Lighting Controller, 384 control channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)						-	
channel output, 4 digits digital display, 8 scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)							
scenes selector, 16 adjustable position, 3- pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)		8	рс				
50 8 pc pin XLR connector interface for in/out, complete with power supply, manual, power cord and gooseneck light (as per sample)					1		
complete with power supply, manual, power cord and gooseneck light (as per sample)	50						And Andrews
power cord and gooseneck light (as per sample)	50						**************************************
sample)							
				_ -			
Sub – total				sample)			
		****		S	Sub – total		

Prepared by:	
	Signature over printed name of Authorized Representative
	Position

Date